


Motorcycles & Scooters

APRILIA

2 TEMPI 2 STROKES




Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
AF1 - Tuareg - Red Rose	50				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1245	38,8	12 X 31.5 X 8	2 G30HP SF 1,20 	12 2B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1245A	38,74	SP120315080HI	2 S0388012016030HPI	1	AN2B1210SET
PC1245B	38,75	SP120315080HI	2 S0388012016030HPI	1	AN2B1210SET
PC1245C	38,76	SP120315080HI	2 S0388012016030HPI	1	AN2B1210SET
PC1245D	38,77	SP120315080HI	2 S0388012016030HPI	1	AN2B1210SET
PC1245E	38,78	SP120315080HI	2 S0388012016030HPI	1	AN2B1210SET
PC1245F	38,79	SP120315080HI	2 S0388012016030HPI	1	AN2B1210SET

Compressione 27,5
Compression mm
Mis. Testa B-1,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Segmenti NON CROMATI/ rings
NOT CHROMED



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
Amico SR 50 - Scarabeo 50 - Rally 50 - Gulliver 50	50				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1278	40	10 X 33 X 6	2 G15H STD 1,50 	10 SB FILO 0.8	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1278000	40	SP100330060HI	2 F0400015016515H0I	1	AN2B1008SET
PC1278025	40,25	SP100330060HI	2 F0402515016515H0I	1	AN2B1008SET
PC1278050	40,5	SP100330060HI	2 F0405015016515H0I	1	AN2B1008SET
PC1278075	40,75	SP100330060HI	2 F0407515016515H0I	1	AN2B1008SET
PC1278100	41	SP100330060HI	2 F0410015017015H0I	1	AN2B1008SET
PC1278125	41,25	SP100330060HI	2 F0412515017015H0I	1	AN2B1008SET
PC1278150	41,5	SP100330060HI	2 F0415015017015H0I	1	AN2B1008SET
PC1278175	41,75	SP100330060HI	2 F0417515017015H0I	1	AN2B1008SET
PC1278200	42	SP100330060HI	2 F0420015017515H0I	1	AN2B1008SET
PC1278220	42,25	SP100330060HI	2 F0422015017515H0I	1	AN2B1008SET
PC1278250	42,5	SP100330060HI	2 F0425015017515H0I	1	AN2B1008SET
PC1278300	43	SP100330060HI	2 F0430015018015H0I	1	AN2B1008SET
PC1278350	43,5	SP100330060HI	2 F0435015018015H0I	1	AN2B1008SET

Compressione 25,5
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Motorcycles & Scooters


APRILIA



2 TEMPI 2 STROKES

Segmenti CROMATI/ CHROMED.
rings



Compressione 25,5
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Amico SR 50 - Scarabeo 50 - Rally 50 - Gulliver 50	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2278	40	10 X 33 X 6	2 G15K STD 1,50 	10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2278000	40	SP100330060HI	2 F0400015016515K0I	1 AN2B1008SET
PC2278025	40,25	SP100330060HI	2 F0402515016515K0I	1 AN2B1008SET
PC2278050	40,5	SP100330060HI	2 F0405015016515K0I	1 AN2B1008SET
PC2278075	40,75	SP100330060HI	2 F0407515016515K0I	1 AN2B1008SET
PC2278100	41	SP100330060HI	2 F0410015017015K0I	1 AN2B1008SET
PC2278125	41,25	SP100330060HI	2 F0412515017015K0I	1 AN2B1008SET
PC2278150	41,5	SP100330060HI	2 F0415015017015K0I	1 AN2B1008SET
PC2278175	41,75	SP100330060HI	2 F0417515017015K0I	1 AN2B1008SET
PC2278200	42	SP100330060HI	2 F0420015017515K0I	1 AN2B1008SET
PC2278225	42,25	SP100330060HI	2 F0422515017515K0I	1 AN2B1008SET
PC2278250	42,5	SP100330060HI	2 F0425015017515K0I	1 AN2B1008SET
PC2278300	43	SP100330060HI	2 F0430015018015K0I	1 AN2B1008SET
PC2278350	43,5	SP100330060HI	2 F0435015018015K0I	1 AN2B1008SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
AM 345 - RX Red Rose - RS	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1324	40,3	12 X 33 X 8	1 G30RP SF 1,20  1 G30KB SF 1,20 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1324A	40,25	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1 AN2B1210SET
PC1324B	40,26	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1 AN2B1210SET
PC1324C	40,27	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1 AN2B1210SET
PC1324D	40,28	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1 AN2B1210SET
PC1324E	40,29	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1 AN2B1210SET
PC1324F	40,3	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1 AN2B1210SET
PC1324G	40,31	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1 AN2B1210SET

Compressione 28
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 53
Tot. Length mm




Motorcycles & Scooters

APRILIA


2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
DI-TECH - Iniezione (liquid-cooled)	50	2000	2003	
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1767	41	12 X 33 X 8	2 G30KB SF 1,20 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1767000	41	SP120330080HI	2 S0410012016030KB2304I	1 AN2B1210SET
PC1767025	41,25	SP120330080HI	2 S0412512016030KB2304I	1 AN2B1210SET
PC1767050	41,5	SP120330080HI	2 S0415012016030KB2304I	1 AN2B1210SET
PC1767075	41,75	SP120330080HI	2 S0417512016030KB2304I	1 AN2B1210SET
PC1767100	42	SP120330080HI	2 S0420012017530KB2304I	1 AN2B1210SET
PC1767125	42,25	SP120330080HI	2 S0422512017530KB2304I	1 AN2B1210SET
PC1767150	42,5	SP120330080HI	2 S0425012017530KB2304I	1 AN2B1210SET


Compressione 27
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
DI-TECH - Iniezione (air-cooled)	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1891	41	12 X 33 X 8	2 G30KB SF 1,50 	12 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1891A	40,96	SP120330080HI	2 S0410015016030KB2313I	1 AN0B1210SET
PC1891B	40,97	SP120330080HI	2 S0410015016030KB2313I	1 AN0B1210SET
PC1891C	40,98	SP120330080HI	2 S0410015016030KB2313I	1 AN0B1210SET
PC1891D	40,99	SP120330080HI	2 S0410015016030KB2313I	1 AN0B1210SET
PC1891E	41	SP120330080HI	2 S0410015016030KB2313I	1 AN0B1210SET

Compressione 27
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Scarabeo	100			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2008	52	14 X 40 X 9	2 G30KP SF 1,20 	14 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2008000	52	SP140400090HI	2 S0520012021530KPI	1 AN1B1410SET
PC2008050	52,5	SP140400090HI	2 S0525012021530KPI	1 AN1B1410SET
PC2008100	53	SP140400090HI	2 S0530012022030KPI	1 AN1B1410SET
PC2008150	53,5	SP140400090HI	2 S0535012022030KPI	1 AN1B1410SET


Compressione 33,5
Compression mm
Mis. Testa B-3,2
Head size mm
Lungh. tot. 63,5
Tot. Length mm

Motorcycles & Scooters

APRILIA


2 TEMPI 2 STROKES




Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
FUTURA - AF1 - RX - RED ROSE - RALLY - PEGASO - TUAREG	125				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1688	54	15 X 45 X 10 BIC	2 G30KB SF 1,20 	15 SB FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1688A	53,96	SP150450100YB4I	2 S0540012022530KB2670I	1	ANOB1510SET
PC1688B	53,97	SP150450100YB4I	2 S0540012022530KB2670I	1	ANOB1510SET
PC1688C	53,98	SP150450100YB4I	2 S0540012022530KB2670I	1	ANOB1510SET
PC1688D	53,99	SP150450100YB4I	2 S0540012022530KB2670I	1	ANOB1510SET
PC1688E	54	SP150450100YB4I	2 S0540012022530KB2670I	1	ANOB1510SET

Compressione 29
Compression mm
Mis. Testa B-3,3
Head size mm
Lungh. tot. 63,3
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
MX 125	125	2004	2006		
RS 125 Prima serie/First version	125	1995	1998		
RS 125 Seconda serie/Second version	125	1999	2005		
RS 125 Terza serie/Third version	125	2006	2011		
RX 125	125	2008	2013		
SX 125	125				
TUONO 125	125	2003	2004		
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
2347	54	15 X 45 X 10 BIC	1 G30KB AC 1,00 	15 SB FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC23475393	53,93	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC23475394	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC23475395	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC23475396	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

Compressione 29,1
Compression mm
Mis. Testa B-3,1
Head size mm
Lungh. tot. 63,2
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
RS 250 Twin cylinders	250				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
NEW 2585	56	16 X 45 X 9.5 BIC	2 G30KB AC 1,00 	16 SB FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2585A	55,94	SP160450095KBI	2 N0560010022530KBI	1	ANOB1610SET
PC2585B	55,95	SP160450095KBI	2 N0560010022530KBI	1	ANOB1610SET
PC2585C	55,96	SP160450095KBI	2 N0560010022530KBI	1	ANOB1610SET
PC2585D	55,97	SP160450095KBI	2 N0560010022530KBI	1	ANOB1610SET
PC2585E	55,98	SP160450095KBI	2 N0560010022530KBI	1	ANOB1610SET

Compressione 28,6
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 59,1
Tot. Length mm

Motorcycles & Scooters

APRILIA

2 TEMPI 2 STROKES

RACING Versione 1 SEGMENTO - 1
RING version

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
RS 250 Twin cylinders	250			

MP Ref: Nom. Ø mm Spinotto dim. mm Piston pin dim. Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. Anellino/Circlip

NEW 2634 56 16 X 45 X 9.5 BIC 1 G30KB AC 1,00  16 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2634A	55,94	SP160450095KBI	1 N0560010022530KBI	1	ANOB1610SET
PC2634B	55,95	SP160450095KBI	1 N0560010022530KBI	1	ANOB1610SET
PC2634C	55,96	SP160450095KBI	1 N0560010022530KBI	1	ANOB1610SET
PC2634D	55,97	SP160450095KBI	1 N0560010022530KBI	1	ANOB1610SET
PC2634E	55,98	SP160450095KBI	1 N0560010022530KBI	1	ANOB1610SET

Compressione 28,6
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 59,1
Tot. Length mm

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Scarabeo 50- 4 Valvole	50			



MP Ref: Nom. Ø mm Spinotto dim. mm Piston pin dim. Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. Anellino/Circlip

2305 39 13 X 30 X 8 RS 1 C1KBP SF 1,00  13 SB FILO 1.0
1 C2LP SF 1,00 
1 R7P SF 2,00 




Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2305000	39	SP130300080HI	1 RSMOT390001	1	ANOB1310SET
PC2305040	39,4	SP130300080HI	1 RSMOT394001	1	ANOB1310SET
PC2305080	39,8	SP130300080HI	1 RSMOT398001	1	ANOB1310SET

Compressione 18,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 38
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Scarabeo	100			



MP Ref: Nom. Ø mm Spinotto dim. mm Piston pin dim. Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. Anellino/Circlip

2146 50 13 X 30 X 8 RS 1 C6KBP SF 1,00  13 SB FILO 1.0
1 C2LP F 1,00 
1 R7P SF 2,00 

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2146040	50,4	SP130300080HI	1 RSMOT504001	1	ANOB1310SET
PC2146080	50,8	SP130300080HI	1 RSMOT508001	1	ANOB1310SET

Compressione 17,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 34
Tot. Length mm




Motorcycles & Scooters

APRILIA

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
LEONARDO (cast iron cyl.)	150			




MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1893	62	15 X 42 X 10	RS	15 SB FILO 1.0
			1 C2LP F 1,00 	
			1 S20LP F 1,00 	
			1 R5P STD 2,50 	

Compressione 21
Compression mm
Mis. Testa PFV+3
Head size mm
Lungh. tot. 37
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1893000	62	SP150420100HI	1 RSMOT620001	1	ANOB1510SET
PC1893040	62,4	SP150420100HI	1 RSMOT624001	1	ANOB1510SET
PC1893060	62,6	SP150420100HI	1 RSMOT626001	1	ANOB1510SET
PC1893080	62,8	SP150420100HI	1 RSMOT628001	1	ANOB1510SET
PC1893100	63	SP150420100HI	1 RSMOT630001	1	ANOB1510SET



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
LEONARDO (aluminum cyl.)	150			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2024	62	15 X 41 X 10 BIC	RS	15 SB FILO 1.0
			1 C2LP F 1,00 	
			1 S20LP F 1,00 	
			1 R5P STD 2,50 	

Compressione 21
Compression mm
Mis. Testa PFV+3
Head size mm
Lungh. tot. 37
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2024A	61,96	SP150420100HI	1 RSMOT620001	1	ANOB1510SET
PC2024B	61,97	SP150420100HI	1 RSMOT620001	1	ANOB1510SET
PC2024C	61,98	SP150420100HI	1 RSMOT620001	1	ANOB1510SET
PC2024D	61,99	SP150420100HI	1 RSMOT620001	1	ANOB1510SET
PC2024E	62	SP150420100HI	1 RSMOT620001	1	ANOB1510SET
PC2024F	62,01	SP150420100HI	1 RSMOT620001	1	ANOB1510SET
PC2024G	62,02	SP150420100HI	1 RSMOT620001	1	ANOB1510SET
PC2024H	62,03	SP150420100HI	1 RSMOT620001	1	ANOB1510SET
PC2024I	62,04	SP150420100HI	1 RSMOT620001	1	ANOB1510SET




Motorcycles & Scooters

APRILIA

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Atlantic (cast iron cyl.)	250	2004	2011	
Scarabeo (cast iron cyl.)	250	2006	2011	




MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2049	72	15 X 44 X 7	1 C6KBP SF 1,00  1 S20LP F 1,00  1 R5P F 2,50 	15 SB FILO 1.0

Compressione 23,6
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 38,6
 Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2049000	72	SP150440070HI	1 RSMOT720002	1	ANOB1510SET
PC2049025	72,25	SP150440070HI	1 RSMOT722502	1	ANOB1510SET
PC2049050	72,5	SP150440070HI	1 RSMOT725002	1	ANOB1510SET
PC2049075	72,75	SP150440070HI	1 RSMOT727502	1	ANOB1510SET



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Atlantic (aluminum cyl.)	250	2004	2011	
Scarabeo (aluminum cyl.)	250	2006	2011	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2050	72	15 X 44 X 7	1 C6KBP SF 1,00  1 S20LP F 1,00  1 R5P F 2,50 	15 SB FILO 1.0

Compressione 23,6
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 38,6
 Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2050A	71,96	SP150440070HI	1 RSMOT720002	1	ANOB1510SET
PC2050B	71,97	SP150440070HI	1 RSMOT720002	1	ANOB1510SET
PC2050C	71,98	SP150440070HI	1 RSMOT720002	1	ANOB1510SET
PC2050D	71,99	SP150440070HI	1 RSMOT720002	1	ANOB1510SET







Motorcycles & Scooters

APRILIA

4 TEMPI 4 STROKES

FORGIATO/FORGED


Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Scarabeo, Sportcity, SR300	300			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2424	75	16 X 45 X 9.5 BIC	NS	16 SB FILO 1.0
			1 C6NB AC 1,00 	
			1 C2LP F 1,20 	
			1 RAN AC 2,00 	
			ws	
			1 C6NB AC 1,00 	
			1 C2LP F 1,20 	
			1 RAN AC 2,00 	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2424000	75	SP160450095KBI	1 NSMOT750002	1	AN0B1610SET
PC2424050	75,5	SP160450095KBI	1 WSMOT755005I	1	AN0B1610SET
PC2424100	76	SP160450095KBI	1 WSMOT760005I	1	AN0B1610SET

**NUOVE
MAGGIORAZIONI /
NEW OVER SIZES: Ø
75,5 - Ø 76 mm**

Compressione 23,6
Compression mm

Mis. Testa p
Head size mm

Lungh. tot. 41,6
Tot. Length mm

ATALA-RIZZATO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Califfone VM	50			



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0989	39	12 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0989000	39	SP120315080HI	2 F0390020016515H0I	1	AN2B1210SET
PC0989020	39,2	SP120315080HI	2 F0392020016515H0I	1	AN2B1210SET
PC0989040	39,4	SP120315080HI	2 F0394020016515H0I	1	AN2B1210SET
PC0989060	39,6	SP120315080HI	2 F0396020016515H0I	1	AN2B1210SET
PC0989080	39,8	SP120315080HI	2 F0398020016515H0I	1	AN2B1210SET
PC0989100	40	SP120315080HI	2 F0400020016515H0I	1	AN2B1210SET
PC0989120	40,2	SP120315080HI	2 F0402020016515H0I	1	AN2B1210SET
PC0989140	40,4	SP120315080HI	2 F0404020016515H0I	1	AN2B1210SET
PC0989160	40,6	SP120315080HI	2 F0406020017015H0I	1	AN2B1210SET

Compressione 25
Compression mm

Mis. Testa B-3,7
Head size mm

Lungh. tot. 52,7
Tot. Length mm


Motorcycles & Scooters

ATHENA

2 TEMPI 2 STROKES




Compressione 24,7
Compression mm
Mis. Testa B-2,8
Head size mm
Lungh. tot. 49,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. Scooter Piaggio da 50cc a 75cc - TESTA BOMBATA-spin. Ø 12				
75				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	
1619	47,6	12 X 37 X 8	1 G30KB SF 1,00 	
				Anellino/Circlip
				12 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty
Cod. SERIE anellino				
PC1619A	47,54	SP120370080KI	1 S0476010019530KB2545I	1 ANOB1210SET
PC1619B	47,55	SP120370080KI	1 S0476010019530KB2545I	1 ANOB1210SET
PC1619C	47,56	SP120370080KI	1 S0476010019530KB2545I	1 ANOB1210SET
PC1619D	47,57	SP120370080KI	1 S0476010019530KB2545I	1 ANOB1210SET
PC1619E	47,58	SP120370080KI	1 S0476010019530KB2545I	1 ANOB1210SET
PC1619F	47,59	SP120370080KI	1 S0476010019530KB2545I	1 ANOB1210SET
PC1619G	47,6	SP120370080KI	1 S0476010019530KB2545I	1 ANOB1210SET



Compressione 24,7
Compression mm
Mis. Testa B-2,8
Head size mm
Lungh. tot. 49,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. Sc. Yamaha Minarelli 50cc a 75cc -TESTA BOMB- spin Ø 10				
75				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	
1648	47,6	10 X 36 X 5	1 G30KB SF 1,00 	
				Anellino/Circlip
				10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty
Cod. SERIE anellino				
PC1648A	47,54	SP100360050KI	1 S0476010019530KB2545I	1 ANOB1008SET
PC1648B	47,55	SP100360050KI	1 S0476010019530KB2545I	1 ANOB1008SET
PC1648C	47,56	SP100360050KI	1 S0476010019530KB2545I	1 ANOB1008SET
PC1648D	47,57	SP100360050KI	1 S0476010019530KB2545I	1 ANOB1008SET
PC1648E	47,58	SP100360050KI	1 S0476010019530KB2545I	1 ANOB1008SET
PC1648F	47,59	SP100360050KI	1 S0476010019530KB2545I	1 ANOB1008SET
PC1648G	47,6	SP100360050KI	1 S0476010019530KB2545I	1 ANOB1008SET

Motorcycles & Scooters

CAGIVA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
MITO SPORT (testa piatta - flat head)	125	1990	2007	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1497	56	16 X 45 X 9.5 BIC	1	G30KB SF	1,00	16 SB FILO 1.2
			1	G30KB AC	1,00	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1497A	55,95	SP160450095KBI	1 N0560010022530KBI	1	ANOB1612SET
PC1497B	55,96	SP160450095KBI	1 N0560010022530KBI	1	ANOB1612SET
PC1497C	55,97	SP160450095KBI	1 N0560010022530KBI	1	ANOB1612SET
PC1497D	55,98	SP160450095KBI	1 N0560010022530KBI	1	ANOB1612SET
PC1497025	56,25	SP160450095KBI	1 S0562510023530KB2350I	1	ANOB1612SET
PC1497050	56,5	SP160450095KBI	1 S0565010023530KB2350I	1	ANOB1612SET

Compressione 25
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 57
 Tot. Length mm

Motorcycles & Scooters

CPI / KEEWAY

2 TEMPI 2 STROKES



Compressione 25,5
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
CPI / KEEWAY Scooter (with window)		50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1901	40	12 X 33 X 8	2	G15H STD 1,50	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1901000	40	SP120330080HI	2 F0400015016515H0I	1	AN2B1210SET
PC1901025	40,25	SP120330080HI	2 F0402515016515H0I	1	AN2B1210SET
PC1901050	40,5	SP120330080HI	2 F0405015016515H0I	1	AN2B1210SET
PC1901075	40,75	SP120330080HI	2 F0407515016515H0I	1	AN2B1210SET
PC1901100	41	SP120330080HI	2 F0410015017015H0I	1	AN2B1210SET
PC1901150	41,5	SP120330080HI	2 F0415015017015H0I	1	AN2B1210SET



Compressione 26
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 49,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
CPI / KEEWAY Scooter (without window)		50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1902	40	12 X 31.5 X 8	2	G15H STD 1,50	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1902000	40	SP120315080HI	2 F0400015016515H0I	1	AN2B1210SET
PC1902025	40,25	SP120315080HI	2 F0402515016515H0I	1	AN2B1210SET
PC1902050	40,5	SP120315080HI	2 F0405015016515H0I	1	AN2B1210SET
PC1902075	40,75	SP120315080HI	2 F0407515016515H0I	1	AN2B1210SET
PC1902100	41	SP120315080HI	2 F0410015017015H0I	1	AN2B1210SET
PC1902150	41,5	SP120315080HI	2 F0415015017015H0I	1	AN2B1210SET




Motorcycles & Scooters

DAELIM

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
S3 125 FI -S3 125R TOURING	125	2009	2013	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2280	56,5	15 X 42 X 10	1 C6KBP SF 1,00  1 C2LP F 1,00  1 R7P F 2,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2280000	56,5	SP150420100HI	1 RSMOT565002	1	ANOB1510SET
PC2280025	56,75	SP150420100HI	1 RSMOT567502	1	ANOB1510SET
PC2280050	57	SP150420100HI	1 RSMOT570002	1	ANOB1510SET
PC2280100	57,5	SP150420100HI	1 RSMOT575002	1	ANOB1510SET

Compressione 21,7
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 42,6
 Tot. Length mm

Motorcycles & Scooters

DERBI

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Senda SM / R / GPR50R / Start 50 autom.	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1626	39,9	12 X 31.5 X 8	2 G30KB SF 1,20 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1626A	39,86	SP120315080HI	2 S0399012016530KB2551I	1	ANOB1210SET
PC1626B	39,87	SP120315080HI	2 S0399012016530KB2551I	1	ANOB1210SET
PC1626C	39,88	SP120315080HI	2 S0399012016530KB2551I	1	ANOB1210SET
PC1626D	39,89	SP120315080HI	2 S0399012016530KB2551I	1	ANOB1210SET
PC1626E	39,9	SP120315080HI	2 S0399012016530KB2551I	1	ANOB1210SET
PC1626F	39,91	SP120315080HI	2 S0399012016530KB2551I	1	ANOB1210SET

Compressione 24
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 49
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Senda- Racing version	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2248	39,9	12 X 31.5 X 8	1 G30KB AC 1,00 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2248A	39,82	SP120315080HI	1 N0399010016530KBI	1	ANOB1210SET
PC2248B	39,83	SP120315080HI	1 N0399010016530KBI	1	ANOB1210SET
PC2248C	39,84	SP120315080HI	1 N0399010016530KBI	1	ANOB1210SET

Compressione 24,1
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 49,1
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Variant cilindro alluminio/Nikasil - aluminum/Nikasil cylinder	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2267	39,9	12 X 31.5 X 8	2 G30KB SF 1,20 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2267A	39,86	SP120315080HI	2 S0399012016530KB2551I	1	ANOB1210SET
PC2267B	39,87	SP120315080HI	2 S0399012016530KB2551I	1	ANOB1210SET

Compressione 24
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 49
Tot. Length mm


Motorcycles & Scooters

DERBI

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Senda Start- cil. ghisia/ cast iron cyl.	50			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1777	40,08	12 X 31.5 X 8	2 G30KB SF 1,20 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1777000	40,08	SP120315080HI	2 S0401012016530KB2551I	1	ANOB1210SET
PC1777020	40,28	SP120315080HI	2 S0403012016030KB2304I	1	ANOB1210SET
PC1777040	40,48	SP120315080HI	2 S0405012016030KB2304I	1	ANOB1210SET

Compressione 24
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 49
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Predator / Atlantis / Paddock / Vamos	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1878	41	10 X 33 X 6	2 G30KB SF 1,50 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1878A	40,95	SP100330060HI	2 S0410015016030KB2313I	1	ANOB1008SET
PC1878B	40,96	SP100330060HI	2 S0410015016030KB2313I	1	ANOB1008SET
PC1878C	40,97	SP100330060HI	2 S0410015016030KB2313I	1	ANOB1008SET
PC1878D	40,98	SP100330060HI	2 S0410015016030KB2313I	1	ANOB1008SET

Compressione 19,2
Compression mm
Mis. Testa B-3,3
Head size mm
Lungh. tot. 45,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vamos Trarf.	74			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1380	47	10 X 36 X 6	2 G30HP STD 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1380000	47	SP100360060HI	2 F0470015019530HPI	1	AN2B1010SET
PC1380020	47,2	SP100360060HI	2 F0472015019530HPI	1	AN2B1010SET
PC1380040	47,4	SP100360060HI	2 F0474015019530HPI	1	AN2B1010SET
PC1380060	47,6	SP100360060HI	2 F0476015019530HPI	1	AN2B1010SET
PC1380080	47,8	SP100360060HI	2 F0478015019530HPI	1	AN2B1010SET
PC1380100	48	SP100360060HI	2 F0480015020030HPI	1	AN2B1010SET

Compressione 20,2
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 45
Tot. Length mm

Motorcycles & Scooters


DERBI

2 TEMPI 2 STROKES



Compressione 27,5
 Compression mm
 Mis. Testa B-2
 Head size mm
 Lungh. tot. 53
 Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
100cc. Cilindro Nikasil	100			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1934	50	12 X 42 X 8	2 G30HP STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1934A	49,95	SP120420080HI	2 F0500015021030HPI	1	AN2B1210SET
PC1934B	49,96	SP120420080HI	2 F0500015021030HPI	1	AN2B1210SET
PC1934C	49,97	SP120420080HI	2 F0500015021030HPI	1	AN2B1210SET


Motorcycles & Scooters

DR MOTORPARTS

2 TEMPI 2 STROKES




Compressione 26
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 52
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. Vespa 50 - PK 50 - Ape 50 - 3 travasi				
	75			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1052	47	12 X 40 X 8	2 G15HP STD 1,50 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1052000	47	SP120400080HI	2 F0470015019515HPI	1 AN2B1210SET
PC1052040	47,4	SP120400080HI	2 F0474015019515HPI	1 AN2B1210SET
PC1052080	47,8	SP120400080HI	2 F0478015019515HPI	1 AN2B1210SET
PC1052100	48	SP120400080HI	2 F0480015020015HPI	1 AN2B1210SET
PC1052140	48,4	SP120400080HI	2 F0484015020015HPI	1 AN2B1210SET





Compressione 26,2
Compression mm
Mis. Testa B-3,8
Head size mm
Lungh. tot. 52
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. Vespa 50 - PK 50 - Ape 50 - 6 travasi				
	75			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1186	47	12 X 40 X 7	2 G15HP STD 1,50 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1186000	47	SP120400070KI	2 F0470015019515HPI	1 AN2B1210SET
PC1186020	47,2	SP120400070KI	2 F0472015019515HPI	1 AN2B1210SET
PC1186040	47,4	SP120400070KI	2 F0474015019515HPI	1 AN2B1210SET
PC1186050	47,5	SP120400070KI	2 F0475015019515HPI	1 AN2B1210SET
PC1186060	47,6	SP120400070KI	2 F0476015019515HPI	1 AN2B1210SET
PC1186080	47,8	SP120400070KI	2 F0478015019515HPI	1 AN2B1210SET
PC1186100	48	SP120400070KI	2 F0480015020015HPI	1 AN2B1210SET
PC1186140	48,4	SP120400070KI	2 F0484015020015HPI	1 AN2B1210SET



Compressione 23
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 49,4
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. HONDA - PEUGEOT - KYMCO				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2301	47	12 X 35 X 8	1 G15KP STD 1,50  1 G15HP STD 1,50 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2301000	47	SP120350080HI	1 F0470015019515KPI 1 F0470015019515HPI	1 AN2B1210SET
PC2301040	47,4	SP120350080HI	1 F0474015019515KPI 1 F0474015019515HPI	1 AN2B1210SET
PC2301080	47,8	SP120350080HI	1 F0478015019515KPI 1 F0478015019515HPI	1 AN2B1210SET


Motorcycles & Scooters

DR MOTORPARTS

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. Piaggio VESPA 50 3 Travasi	84			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2583	50	12 X 42 X 8	2 G30HP STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2583000	50	SP120420080HI	2 F0500015021030HPI	1	AN2B1210SET
PC2583040	50,4	SP120420080HI	2 F0504015021030HPI	1	AN2B1210SET
PC2583080	50,8	SP120420080HI	2 F0508015021030HPI	1	AN2B1210SET

Compressione 26,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 48,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. Vespa 50 - PK 50 - Ape 50 - 6 travasi	100			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1127	55	12 X 45 X 8 RAM. DIS. SP13	2 G30HP STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1127000	55	SP120450080KS2I	2 F0550015022030HP2850I	1	AN2B1210SET
PC1127020	55,2	SP120450080KS2I	2 F0552015023030HPI	1	AN2B1210SET
PC1127040	55,4	SP120450080KS2I	2 F0554015022030HP2850I	1	AN2B1210SET
PC1127060	55,6	SP120450080KS2I	2 F0556015023030HPI	1	AN2B1210SET
PC1127080	55,8	SP120450080KS2I	2 F0558015022030HP2850I	1	AN2B1210SET
PC1127100	56	SP120450080KS2I	2 F0560015023530HPI	1	AN2B1210SET
PC1127120	56,2	SP120450080KS2I	2 F0562015023530HPI	1	AN2B1210SET
PC1127140	56,4	SP120450080KS2I	2 F0564015023530HPI	1	AN2B1210SET
PC1127160	56,6	SP120450080KS2I	2 F0566015023530HPI	1	AN2B1210SET
PC1127180	56,8	SP120450080KS2I	2 F0568015023530HPI	1	AN2B1210SET
PC1127200	57	SP120450080KS2I	2 F0570015024030HP2875I	1	AN2B1210SET

Compressione 26,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 48,5
Tot. Length mm

Motorcycles & Scooters

GARELLI

2 TEMPI 2 STROKES



Compressione 24
 Compression mm
 Mis. Testa B-3,3
 Head size mm
 Lungh. tot. 49,3
 Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Gulp-Flex-Matic-Katia-Eureka	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
0798	40	12 X 33 X 8	2	G15H STD	2,00	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0798000	40	SP120330080HI	2 F0400020016515H0I	1	AN2B1210SET
PC0798040	40,4	SP120330080HI	2 F0404020016515H0I	1	AN2B1210SET
PC0798080	40,8	SP120330080HI	2 F0408020016515H0I	1	AN2B1210SET
PC0798120	41,2	SP120330080HI	2 F0412020017015H0I	1	AN2B1210SET
PC0798150	41,5	SP120330080HI	2 F0415020017015H0I	1	AN2B1210SET
PC0798180	41,8	SP120330080HI	2 F0418020017015H0I	1	AN2B1210SET
PC0798200	42	SP120330080HI	2 F0420020017515H0I	1	AN2B1210SET

Motorcycles & Scooters

GILERA

2 TEMPI 2 STROKES

Segmenti NON CROMATI/ rings
NOT CHROMED



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
NRG (ring not chromed)	50			
Runner (ring not chromed)	50			
Stalker (ring not chromed)	50	1996	2012	
Storm (ring not chromed)	50			
Typhoon (ring not chromed)	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1306	40	12 X 33 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1306000	40	SP120330080HI	2 F0400015016515H0I	1	AN2B1210SET
PC1306020	40,2	SP120330080HI	2 F0402015016515H0I	1	AN2B1210SET
PC1306040	40,4	SP120330080HI	2 F0404015016515H0I	1	AN2B1210SET
PC1306060	40,6	SP120330080HI	2 F0406015016515H0I	1	AN2B1210SET
PC1306080	40,8	SP120330080HI	2 F0408015016515H0I	1	AN2B1210SET
PC1306100	41	SP120330080HI	2 F0410015017015H0I	1	AN2B1210SET
PC1306120	41,2	SP120330080HI	2 F0412015017015H0I	1	AN2B1210SET
PC1306140	41,4	SP120330080HI	2 F0414015017015H0I	1	AN2B1210SET
PC1306160	41,6	SP120330080HI	2 F0416015017015H0I	1	AN2B1210SET
PC1306180	41,8	SP120330080HI	2 F0418015017015H0I	1	AN2B1210SET
PC1306200	42	SP120330080HI	2 F0420015017515H0I	1	AN2B1210SET
PC1306250	42,5	SP120330080HI	2 F0425015017515H0I	1	AN2B1210SET
PC1306300	43	SP120330080HI	2 F0430015018015H0I	1	AN2B1210SET

Compressione 26
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 54
Tot. Length mm


Motorcycles & Scooters

GILERA

2 TEMPI 2 STROKES

Segmenti CROMATI/ CHROMED rings


Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
NRG	50			
Runner	50			
Stalker	50	1996	2012	
Storm	50			
Typhoon	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2306	40	12 X 33 X 8	2 G15K STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2306000	40	SP120330080HI	2 F0400015016515K0I	1	AN2B1210SET
PC2306020	40,2	SP120330080HI	2 F0402015016515K0I	1	AN2B1210SET
PC2306040	40,4	SP120330080HI	2 F0404015016515K0I	1	AN2B1210SET
PC2306060	40,6	SP120330080HI	2 F0406015016515K0I	1	AN2B1210SET
PC2306080	40,8	SP120330080HI	2 F0408015016515K0I	1	AN2B1210SET
PC2306100	41	SP120330080HI	2 F0410015017015K0I	1	AN2B1210SET
PC2306120	41,2	SP120330080HI	2 F0412015017015K0I	1	AN2B1210SET
PC2306140	41,4	SP120330080HI	2 F0414015017015K0I	1	AN2B1210SET
PC2306160	41,6	SP120330080HI	2 F0416015017015K0I	1	AN2B1210SET
PC2306180	41,8	SP120330080HI	2 F0418015017515K0I	1	AN2B1210SET
PC2306200	42	SP120330080HI	2 F0420015017515K0I	1	AN2B1210SET

Compressione 26
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 54
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Runner	180	1998	2003	
Typhoon				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1645	65,6	16 X 54 X 11	2 G33KB SF 1,50 	16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1645M	65,55	SP160540110Y4I	2 S0656015027033KB1839I	1	AN0B1612SET
PC1645N	65,56	SP160540110Y4I	2 S0656015027033KB1839I	1	AN0B1612SET
PC1645O	65,57	SP160540110Y4I	2 S0656015027033KB1839I	1	AN0B1612SET
PC1645P	65,58	SP160540110Y4I	2 S0656015027033KB1839I	1	AN0B1612SET

Compressione 30
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 64,5
Tot. Length mm




Motorcycles & Scooters

GILERA

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Runner VX	125	2002	2005	
ST	125			
Typhoon	125			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1548	57	14 X 42 X 9	RS			14 1B FILO 1.2
			1	C2LP F	1,00	
			1	S20LP F	1,00	
			1	R5P STD	2,50	




Compressione 19,7
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 42,7
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1548000	57	SP140420090HI	1 RSMOT570001	1	AN1B1412SET
PC1548025	57,25	SP140420090HI	1 RSMOT572501	1	AN1B1412SET
PC1548050	57,5	SP140420090HI	1 RSMOT575001	1	AN1B1412SET
PC1548080	57,8	SP140420090HI	1 RSMOT578001	1	AN1B1412SET
PC1548100	58	SP140420090HI	1 RSMOT580001	1	AN1B1412SET

SEGM. RASCH. ACCIAIO/ OIL RING IN STEEL



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Runner VX	125	2002	2005	
ST	125			
Typhoon	125			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2468	57	14 X 42 X 9	RS			14 1B FILO 1.2
			1	C6KBP SF	1,00	
			1	C2LP F	1,00	
			1	RAC AC	2,00	

Compressione 19,7
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 42,7
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2468000	57	SP140420090HI	1 RSMOT570005	1	AN1B1412SET
PC2468050	57,5	SP140420090HI	1 RSMOT575005	1	AN1B1412SET
PC2468100	58	SP140420090HI	1 RSMOT580005	1	AN1B1412SET




Motorcycles & Scooters

GILERA

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Runner (cast iron cyl.)	200			




MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2049	72	15 X 44 X 7	1 C6KBP SF 1,00  1 S20LP F 1,00  1 R5P F 2,50 	15 SB FILO 1.0

Compressione 23,6
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 38,6
 Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2049000	72	SP150440070HI	1 RSMOT720002	1	AN0B1510SET
PC2049025	72,25	SP150440070HI	1 RSMOT722502	1	AN0B1510SET
PC2049050	72,5	SP150440070HI	1 RSMOT725002	1	AN0B1510SET
PC2049075	72,75	SP150440070HI	1 RSMOT727502	1	AN0B1510SET



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Runner (aluminum cyl.)	200			
ST (aluminum cyl.)	200	2008		

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2050	72	15 X 44 X 7	1 C6KBP SF 1,00  1 S20LP F 1,00  1 R5P F 2,50 	15 SB FILO 1.0

Compressione 23,6
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 38,6
 Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2050A	71,96	SP150440070HI	1 RSMOT720002	1	AN0B1510SET
PC2050B	71,97	SP150440070HI	1 RSMOT720002	1	AN0B1510SET
PC2050C	71,98	SP150440070HI	1 RSMOT720002	1	AN0B1510SET
PC2050D	71,99	SP150440070HI	1 RSMOT720002	1	AN0B1510SET







Motorcycles & Scooters

GILERA

4 TEMPI 4 STROKES

FORGIATO/FORGED


Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Nexus 300	300			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.				Anellino/Circlip
2424	75	16 X 45 X 9.5 BIC	NS				16 SB FILO 1.0
			1	C6NB AC	1,00		
			1	C2LP F	1,20		
			1	RAN AC	2,00		
			ws				
			1	C6NB AC	1,00		
			1	C2LP F	1,20		
			1	RAN AC	2,00		

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2424000	75	SP160450095KBI	1 NSMOT750002	1	ANOB1610SET
PC2424050	75,5	SP160450095KBI	1 WSMOT755005I	1	ANOB1610SET
PC2424100	76	SP160450095KBI	1 WSMOT760005I	1	ANOB1610SET

**NUOVE
MAGGIORAZIONI /
NEW OVER SIZES: Ø
75,5 - Ø 76 mm**

Compressione 23,6
Compression mm

Mis. Testa p
Head size mm

Lungh. tot. 41,6
Tot. Length mm


Motorcycles & Scooters

HONDA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
MBX (L RING)	50			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1137	39	12 X 31.5 X 8	1 LH STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1137AB	38,95	SP120315080HI	1 F0390020017531H0I	1	AN2B1210SET
PC1137CD	38,96	SP120315080HI	1 F0390020017531H0I	1	AN2B1210SET
PC1137EF	38,97	SP120315080HI	1 F0390020017531H0I	1	AN2B1210SET
PC1137GH	38,98	SP120315080HI	1 F0390020017531H0I	1	AN2B1210SET

Compressione 25
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 50
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
MB - MT - MTX	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1239	39	12 X 31.5 X 8	2 G30H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1239000	39	SP120315080HI	2 F0390015016530H0I	1	AN2B1210SET
PC1239050	39,5	SP120315080HI	2 F0395015016530H0I	1	AN2B1210SET
PC1239100	40	SP120315080HI	2 F0400015016530H0I	1	AN2B1210SET
PC1239150	40,5	SP120315080HI	2 F0405015016530H0I	1	AN2B1210SET
PC1239200	41	SP120315080HI	2 F0410015017030H0I	1	AN2B1210SET

Compressione 23
Compression mm
Mis. Testa B-4,3
Head size mm
Lungh. tot. 50,3
Tot. Length mm


Motorcycles & Scooters

HONDA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Bali (ring not chromed)	50	1992	2001	
Dio SC (ring not chromed)	50			
Dio SR (ring not chromed)	50	1994	2003	
Dio ZX (ring not chromed)	50	1994	2003	
SFX (ring not chromed)	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1359	39	12 X 31.5 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1359000	39	SP120315080HI	2 F0390015016515H0I	1	AN2B1210SET
PC1359025	39,25	SP120315080HI	2 F0392515016515H0I	1	AN2B1210SET
PC1359050	39,5	SP120315080HI	2 F0395015016515H0I	1	AN2B1210SET
PC1359075	39,75	SP120315080HI	2 F0397515016515H0I	1	AN2B1210SET
PC1359100	40	SP120315080HI	2 F0400015016515H0I	1	AN2B1210SET
PC1359125	40,25	SP120315080HI	2 F0402515016515H0I	1	AN2B1210SET
PC1359150	40,5	SP120315080HI	2 F0405015016515H0I	1	AN2B1210SET
PC1359175	40,75	SP120315080HI	2 F0407515016515H0I	1	AN2B1210SET
PC1359200	41	SP120315080HI	2 F0410015017015H0I	1	AN2B1210SET
PC1359225	41,25	SP120315080HI	2 F0412515017015H0I	1	AN2B1210SET
PC1359250	41,5	SP120315080HI	2 F0415015017015H0I	1	AN2B1210SET
PC1359300	42	SP120315080HI	2 F0420015017515H0I	1	AN2B1210SET

Compressione 28
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 53,5
Tot. Length mm

Motorcycles & Scooters

HONDA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
MBX	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2137	39	12 X 31.5 X 8	1 G30K STD 1,50 1 G30H STD 1,50	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2137A	38,94	SP120315080HI	1 F0390015016530H0I 1 F0390015016530K0I	1	AN2B1210SET
PC2137B	38,95	SP120315080HI	1 F0390015016530H0I 1 F0390015016530K0I	1	AN2B1210SET
PC2137C	38,96	SP120315080HI	1 F0390015016530H0I 1 F0390015016530K0I	1	AN2B1210SET
PC2137D	38,97	SP120315080HI	1 F0390015016530H0I 1 F0390015016530K0I	1	AN2B1210SET
PC2137000	39	SP120315080HI	1 F0390015016530H0I 1 F0390015016530K0I	1	AN2B1210SET
PC2137050	39,5	SP120315080HI	1 F0395015016530H0I 1 F0395015016530K0I	1	AN2B1210SET
PC2137100	40	SP120315080HI	1 F0400015016530H0I 1 F0400015016530K0I	1	AN2B1210SET
PC2137150	40,5	SP120315080HI	1 F0405015016530H0I 1 F0405015016530K0I	1	AN2B1210SET
PC2137200	41	SP120315080HI	1 F0410015017030H0I 1 F0410015017030K0I	1	AN2B1210SET
PC2137250	41,5	SP120315080HI	1 F0415015017030H0I 1 F0415015017030K0I	1	AN2B1210SET

Compressione 25
Compression mm

Mis. Testa B-2,5
Head size mm

Lungh. tot. 50,5
Tot. Length mm


Motorcycles & Scooters

HONDA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Bali	50	1992	2001	
Dio SC	50			
Dio SR	50	1994	2003	
Dio ZX	50	1994	2003	
SFX	50			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2359	39	12 X 31.5 X 8	2 G15K STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2359000	39	SP120315080HI	2 F0390015016515K0I	1	AN2B1210SET
PC2359025	39,25	SP120315080HI	2 F0392515016515K0I	1	AN2B1210SET
PC2359050	39,5	SP120315080HI	2 F0395015016515K0I	1	AN2B1210SET
PC2359075	39,75	SP120315080HI	2 F0397515016515K0I	1	AN2B1210SET
PC2359100	40	SP120315080HI	2 F0400015016515K0I	1	AN2B1210SET
PC2359125	40,25	SP120315080HI	2 F0402515016515K0I	1	AN2B1210SET
PC2359150	40,5	SP120315080HI	2 F0405015016515K0I	1	AN2B1210SET
PC2359175	40,75	SP120315080HI	2 F0407515016515K0I	1	AN2B1210SET
PC2359200	41	SP120315080HI	2 F0410015017015K0I	1	AN2B1210SET
PC2359250	41,5	SP120315080HI	2 F0415015017015K0I	1	AN2B1210SET
PC2359300	42	SP120315080HI	2 F0420015017515K0I	1	AN2B1210SET

Compressione 28
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 53,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Lead - SH - Camino - Sting - Scoopy (ring not chromed)	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1246	40	10 X 33 X 6	2 G15H STD 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1246000	40	SP100330060HI	2 F0400015016515H0I	1	AN2B1010SET
PC1246025	40,25	SP100330060HI	2 F0402515016515H0I	1	AN2B1010SET
PC1246050	40,5	SP100330060HI	2 F0405015016515H0I	1	AN2B1010SET
PC1246100	41	SP100330060HI	2 F0410015017015H0I	1	AN2B1010SET
PC1246150	41,5	SP100330060HI	2 F0415015017015H0I	1	AN2B1010SET
PC1246200	42	SP100330060HI	2 F0420015017515H0I	1	AN2B1010SET


Compressione 25,5
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Motorcycles & Scooters

HONDA


2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Wallaroo	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1377	40	12 X 33 X 8	2 G30H STD 1,50 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1377000	40	SP120330080HI	2 F0400015016530H0I	1 AN2B1210SET
PC1377025	40,25	SP120330080HI	2 F0402515016530H0I	1 AN2B1210SET
PC1377050	40,5	SP120330080HI	2 F0405015016530H0I	1 AN2B1210SET
PC1377075	40,75	SP120330080HI	2 F0407515016530H0I	1 AN2B1210SET
PC1377100	41	SP120330080HI	2 F0410015017030H0I	1 AN2B1210SET
PC1377150	41,5	SP120330080HI	2 F0415015017030H0I	1 AN2B1210SET
PC1377200	42	SP120330080HI	2 F0420015017530H0I	1 AN2B1210SET


Compressione 21,5
Compression mm
Mis. Testa B-2,3
Head size mm
Lungh. tot. 48,3
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Lead - SH - Camino - Sting - Scoopy	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2246	40	10 X 33 X 6	2 G15K STD 1,50 	10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2246000	40	SP100330060HI	2 F0400015016515K0I	1 AN2B1010SET
PC2246025	40,25	SP100330060HI	2 F0402515016515K0I	1 AN2B1010SET
PC2246050	40,5	SP100330060HI	2 F0405015016515K0I	1 AN2B1010SET
PC2246100	41	SP100330060HI	2 F0410015017015K0I	1 AN2B1010SET
PC2246150	41,5	SP100330060HI	2 F0415015017015K0I	1 AN2B1010SET
PC2246200	42	SP100330060HI	2 F0420015017515K0I	1 AN2B1010SET

Compressione 25,5
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 50,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
ST 50 (ring not chromed)	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1259	41	10 X 33 X 6	2 G30H STD 1,50 	10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1259000	41	SP100330060HI	2 F0410015017030H0I	1 AN2B1008SET
PC1259025	41,25	SP100330060HI	2 F0412515017030H0I	1 AN2B1008SET
PC1259050	41,5	SP100330060HI	2 F0415015017030H0I	1 AN2B1008SET
PC1259100	42	SP100330060HI	2 F0420015017530H0I	1 AN2B1008SET
PC1259150	42,5	SP100330060HI	2 F0425015017530H0I	1 AN2B1008SET
PC1259200	43	SP100330060HI	2 F0430015018030H0I	1 AN2B1008SET
PC1259250	43,5	SP100330060HI	2 F0435015018030H0I	1 AN2B1008SET

Compressione 20,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 45,5
Tot. Length mm


Motorcycles & Scooters

HONDA

2 TEMPI 2 STROKES




Compressione 20,2
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 47,7
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vision - Vision 2 - Met-in (ring not chromed)				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1272	41	10 X 33 X 6	2 G30H STD 1,50 	10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1272000	41	SP100330060HI	2 F0410015017030H0I	1 AN2B1008SET
PC1272050	41,5	SP100330060HI	2 F0415015017030H0I	1 AN2B1008SET
PC1272100	42	SP100330060HI	2 F0420015017530H0I	1 AN2B1008SET
PC1272150	42,5	SP100330060HI	2 F0425015017530H0I	1 AN2B1008SET
PC1272200	43	SP100330060HI	2 F0430015018030H0I	1 AN2B1008SET




Compressione 20,2
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 47,7
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vision - Vision 2 - Met-in				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2272	41	10 X 33 X 6	2 G30K STD 1,50 	10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2272000	41	SP100330060HI	2 F0410015017030K0I	1 AN2B1008SET
PC2272050	41,5	SP100330060HI	2 F0415015017030K0I	1 AN2B1008SET
PC2272100	42	SP100330060HI	2 F0420015017530K0I	1 AN2B1008SET
PC2272150	42,5	SP100330060HI	2 F0425015017530K0I	1 AN2B1008SET
PC2272200	43	SP100330060HI	2 F0430015018030K0I	1 AN2B1008SET



Compressione 29
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 63
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Scooter				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2007	50,6	13 X 42 X 9	2 G30HP SF 1,20 	13 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2007000	50,6	SP130420090HI	2 S0506012021030HPI	1 AN1B1310SET
PC2007040	51	SP130420090HI	2 S0510012021530HPI	1 AN1B1310SET
PC2007090	51,5	SP130420090HI	2 S0515012021530HPI	1 AN1B1310SET
PC2007140	52	SP130420090HI	2 S0520012021530HPI	1 AN1B1310SET

Motorcycles & Scooters

HONDA

2 TEMPI 2 STROKES



Compressione 30
Compression mm
Mis. Testa B-2,3
Head size mm
Lungh. tot. 64,3
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
NSR - KY4	125			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1395	54	16 X 45 X 11	2 G30KB SF 1,20 	16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1395A	53,95	SP160450110HI	2 S0540012022530KB2670I	1	ANOB1612SET
PC1395B	53,96	SP160450110HI	2 S0540012022530KB2670I	1	ANOB1612SET
PC1395C	53,97	SP160450110HI	2 S0540012022530KB2670I	1	ANOB1612SET
PC1395D	53,98	SP160450110HI	2 S0540012022530KB2670I	1	ANOB1612SET
PC1395E	53,99	SP160450110HI	2 S0540012022530KB2670I	1	ANOB1612SET
PC1395000	54	SP160450110HI	2 S0540012022530KB2670I	1	ANOB1612SET
PC1395025	54,25	SP160450110HI	2 S0542512022030KB2291I	1	ANOB1612SET
PC1395050	54,5	SP160450110HI	2 S0545012022030KB2291I	1	ANOB1612SET
PC1395075	54,75	SP160450110HI	2 S0547512022030KB2291I	1	ANOB1612SET
PC1395100	55	SP160450110HI	2 S0550012023030KB2291I	1	ANOB1612SET



Compressione 34
Compression mm
Mis. Testa B-3,7
Head size mm
Lungh. tot. 75,2
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Pantheon	150			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1907	59	16 X 52 X 11	2 G30H STD 1,50 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1907000	59	SP160520110HI	2 F0590015024530H0I	2	SG16
PC1907050	59,5	SP160520110HI	2 F0595015024530H0I	2	SG16
PC1907100	60	SP160520110HI	2 F0600015025030H0I	2	SG16

Motorcycles & Scooters




HONDA

4 TEMPI 4 STROKES

SEGM. RASCH. IN ACCIAIO / OIL RING IN STEEL






Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Dylan (Rasch. acciaio- steel oil ring)	125			
PCX (Rasch. acciaio- steel oil ring)	125	2009	2013	
SH 125 (Rasch. acciaio- steel oil ring)	125	2009	2013	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2260	52,4	14 X 35 X 9	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 1,50 	14 SB FILO 1.0

Compressione 18,6
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 37,1
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2260000	52,4	SP140350090HI	1 RSMOTS24005	1	ANOB1410SET
PC2260035	52,75	SP140350090HI	1 RSMOTS27505	1	ANOB1410SET
PC2260060	53	SP140350090HI	1 RSMOTS30005	1	ANOB1410SET
PC2260110	53,5	SP140350090HI	1 RSMOTS35005	1	ANOB1410SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
PCX 125				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
NEW 2606	52,4	13 X 33 X 8	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 1,50 	13 SB FILO 1.0

Compressione 19,6
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 36,1
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2606000	52,4	SP130330080H2I	1 RSMOTS24005	1	ANOB1310SET
PC2606035	52,75	SP130330080H2I	1 RSMOTS27505	1	ANOB1310SET
PC2606060	53	SP130330080H2I	1 RSMOTS30005	1	ANOB1310SET
PC2606110	53,5	SP130330080H2I	1 RSMOTS35005	1	ANOB1310SET

Motorcycles & Scooters





HONDA

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. SH	125			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1956	54	14 X 42 X 9		14 SB FILO 1.0

1	C6KBP	SF	1,00	
1	S20LP	F	1,00	
1	C2LP	F	1,00	
1	R7P	F	2,00	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1956000	54	SP140420090HI	1 RSMOT540001	1	ANOB1410SET
PC1956050	54,5	SP140420090HI	1 RSMOT545001	1	ANOB1410SET
PC1956100	55	SP140420090HI	1 RSMOT550001	1	ANOB1410SET

Compressione 18,6
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 36,8
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Dylan (Serie segm. Acciaio - Steel ring set)	150	2002	2007	
SH 150 (Serie segm. Acciaio - Steel ring set)	150	2001	2013	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2236	58	14 X 40 X 9		14 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2236000	58	SP140400090HI	1 WSMOT580001I	1	ANOB1410SET
PC2236025	58,25	SP140400090HI	1 WSMOT582501I	1	ANOB1410SET
PC2236050	58,5	SP140400090HI	1 WSMOT585001I	1	ANOB1410SET
PC2236075	58,75	SP140400090HI	1 WSMOT587501I	1	ANOB1410SET
PC2236100	59	SP140400090HI	1 WSMOT590001I	1	ANOB1410SET




Compressione 18,6
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 37,6
Tot. Length mm

SERIE SEGMENTI IN ACCIAIO / RINGS SET IN STEEL



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
SH 300	300	2011	2013	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat. WS	Anellino/Circlip
2475	72	17 X 47 X 12 BIC RAM		17 SB FILO 1.2

1	C6KB	AC	0,80	
1	C2LP	AC	0,80	
1	RAC	AC	1,50	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2475050	72,5	SP170470120KRI	1 WSMOT725001I	1	ANOB1712SET
PC2475100	73	SP170470120KRI	1 WSMOT730001I	1	ANOB1712SET
PC2475150	73,5	SP170470120KRI	1 WSMOT735001I	1	ANOB1712SET
PC2475200	74	SP170470120KRI	1 WSMOT740001I	1	ANOB1712SET

Compressione 22
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 43,85
Tot. Length mm




Motorcycles & Scooters

HONDA

4 TEMPI 4 STROKES

SERIE SEGMENTI IN GHISA/ RING SET IN CAST IRON


Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Foresight	250			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1829	72,7	17 X 57 X 12 BIC RAM	1 C6KBP SF 1,00  1 S20LP F 1,00  1 R7P F 2,50 	17 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1829000	72,7	SP170570120KRI	1 RSMOT727003	1	ANOB1710SET
PC1829030	73	SP170570120KRI	1 RSMOT730003	1	ANOB1710SET
PC1829055	73,25	SP170570120KRI	1 RSMOT732503	1	ANOB1710SET
PC1829080	73,5	SP170570120KRI	1 RSMOT735003	1	ANOB1710SET
PC1829130	74	SP170570120KRI	1 RSMOT740003	1	ANOB1710SET

Compressione 22,6
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 49,1
Tot. Length mm

SERIE SEGMENTI IN ACCIAIO / STEEL RINGS SET


Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Foresight	250			




MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2530	72,7	17 X 57 X 12 BIC RAM		17 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2530000	72,7	SP170570120KRI	1 WSMOT727002I	1	ANOB1710SET
PC2530030	73	SP170570120KRI	1 WSMOT730002I	1	ANOB1710SET
PC2530080	73,5	SP170570120KRI	1 WSMOT735002I	1	ANOB1710SET

Compressione 22,6
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 49,1
Tot. Length mm

SERIE SEGMENTI IN GHISA/ RING SET IN CAST IRON


Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Forza 250 EX	250	2008	2011	
Forza 250 X	250	2005	2007	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2307	72,8	17 X 47 X 12 BIC RAM	1 C6KBP SF 1,00  1 C2LP F 1,00  1 R7P F 2,00 	17 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2307000	72,8	SP170470120KRI	1 RSMOT728001	1	ANOB1712SET
PC2307020	73	SP170470120KRI	1 RSMOT730001	1	ANOB1712SET
PC2307070	73,5	SP170470120KRI	1 RSMOT735001	1	ANOB1712SET

Compressione 22,6
Compression mm
Mis. Testa B-1,6
Head size mm
Lungh. tot. 47,1
Tot. Length mm

Motorcycles & Scooters




HONDA

4 TEMPI 4 STROKES

SERIE SEGMENTI IN ACCIAIO /
RINGS SET IN STEEL



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Forza 250 EX	250	2008	2011	
Forza 250 X	250	2005	2007	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. WS	Anellino/Circlip
2476	72,8	17 X 47 X 12 BIC RAM	1 C6KB AC 0,80  1 C2LP AC 0,80  1 RAC AC 1,50 	17 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2476000	73	SP170470120KRI	1 WSMOT730001I	1	ANOB1712SET
PC2476050	73,5	SP170470120KRI	1 WSMOT735001I	1	ANOB1712SET

Compressione 22,6
Compression mm
Mis. Testa B-1,6
Head size mm
Lungh. tot. 47,1
Tot. Length mm

Motorcycles & Scooters

IAME

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
MINIMOTO M-40 AIR	40			
MINIMOTO M-40 RL	40			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2402	35,9	10 X 29 X 6	1 G30KB SF 1,00 	10 SB FILO 0.8

Compressione 20
Compression mm
Mis. Testa B-1,5
Head size mm
Lungh. tot. 44
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC24023575	35,75	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023576	35,76	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023577	35,77	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023578	35,78	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023579	35,79	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023580	35,8	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023581	35,81	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023582	35,82	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023583	35,83	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023584	35,84	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023585	35,85	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023586	35,86	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023587	35,87	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023588	35,88	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023589	35,89	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023590	35,9	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023591	35,91	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023592	35,92	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023593	35,93	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023594	35,94	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023595	35,95	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023596	35,96	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC24023597	35,97	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC24023598	35,98	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC24023600	36	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC24023602	36,02	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET



Motorcycles & Scooters

IAME

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
MINIMOTO M-50RL	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip	
2378	40	10 X 33 X 6	1	G30KP	SF	1,00	  10 2B FILO 0.8
			1	G30KB	SF	1,00	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC23783993	39,93	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783994	39,94	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783995	39,95	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783996	39,96	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783997	39,97	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783998	39,98	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783999	39,99	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784000	40	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784001	40,01	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784002	40,02	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784003	40,03	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784004	40,04	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784006	40,06	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784008	40,08	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784010	40,1	SP100330060HI	1 S0401010016030KP2341I	1	AN2B1008SET
PC23784012	40,12	SP100330060HI	1 S0401010016030KP2341I	1	AN2B1008SET
PC23784015	40,15	SP100330060HI	1 S0401010016030KP2341I	1	AN2B1008SET
PC23784018	40,18	SP100330060HI	1 S0401010016030KP2341I	1	AN2B1008SET
PC23784021	40,21	SP100330060HI	1 S0403010016030KP1962I	1	AN2B1008SET
PC23784024	40,24	SP100330060HI	1 S0403010016030KP1962I	1	AN2B1008SET
PC23784027	40,27	SP100330060HI	1 S0403010016030KP1962I	1	AN2B1008SET
PC23784030	40,3	SP100330060HI	1 S0403010016030KP1962I	1	AN2B1008SET

Compressione 20
 Compression mm
 Mis. Testa B-1,6
 Head size mm
 Lungh. tot. 43,6
 Tot. Length mm


Motorcycles & Scooters

ITALJET

2 TEMPI 2 STROKES




Compressione 25,5
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Adly (ring not chromed)		50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1246	40	10 X 33 X 6	2 G15H STD 1,50		10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1246000	40	SP100330060HI	2 F0400015016515H0I	1	AN2B1010SET
PC1246025	40,25	SP100330060HI	2 F0402515016515H0I	1	AN2B1010SET
PC1246050	40,5	SP100330060HI	2 F0405015016515H0I	1	AN2B1010SET
PC1246100	41	SP100330060HI	2 F0410015017015H0I	1	AN2B1010SET
PC1246150	41,5	SP100330060HI	2 F0415015017015H0I	1	AN2B1010SET
PC1246200	42	SP100330060HI	2 F0420015017515H0I	1	AN2B1010SET



Compressione 25,5
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Adly		50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2246	40	10 X 33 X 6	2 G15K STD 1,50		10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2246000	40	SP100330060HI	2 F0400015016515K0I	1	AN2B1010SET
PC2246025	40,25	SP100330060HI	2 F0402515016515K0I	1	AN2B1010SET
PC2246050	40,5	SP100330060HI	2 F0405015016515K0I	1	AN2B1010SET
PC2246100	41	SP100330060HI	2 F0410015017015K0I	1	AN2B1010SET
PC2246150	41,5	SP100330060HI	2 F0415015017015K0I	1	AN2B1010SET
PC2246200	42	SP100330060HI	2 F0420015017515K0I	1	AN2B1010SET

Motorcycles & Scooters

KREIDLER

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
R.S.	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0842	40	14 X 32.5 X 9	1 LH STD 2,00 1 G30H STD 1,50	14 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CUIPqty	Cod. SERIE anellino
PC0842A	39,95	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842B	39,955	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842C	39,96	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842D	39,965	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842E	39,97	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842F	39,975	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842G	39,98	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842H	39,985	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842I	39,99	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842K	39,995	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842L	40	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842M	40,005	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842N	40,01	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET
PC0842O	40,015	SP140325090HI	1 F0400015016530H0I 1 F0400020018531H0I	1	AN1B1410SET

Compressione 24,5
Compression mm

Mis. Testa B-3
Head size mm

Lungh. tot. 51
Tot. Length mm


Motorcycles & Scooters

KYMCO

2 TEMPI 2 STROKES




Compressione 27,5
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 53,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
Gak - Snyder - Spacer 50 (ring not chromed)	50				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1358	39	12 X 31.5 X 8	2 G15H STD 1,50 	12 2B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1358000	39	SP120315080HI	2 F0390015016515H0I	1	AN2B1210SET
PC1358050	39,5	SP120315080HI	2 F0395015016515H0I	1	AN2B1210SET
PC1358100	40	SP120315080HI	2 F0400015016515H0I	1	AN2B1210SET
PC1358150	40,5	SP120315080HI	2 F0405015016515H0I	1	AN2B1210SET
PC1358200	41	SP120315080HI	2 F0410015017015H0I	1	AN2B1210SET



Compressione 28
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 53,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
GR1 - GR1A - DJ - KB - K12 - Top Boy - Heroism (ring not chromed)	50				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1359	39	12 X 31.5 X 8	2 G15H STD 1,50 	12 2B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1359000	39	SP120315080HI	2 F0390015016515H0I	1	AN2B1210SET
PC1359025	39,25	SP120315080HI	2 F0392515016515H0I	1	AN2B1210SET
PC1359050	39,5	SP120315080HI	2 F0395015016515H0I	1	AN2B1210SET
PC1359075	39,75	SP120315080HI	2 F0397515016515H0I	1	AN2B1210SET
PC1359100	40	SP120315080HI	2 F0400015016515H0I	1	AN2B1210SET
PC1359125	40,25	SP120315080HI	2 F0402515016515H0I	1	AN2B1210SET
PC1359150	40,5	SP120315080HI	2 F0405015016515H0I	1	AN2B1210SET
PC1359175	40,75	SP120315080HI	2 F0407515016515H0I	1	AN2B1210SET
PC1359200	41	SP120315080HI	2 F0410015017015H0I	1	AN2B1210SET
PC1359225	41,25	SP120315080HI	2 F0412515017015H0I	1	AN2B1210SET
PC1359250	41,5	SP120315080HI	2 F0415015017015H0I	1	AN2B1210SET
PC1359300	42	SP120315080HI	2 F0420015017515H0I	1	AN2B1210SET


Motorcycles & Scooters

KYMCO

2 TEMPI 2 STROKES




Compressione 27,5
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 53,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Gak - Snyder - Spacer 50	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2358	39	12 X 31.5 X 8	2 G15K STD 1,50 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2358000	39	SP120315080HI	2 F0390015016515K0I	1 AN2B1210SET
PC2358050	39,5	SP120315080HI	2 F0395015016515K0I	1 AN2B1210SET
PC2358100	40	SP120315080HI	2 F0400015016515K0I	1 AN2B1210SET
PC2358150	40,5	SP120315080HI	2 F0405015016515K0I	1 AN2B1210SET
PC2358200	41	SP120315080HI	2 F0410015017015K0I	1 AN2B1210SET




Compressione 28
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 53,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
GR1 - GR1A - DJ - KB - K12 - Top Boy - Heroism	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2359	39	12 X 31.5 X 8	2 G15K STD 1,50 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2359000	39	SP120315080HI	2 F0390015016515K0I	1 AN2B1210SET
PC2359025	39,25	SP120315080HI	2 F0392515016515K0I	1 AN2B1210SET
PC2359050	39,5	SP120315080HI	2 F0395015016515K0I	1 AN2B1210SET
PC2359075	39,75	SP120315080HI	2 F0397515016515K0I	1 AN2B1210SET
PC2359100	40	SP120315080HI	2 F0400015016515K0I	1 AN2B1210SET
PC2359125	40,25	SP120315080HI	2 F0402515016515K0I	1 AN2B1210SET
PC2359150	40,5	SP120315080HI	2 F0405015016515K0I	1 AN2B1210SET
PC2359175	40,75	SP120315080HI	2 F0407515016515K0I	1 AN2B1210SET
PC2359200	41	SP120315080HI	2 F0410015017015K0I	1 AN2B1210SET
PC2359250	41,5	SP120315080HI	2 F0415015017015K0I	1 AN2B1210SET
PC2359300	42	SP120315080HI	2 F0420015017515K0I	1 AN2B1210SET



Compressione 29
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 63
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Scooter 100	100			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2007	50,6	13 X 42 X 9	2 G30HP SF 1,20 	13 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2007000	50,6	SP130420090HI	2 S0506012021030HPI	1 AN1B1310SET
PC2007040	51	SP130420090HI	2 S0510012021530HPI	1 AN1B1310SET
PC2007090	51,5	SP130420090HI	2 S0515012021530HPI	1 AN1B1310SET
PC2007140	52	SP130420090HI	2 S0520012021530HPI	1 AN1B1310SET




Motorcycles & Scooters

KYMCO

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
People - Agility	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1871	39	13 X 30 X 8	1 C1KBP SF 1,00  1 C2LP SF 1,00  1 R7P SF 2,00 	13 1B FILO 1.0





Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1871000	39	SP130300080HI	1 RSMOT390001	1	AN1B1310SET
PC1871040	39,4	SP130300080HI	1 RSMOT394001	1	AN1B1310SET
PC1871080	39,8	SP130300080HI	1 RSMOT398001	1	AN1B1310SET
PC1871100	40	SP130300080HI	1 RSMOT400001	1	AN1B1310SET
PC1871140	40,4	SP130300080HI	1 RSMOT404001	1	AN1B1310SET

Compressione 17,2
Compression mm
Mis. Testa B-2FV
Head size mm
Lungh. tot. 33,7
Tot. Length mm

SEGM. RASCH. IN GHISA / OIL RING IN CAST IRON



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Agility	125	2006	2012	
B & W	125	2000	2004	
Dink	125	1997	2004	
Grand Dink	125	2001	2012	
Like	125	2009	2012	
Movie	125	1999	2007	
People	125	1999	2011	
Spacer	125			
Super8	125	2008	2009	
Vivio	125			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1510	52,4	15 X 40 X 10	1 C6KBP SF 1,00  1 S20LP F 1,00  1 C2LP F 1,00  1 R7P F 2,00 	15 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1510000	52,4	SP150400100HI	1 RSMOT524002	1	AN0B1512SET
PC1510035	52,75	SP150400100HI	1 RSMOT527502	1	AN0B1512SET
PC1510060	53	SP150400100HI	1 RSMOT530002	1	AN0B1512SET
PC1510110	53,5	SP150400100HI	1 RSMOT535002	1	AN0B1512SET

Compressione 20
Compression mm
Mis. Testa B-1,5
Head size mm
Lungh. tot. 37,5
Tot. Length mm

Motorcycles & Scooters

KYMCO

4 TEMPI 4 STROKES

SEGM. RASCH. IN ACCIAIO / OIL
RING IN STEEL



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Agility	125	2006	2012	
B & W	125	2000	2004	
Dink	125	1997	2004	
Grand Dink	125	2001	2012	
Like	125	2009	2012	
Movie	125	1999	2007	
People	125	1999	2011	
Spacer	125			
Super8	125	2008	2009	
Vivio	125			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS			Anellino/Circlip
2276	52,4	15 X 40 X 10	1	C6KBP SF	1,00	15 SB FILO 1.2
			1	C2LP F	1,00	
			1	RAC AC	1,50	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2276000	52,4	SP150400100HI	1 RSMOTS24005	1	ANOB1512SET
PC2276035	52,75	SP150400100HI	1 RSMOTS27505	1	ANOB1512SET
PC2276060	53	SP150400100HI	1 RSMOTS30005	1	ANOB1512SET
PC2276110	53,5	SP150400100HI	1 RSMOTS35005	1	ANOB1512SET

Compressione 20
Compression mm
Mis. Testa B-1,5
Head size mm
Lungh. tot. 37,5
Tot. Length mm

SEGM. RASCH. IN ACCIAIO / OIL
RING IN STEEL



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Agility R16	150	2008	2009	
B & W	125	2000	2004	
B & W 150	150	2000	2004	
Dink - Classic - LX	150	1997	2003	
Dink - Classic - LX 125	125	1997	2003	
Grand Dink	150	2001	2004	
Grand Dink 125	125	2001	2004	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS			Anellino/Circlip
2438	57,4	15 X 42 X 10	1	C6KBP SF	1,00	15 SB FILO 1.2
			1	C2LP F	1,00	
			1	RAC AC	2,00	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2438000	57,4	SP150420100HI	1 RSMOTS74005	1	ANOB1512SET
PC2438060	58	SP150420100HI	1 RSMOTS80005	1	ANOB1512SET
PC2438085	58,25	SP150420100HI	1 RSMOTS82505	1	ANOB1512SET
PC2438110	58,5	SP150420100HI	1 RSMOTS85005	1	ANOB1512SET

Compressione 20
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 38
Tot. Length mm




Motorcycles & Scooters

KYMCO

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Agility		2010	2014	
Like		2009	2014	
People		2005	2007	




MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2103	60	15 X 42 X 10	1 C6KBP SF 1,00  1 C2LP F 1,00  1 R7P F 2,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2103040	60,4	SP150420100HI	1 WSMOT604001I	1	ANOB1510SET
PC2103080	60,8	SP150420100HI	1 RSMOT608001	1	ANOB1510SET

Compressione 20
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 38
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
DINK 200	200			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2509	62	15 X 42 X 10	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 2,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2509000	62	SP150420100HI	1 RSMOT620005	1	ANOB1510SET
PC2509050	62,5	SP150420100HI	1 RSMOT625005	1	ANOB1510SET
PC2509100	63	SP150420100HI	1 RSMOT630005	1	ANOB1510SET

Compressione 20
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 38
Tot. Length mm




Motorcycles & Scooters

KYMCO

4 TEMPI 4 STROKES

SERIE SEGMENTI IN GHISA/ RING SET IN CAST IRON


Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM
People - Grand Dink	250			




MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1829	72,7	17 X 57 X 12 BIC RAM	1 C6KBP SF 1,00  1 S20LP F 1,00  1 R7P F 2,50 	17 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1829000	72,7	SP170570120KRI	1 RSMOT727003	1	ANOB1710SET
PC1829030	73	SP170570120KRI	1 RSMOT730003	1	ANOB1710SET
PC1829055	73,25	SP170570120KRI	1 RSMOT732503	1	ANOB1710SET
PC1829080	73,5	SP170570120KRI	1 RSMOT735003	1	ANOB1710SET
PC1829130	74	SP170570120KRI	1 RSMOT740003	1	ANOB1710SET

Compressione 22,6
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 49,1
Tot. Length mm

SERIE SEGMENTI IN GHISA/ RING SET IN CAST IRON


Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM
People - downtown - GTI	250			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1969	72,7	17 X 57 X 12 BIC RAM	1 C6KBP SF 1,00  1 S20LP F 1,00  1 R7P F 2,50 	17 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1969055	73,25	SP170570120KRI	1 RSMOT732503	1	ANOB1710SET
PC1969130	74	SP170570120KRI	1 RSMOT740003	1	ANOB1710SET

Compressione 22,3
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 42
Tot. Length mm

SERIE SEGMENTI IN ACCIAIO / STEEL RINGS SET


Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM
People - Grand Dink	250			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2530	72,7	17 X 57 X 12 BIC RAM		17 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2530000	72,7	SP170570120KRI	1 WSMOT727002I	1	ANOB1710SET
PC2530030	73	SP170570120KRI	1 WSMOT730002I	1	ANOB1710SET
PC2530080	73,5	SP170570120KRI	1 WSMOT735002I	1	ANOB1710SET

Compressione 22,6
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 49,1
Tot. Length mm

Motorcycles & Scooters

KYMCO

4 TEMPI 4 STROKES

SERIE SEGMENTI IN ACCIAIO /
STEEL RINGS SET



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
People - downtown - GTI	250			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2531	72,7	17 X 57 X 12 BIC RAM		17 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2531000	72,7	SP170570120KRI	1 WSMOT727002I	1	ANOB1710SET
PC2531030	73	SP170570120KRI	1 WSMOT730002I	1	ANOB1710SET
PC2531080	73,5	SP170570120KRI	1 WSMOT735002I	1	ANOB1710SET

Compressione 22,3
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 42
Tot. Length mm




LML

4 TEMPI 4 STROKES

SEGM. RASCH. ACCIAIO/OIL RING
IN STEEL

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
STAR 125 Ø 57 std	125	2013	2017	
STAR 150 Ø 57,42 std	150	2010	2017	
STAR 151 Ø 57,52 std	151	2010	2017	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
NEW 2625	57	14 X 42 X 9	RS	14 SB FILO 1.0

1	C6KBP	SF	1,00	
1	C2LP	F	1,00	
1	RAC	AC	2,00	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2625000	57	SP140420090HI	1 RSMOT570005	1	ANOB1410SET
PC2625050	57,5	SP140420090HI	1 RSMOT575005	1	ANOB1410SET
PC2625100	58	SP140420090HI	1 RSMOT580005	1	ANOB1410SET
PC2625150	58,5	SP140420090HI	1 RSMOT585005	1	ANOB1410SET

Compressione 19,7
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 38,8
Tot. Length mm




Motorcycles & Scooters

MALAGUTI

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Madison	125			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1772	53,7	15 X 44 X 10	1 C6KBP SF 1,00  1 C2LP F 1,00  1 R7P F 2,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1772000	53,7	SP150440100HI	1 RSMOT537001	1	AN0B1510SET

**PER LE
MAGGIORAZIONI / FOR
OVERSIZES Ø 54 /
54,25/ 54,50 VEDERE
PISTONE / SEE PISTON
No. 2487**

Compressione 18,8
Compression mm

Mis. Testa P+2 FV
Head size mm

Lungh. tot. 37
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Madison	125			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2487	54	15 X 44 X 10		15 SB FILO 1.0




Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2487030	54	SP150440100HI	1 WSMOT540001I	1	AN0B1510SET
PC2487055	54,25	SP150440100HI	1 WSMOT542501I	1	AN0B1510SET
PC2487080	54,5	SP150440100HI	1 WSMOT545001I	1	AN0B1510SET

Compressione 18,8
Compression mm

Mis. Testa P+2 FV
Head size mm

Lungh. tot. 37
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Madison	250			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1771	69	17 X 47 X 12 BIC RAM	1 C6KBP SF 1,00  1 S20LP F 1,00  1 R7P F 2,00 	17 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1771000	69	SP170470120KRI	1 RSMOT690001	1	AN0B1712SET
PC1771075	69,75	SP170470120KRI	1 RSMOT697501	1	AN0B1712SET
PC1771100	70	SP170470120KRI	1 RSMOT700001	1	AN0B1712SET

Compressione 21,25
Compression mm

Mis. Testa
Head size mm

Lungh. tot. 42,35
Tot. Length mm

Motorcycles & Scooters




MALAGUTI

4 TEMPI 4 STROKES

SERIE SEGM. ACCIAIO / RINGS SET
IN STEEL

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Madison	250			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. WS	Anellino/Circlip
2512	69	17 X 47 X 12 BIC RAM		17 SB FILO 1.2

1	C6KB	AC	1,00	
1	C2LP	SF	1,00	
1	RAC	AC	1,50	


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2512000	69	SP170470120KRI	1 WSMOT690001I	1	ANOB1712SET
PC2512025	69,25	SP170470120KRI	1 WSMOT692501I	1	ANOB1712SET
PC2512050	69,5	SP170470120KRI	1 WSMOT695001I	1	ANOB1712SET
PC2512075	69,75	SP170470120KRI	1 WSMOT697501I	1	ANOB1712SET
PC2512100	70	SP170470120KRI	1 WSMOT700001I	1	ANOB1712SET
PC2512150	70,5	SP170470120KRI	1 WSMOT705001I	1	ANOB1712SET

Compressione 21,25
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 42,35
Tot. Length mm

Motorcycles & Scooters

MALOSSI


2 TEMPI 2 STROKES

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
MINIMOTO		50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2536	40	10 X 33 X 6	1	G30HP F 1,00	 10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC2536A	39,94	SP100330060HI	1	E0400010016530HP2783I	1 AN0B1008SET
PC2536B	39,95	SP100330060HI	1	E0400010016530HP2783I	1 AN0B1008SET
PC2536C	39,96	SP100330060HI	1	E0400010016530HP2783I	1 AN0B1008SET
PC2536D	39,97	SP100330060HI	1	E0400010016530HP2783I	1 AN0B1008SET
PC2536E	39,98	SP100330060HI	1	E0400010016530HP2783I	1 AN0B1008SET

Compressione 20,1
Compression mm
Mis. Testa B-1,4
Head size mm
Lungh. tot. 44,5
Tot. Length mm



Compressione 25
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. Scooters Yamaha - Malaguti - MBK		75			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1426	47	10 X 36 X 6	2	G30HP IKA 1,50	 10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1426000	47	SP100360060HI	2	I0470015018030HP2695I	1 AN2B1010SET
PC1426020	47,2	SP100360060HI	2	I0472015018030HP2695I	1 AN2B1010SET
PC1426040	47,4	SP100360060HI	2	I0474015018030HP2695I	1 AN2B1010SET
PC1426060	47,6	SP100360060HI	2	I0476015018030HP2695I	1 AN2B1010SET
PC1426080	47,8	SP100360060HI	2	I0478015018030HP2695I	1 AN2B1010SET
PC1426100	48	SP100360060HI	2	I0480015018030HP2695I	1 AN2B1010SET
PC1426120	48,2	SP100360060HI	2	I0482015018030HP2695I	1 AN2B1010SET
PC1426140	48,4	SP100360060HI	2	I0484015018030HP2695I	1 AN2B1010SET

Motorcycles & Scooters

MALOSSI

2 TEMPI 2 STROKES



Compressione 25
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. Scooters Piaggio - Peugeot - Honda		75			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1427	47	12 X 37 X 8	2	G30HP IKA 1,50	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1427000	47	SP120370080HI	2 I0470015018030HP2695I		1 AN2B1210SET
PC1427020	47,2	SP120370080HI	2 I0472015018030HP2695I		1 AN2B1210SET
PC1427040	47,4	SP120370080HI	2 I0474015018030HP2695I		1 AN2B1210SET
PC1427060	47,6	SP120370080HI	2 I0476015018030HP2695I		1 AN2B1210SET
PC1427080	47,8	SP120370080HI	2 I0478015018030HP2695I		1 AN2B1210SET
PC1427100	48	SP120370080HI	2 I0480015018030HP2695I		1 AN2B1210SET
PC1427120	48,2	SP120370080HI	2 I0482015018030HP2695I		1 AN2B1210SET
PC1427140	48,4	SP120370080HI	2 I0484015018030HP2695I		1 AN2B1210SET



Compressione 25
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. Scooters Yamaha - Malaguti - MBK		75			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1491	47	10 X 38 X 6	1	G30KB SF 1,20	10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1491000	47	SP100380060HI	1 S0470012019530KB2671I		1 AN2B1010SET
PC1491020	47,2	SP100380060HI	1 S0472012019530KB2671I		1 AN2B1010SET
PC1491040	47,4	SP100380060HI	1 S0474012019530KB2671I		1 AN2B1010SET
PC1491060	47,6	SP100380060HI	1 S0476012019530KB2671I		1 AN2B1010SET
PC1491080	47,8	SP100380060HI	1 S0478012020030KB2671I		1 AN2B1010SET
PC1491100	48	SP100380060HI	1 S0480012020030KB2671I		1 AN2B1010SET
PC1491120	48,2	SP100380060HI	1 S0482012020030KB2671I		1 AN2B1010SET
PC1491140	48,4	SP100380060HI	1 S0484012020030KB2671I		1 AN2B1010SET


Motorcycles & Scooters

MALOSSI

2 TEMPI 2 STROKES




Compressione 25
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
Trasf. Scooters Yamaha - Malaguti - MBK	75				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1496	47	10 X 38 X 6	2 G30KB SF 1,20 	10 2B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1496000	47	SP100380060HI	2 S0470012019530KB2671I	1	AN2B1010SET
PC1496020	47,2	SP100380060HI	2 S0472012019530KB2671I	1	AN2B1010SET
PC1496040	47,4	SP100380060HI	2 S0474012019530KB2671I	1	AN2B1010SET
PC1496060	47,6	SP100380060HI	2 S0476012019530KB2671I	1	AN2B1010SET
PC1496080	47,8	SP100380060HI	2 S0478012020030KB2671I	1	AN2B1010SET
PC1496100	48	SP100380060HI	2 S0480012020030KB2671I	1	AN2B1010SET
PC1496120	48,2	SP100380060HI	2 S0482012020030KB2671I	1	AN2B1010SET
PC1496140	48,4	SP100380060HI	2 S0484012020030KB2671I	1	AN2B1010SET




Compressione 25
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 49,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
Tr. Yamaha / Minarelli	75				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1765	47,6	10 X 38 X 6	1 G30KB SF 1,00 	10 2B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1765A	47,55	SP100380060HI	1 S0476010019530KB2545I	1	AN2B1010SET
PC1765B	47,56	SP100380060HI	1 S0476010019530KB2545I	1	AN2B1010SET
PC1765C	47,57	SP100380060HI	1 S0476010019530KB2545I	1	AN2B1010SET
PC1765D	47,58	SP100380060HI	1 S0476010019530KB2545I	1	AN2B1010SET
PC1765E	47,59	SP100380060HI	1 S0476010019530KB2545I	1	AN2B1010SET

FERMO SEGM. LATERALE / SHIFTED RING STOPPER



Compressione 25
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
Tr. Piaggio - Gilera	75				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1766	47,6	12 X 37 X 8	1 G30KB SF 1,00 	12 2B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1766A	47,55	SP120370080HI	1 S0476010019530KB2545I	1	AN2B1210SET
PC1766B	47,56	SP120370080HI	1 S0476010019530KB2545I	1	AN2B1210SET
PC1766C	47,57	SP120370080HI	1 S0476010019530KB2545I	1	AN2B1210SET
PC1766D	47,58	SP120370080HI	1 S0476010019530KB2545I	1	AN2B1210SET
PC1766E	47,59	SP120370080HI	1 S0476010019530KB2545I	1	AN2B1210SET

Motorcycles & Scooters

MALOSSI

2 TEMPI 2 STROKES



Compressione 24,8
 Compression mm
 Mis. Testa B-3
 Head size mm
 Lungh. tot. 50,3
 Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
MHR Tr. scooters Piaggio - pin 12mm				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2262	47,6	12 X 38 X 8	1 G30KB AC 1,00 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2262A	47,54	SP120380080KI	1 N0476010018530KBI	1	AN0B1210SET
PC2262B	47,55	SP120380080KI	1 N0476010018530KBI	1	AN0B1210SET
PC2262C	47,56	SP120380080KI	1 N0476010018530KBI	1	AN0B1210SET
PC2262D	47,57	SP120380080KI	1 N0476010018530KBI	1	AN0B1210SET
PC2262E	47,58	SP120380080KI	1 N0476010018530KBI	1	AN0B1210SET

Motorcycles & Scooters


MBK

2 TEMPI 2 STROKES

Segmenti NON CROMATI/ rings
NOT CHROMED



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Booster-Evolis-Target-Fizz-Sorriso-Forte-Nitro-Flipper	50			
Ovetto-Stunt-Equalis-MachG	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1278	40	10 X 33 X 6	2 G15H STD 1,50 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1278000	40	SP100330060HI	2 F0400015016515H0I	1	AN2B1008SET
PC1278025	40,25	SP100330060HI	2 F0402515016515H0I	1	AN2B1008SET
PC1278050	40,5	SP100330060HI	2 F0405015016515H0I	1	AN2B1008SET
PC1278075	40,75	SP100330060HI	2 F0407515016515H0I	1	AN2B1008SET
PC1278100	41	SP100330060HI	2 F0410015017015H0I	1	AN2B1008SET
PC1278125	41,25	SP100330060HI	2 F0412515017015H0I	1	AN2B1008SET
PC1278150	41,5	SP100330060HI	2 F0415015017015H0I	1	AN2B1008SET
PC1278175	41,75	SP100330060HI	2 F0417515017015H0I	1	AN2B1008SET
PC1278200	42	SP100330060HI	2 F0420015017515H0I	1	AN2B1008SET
PC1278220	42,25	SP100330060HI	2 F0422015017515H0I	1	AN2B1008SET
PC1278250	42,5	SP100330060HI	2 F0425015017515H0I	1	AN2B1008SET
PC1278300	43	SP100330060HI	2 F0430015018015H0I	1	AN2B1008SET
PC1278350	43,5	SP100330060HI	2 F0435015018015H0I	1	AN2B1008SET

Compressione 25,5
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Motorcycles & Scooters


MBK

2 TEMPI 2 STROKES

Segmenti CROMATI/ CHROMED.
rings



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Booster-Evolis-Target-Fizz-Sorriso-Forte-Nitro-Flipper	50			
Ovetto-Stunt-Equalis-MachG	50			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2278	40	10 X 33 X 6	2 G15K STD 1,50 	10 2B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2278000	40	SP100330060HI	2 F0400015016515K0I	1	AN2B1008SET
PC2278025	40,25	SP100330060HI	2 F0402515016515K0I	1	AN2B1008SET
PC2278050	40,5	SP100330060HI	2 F0405015016515K0I	1	AN2B1008SET
PC2278075	40,75	SP100330060HI	2 F0407515016515K0I	1	AN2B1008SET
PC2278100	41	SP100330060HI	2 F0410015017015K0I	1	AN2B1008SET
PC2278125	41,25	SP100330060HI	2 F0412515017015K0I	1	AN2B1008SET
PC2278150	41,5	SP100330060HI	2 F0415015017015K0I	1	AN2B1008SET
PC2278175	41,75	SP100330060HI	2 F0417515017015K0I	1	AN2B1008SET
PC2278200	42	SP100330060HI	2 F0420015017515K0I	1	AN2B1008SET
PC2278225	42,25	SP100330060HI	2 F0422515017515K0I	1	AN2B1008SET
PC2278250	42,5	SP100330060HI	2 F0425015017515K0I	1	AN2B1008SET
PC2278300	43	SP100330060HI	2 F0430015018015K0I	1	AN2B1008SET
PC2278350	43,5	SP100330060HI	2 F0435015018015K0I	1	AN2B1008SET

Compressione 25,5
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Booster - Ovetto - Nitro	100			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2008	52	14 X 40 X 9	2 G30KP SF 1,20 	14 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2008000	52	SP140400090HI	2 S0520012021530KPI	1	AN1B1410SET
PC2008050	52,5	SP140400090HI	2 S0525012021530KPI	1	AN1B1410SET
PC2008100	53	SP140400090HI	2 S0530012022030KPI	1	AN1B1410SET
PC2008150	53,5	SP140400090HI	2 S0535012022030KPI	1	AN1B1410SET

Compressione 33,5
Compression mm
Mis. Testa B-3,2
Head size mm
Lungh. tot. 63,5
Tot. Length mm


Motorcycles & Scooters

MINARELLI (MOTORI)

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Super Sport - V1	50			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0628	38,8	12 X 31.5 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0628000	38,8	SP120315080HI	2 F0388015016015H0I	1	AN2B1210SET
PC0628020	39	SP120315080HI	2 F0390015016515H0I	1	AN2B1210SET
PC0628040	39,2	SP120315080HI	2 F0392015016515H0I	1	AN2B1210SET
PC0628060	39,4	SP120315080HI	2 F0394015016515H0I	1	AN2B1210SET
PC0628080	39,6	SP120315080HI	2 F0396015016515H0I	1	AN2B1210SET
PC0628100	39,8	SP120315080HI	2 F0398015016515H0I	1	AN2B1210SET
PC0628120	40	SP120315080HI	2 F0400015016515H0I	1	AN2B1210SET
PC0628140	40,2	SP120315080HI	2 F0402015016515H0I	1	AN2B1210SET
PC0628160	40,4	SP120315080HI	2 F0404015016515H0I	1	AN2B1210SET
PC0628180	40,6	SP120315080HI	2 F0406015016515H0I	1	AN2B1210SET
PC0628200	40,8	SP120315080HI	2 F0408015016515H0I	1	AN2B1210SET

Compressione 28
Compression mm
Mis. Testa B-4,5
Head size mm
Lungh. tot. 53,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
48 cc. 2T 6V (ring not chromed)	48			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2771	38,8	12 X 31.5 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2771A	38,75	SP120315080HI	2 F0388015016015H0I	1	AN2B1210SET
PC2771B	38,76	SP120315080HI	2 F0388015016015H0I	1	AN2B1210SET
PC2771C	38,77	SP120315080HI	2 F0388015016015H0I	1	AN2B1210SET
PC2771D	38,78	SP120315080HI	2 F0388015016015H0I	1	AN2B1210SET
PC2771E	38,79	SP120315080HI	2 F0388015016015H0I	1	AN2B1210SET
PC2771F	38,8	SP120315080HI	2 F0388015016015H0I	1	AN2B1210SET
PC2771G	38,81	SP120315080HI	2 F0388015016015H0I	1	AN2B1210SET

Compressione 28
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 49
Tot. Length mm

Motorcycles & Scooters

MINARELLI (MOTORI)

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
AM 345	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1324	40,3	12 X 33 X 8	1 G30RP SF 1,20 1 G30KB SF 1,20	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1324A	40,25	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324B	40,26	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324C	40,27	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324D	40,28	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324E	40,29	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324F	40,3	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET
PC1324G	40,31	SP120330080HI	1 S0403012016030RP2303I 1 S0403012016030KB2304I	1	AN2B1210SET

Compressione
Compression mm

28

Mis. Testa
Head size mm

B-2

Lungh. tot.
Tot. Length mm

53



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
AM 345	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1538	40,3	12 X 33 X 8	1 G30RP SF 1,20 1 G30KB SF 1,20	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1538000	40,3	SP120330080HI	1 S0403012016030KB2304I 1 S0403012016030RP2303I	1	AN2B1210SET
PC1538020	40,5	SP120330080HI	1 S0405012016030KB2304I 1 S0405012016030RP2303I	1	AN2B1210SET
PC1538050	40,8	SP120330080HI	1 S0408012016030RP2303I 1 S0408012016030KB2304I	1	AN2B1210SET
PC1538070	41	SP120330080HI	1 S0410012016030RP2303I 1 S0410012016030KB2304I	1	AN2B1210SET
PC1538100	41,3	SP120330080HI	1 S0413012016030RP2303I 1 S0413012016030KB2304I	1	AN2B1210SET
PC1538120	41,5	SP120330080HI	1 S0415012016030RP2303I 1 S0415012016030KB2304I	1	AN2B1210SET
PC1538150	41,8	SP120330080HI	1 S0418012016030RP2303I 1 S0418012016030KB2304I	1	AN2B1210SET

Compressione
Compression mm

28

Mis. Testa
Head size mm

B-2

Lungh. tot.
Tot. Length mm

53


Motorcycles & Scooters

MINARELLI (MOTORI)

2 TEMPI 2 STROKES



Compressione 28
 Compression mm
 Mis. Testa B-2
 Head size mm
 Lungh. tot. 53,5
 Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Trasf. AM 345						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1933	49	12 X 42 X 8	2	G30HP STD 1,50	 12 2B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC1933000	49	SP120420080HI	2 F0490015020530HPI		1	AN2B1210SET
PC1933050	49,5	SP120420080HI	2 F0495015020530HPI		1	AN2B1210SET
PC1933100	50	SP120420080HI	2 F0500015021030HPI		1	AN2B1210SET
PC1933150	50,5	SP120420080HI	2 F0505015021030HPI		1	AN2B1210SET
PC1933200	51	SP120420080HI	2 F0510015021530HPI		1	AN2B1210SET

Motorcycles & Scooters

MINIMOTO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
IAME MINIMOTO M-40 AIR	40			
IAME MINIMOTO M-40 RL	40			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2402	35,9	10 X 29 X 6	1 G30KB SF 1,00 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC24023575	35,75	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023576	35,76	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023577	35,77	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023578	35,78	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023579	35,79	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023580	35,8	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023581	35,81	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023582	35,82	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023583	35,83	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023584	35,84	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023585	35,85	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC24023586	35,86	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023587	35,87	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023588	35,88	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023589	35,89	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023590	35,9	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023591	35,91	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023592	35,92	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023593	35,93	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023594	35,94	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023595	35,95	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC24023596	35,96	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC24023597	35,97	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC24023598	35,98	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC24023600	36	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC24023602	36,02	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET

Compressione 20
Compression mm
Mis. Testa B-1,5
Head size mm
Lungh. tot. 44
Tot. Length mm


Motorcycles & Scooters

MINIMOTO

2 TEMPI 2 STROKES



Compressione 20
 Compression mm
 Mis. Testa B-1,5
 Head size mm
 Lungh. tot. 43,5
 Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
POLINI Minimoto	40				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1920	36	10 X 29 X 6	1 G30KB SF 1,00 	10 SB FILO 0.8	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC19203575	35,75	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203576	35,76	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203577	35,77	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203578	35,78	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203579	35,79	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203580	35,8	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203581	35,81	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203582	35,82	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203583	35,83	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203584	35,84	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203585	35,85	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203586	35,86	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203587	35,87	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203588	35,88	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203589	35,89	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203590	35,9	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203591	35,91	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203592	35,92	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203593	35,93	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203594	35,94	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203595	35,95	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203596	35,96	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC19203597	35,97	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC19203598	35,98	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC19203600	36	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC19203602	36,02	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET

Motorcycles & Scooters

MINIMOTO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
IAME MINIMOTO M-50RL	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2378	40	10 X 33 X 6	1	G30KP SF	1,00	10 2B FILO 0.8
			1	G30KB SF	1,00	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC23783993	39,93	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783994	39,94	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783995	39,95	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783996	39,96	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783997	39,97	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783998	39,98	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23783999	39,99	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784000	40	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784001	40,01	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784002	40,02	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784003	40,03	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784004	40,04	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784006	40,06	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784008	40,08	SP100330060HI	1 S0400010016030KB1961I	1	AN2B1008SET
PC23784010	40,1	SP100330060HI	1 S0401010016030KP2341I	1	AN2B1008SET
PC23784012	40,12	SP100330060HI	1 S0401010016030KP2341I	1	AN2B1008SET
PC23784015	40,15	SP100330060HI	1 S0401010016030KP2341I	1	AN2B1008SET
PC23784018	40,18	SP100330060HI	1 S0401010016030KP2341I	1	AN2B1008SET
PC23784021	40,21	SP100330060HI	1 S0403010016030KP1962I	1	AN2B1008SET
PC23784024	40,24	SP100330060HI	1 S0403010016030KP1962I	1	AN2B1008SET
PC23784027	40,27	SP100330060HI	1 S0403010016030KP1962I	1	AN2B1008SET
PC23784030	40,3	SP100330060HI	1 S0403010016030KP1962I	1	AN2B1008SET


Compressione 20
Compression mm
Mis. Testa B-1,6
Head size mm
Lungh. tot. 43,6
Tot. Length mm

Motorcycles & Scooters

MINIMOTO

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
MALOSI MINIMOTO	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2536	40	10 X 33 X 6	1 G30HP F 1,00 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2536A	39,94	SP100330060HI	1 E0400010016530HP2783I	1	ANOB1008SET
PC2536B	39,95	SP100330060HI	1 E0400010016530HP2783I	1	ANOB1008SET
PC2536C	39,96	SP100330060HI	1 E0400010016530HP2783I	1	ANOB1008SET
PC2536D	39,97	SP100330060HI	1 E0400010016530HP2783I	1	ANOB1008SET
PC2536E	39,98	SP100330060HI	1 E0400010016530HP2783I	1	ANOB1008SET

Compressione 20,1
Compression mm
Mis. Testa B-1,4
Head size mm
Lungh. tot. 44,5
Tot. Length mm

Motorcycles & Scooters

PEUGEOT

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Buxy	50	1994	1998	
Fox	50	1995	2001	
Fox Lux	50	1992	2001	
Speedake	50	1994	1997	
Speedfight	50	1997	2010	
Squab	50	1995	1997	
SV50 Geo	50	1993	1995	
Trekker	50	1997	2002	
Zenith	50	1995	1999	


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1449	39,95	12 X 31.5 X 8	2 G30H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1449AB	39,88	SP120315080HI	2 F0399515016530H0I	1	AN2B1210SET
PC1449BC	39,89	SP120315080HI	2 F0399515016530H0I	1	AN2B1210SET
PC1449CD	39,9	SP120315080HI	2 F0399515016530H0I	1	AN2B1210SET
PC1449DE	39,92	SP120315080HI	2 F0399515016530H0I	1	AN2B1210SET
PC1449EF	39,94	SP120315080HI	2 F0399515016530H0I	1	AN2B1210SET
PC1449FG	39,95	SP120315080HI	2 F0399515016530H0I	1	AN2B1210SET
PC1449GH	39,96	SP120315080HI	2 F0399515016530H0I	1	AN2B1210SET
PC1449020	40,2	SP120315080HI	2 F0402015016530H0I	1	AN2B1210SET
PC1449040	40,4	SP120315080HI	2 F0404015016530H0I	1	AN2B1210SET
PC1449060	40,6	SP120315080HI	2 F0406015016530H0I	1	AN2B1210SET
PC1449080	40,8	SP120315080HI	2 F0408015016530H0I	1	AN2B1210SET
PC1449100	41	SP120315080HI	2 F0410015017030H0I	1	AN2B1210SET

Compressione 21,5
Compression mm
Mis. Testa B-2,3
Head size mm
Lungh. tot. 48,3
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Metropolis - SC (ring not chromed)	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1246	40	10 X 33 X 6	2 G15H STD 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1246000	40	SP100330060HI	2 F0400015016515H0I	1	AN2B1010SET
PC1246025	40,25	SP100330060HI	2 F0402515016515H0I	1	AN2B1010SET
PC1246050	40,5	SP100330060HI	2 F0405015016515H0I	1	AN2B1010SET
PC1246100	41	SP100330060HI	2 F0410015017015H0I	1	AN2B1010SET
PC1246150	41,5	SP100330060HI	2 F0415015017015H0I	1	AN2B1010SET
PC1246200	42	SP100330060HI	2 F0420015017515H0I	1	AN2B1010SET

Compressione 25,5
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 50,5
Tot. Length mm


Motorcycles & Scooters

PEUGEOT

2 TEMPI 2 STROKES




Compressione 21,5
Compression mm
Mis. Testa B-2,3
Head size mm
Lungh. tot. 48,3
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
103 New - Imitation	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1377	40	12 X 33 X 8	2 G30H STD 1,50 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1377000	40	SP120330080HI	2 F0400015016530H0I	1 AN2B1210SET
PC1377025	40,25	SP120330080HI	2 F0402515016530H0I	1 AN2B1210SET
PC1377050	40,5	SP120330080HI	2 F0405015016530H0I	1 AN2B1210SET
PC1377075	40,75	SP120330080HI	2 F0407515016530H0I	1 AN2B1210SET
PC1377100	41	SP120330080HI	2 F0410015017030H0I	1 AN2B1210SET
PC1377150	41,5	SP120330080HI	2 F0415015017030H0I	1 AN2B1210SET
PC1377200	42	SP120330080HI	2 F0420015017530H0I	1 AN2B1210SET




Compressione 25,5
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Metropolis - SC	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2246	40	10 X 33 X 6	2 G15K STD 1,50 	10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2246000	40	SP100330060HI	2 F0400015016515K0I	1 AN2B1010SET
PC2246025	40,25	SP100330060HI	2 F0402515016515K0I	1 AN2B1010SET
PC2246050	40,5	SP100330060HI	2 F0405015016515K0I	1 AN2B1010SET
PC2246100	41	SP100330060HI	2 F0410015017015K0I	1 AN2B1010SET
PC2246150	41,5	SP100330060HI	2 F0415015017015K0I	1 AN2B1010SET
PC2246200	42	SP100330060HI	2 F0420015017515K0I	1 AN2B1010SET



Compressione 20,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 45,5
Tot. Length mm


Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
ST 50 (ring not chromed) 50	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1259	41	10 X 33 X 6	2 G30H STD 1,50 	10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1259000	41	SP100330060HI	2 F0410015017030H0I	1 AN2B1008SET
PC1259025	41,25	SP100330060HI	2 F0412515017030H0I	1 AN2B1008SET
PC1259050	41,5	SP100330060HI	2 F0415015017030H0I	1 AN2B1008SET
PC1259100	42	SP100330060HI	2 F0420015017530H0I	1 AN2B1008SET
PC1259150	42,5	SP100330060HI	2 F0425015017530H0I	1 AN2B1008SET
PC1259200	43	SP100330060HI	2 F0430015018030H0I	1 AN2B1008SET
PC1259250	43,5	SP100330060HI	2 F0435015018030H0I	1 AN2B1008SET

Motorcycles & Scooters

PEUGEOT


2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Rapido (ring not chromed)				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1272	41	10 X 33 X 6	2 G30H STD 1,50 	10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1272000	41	SP100330060HI	2 F0410015017030H0I	1 AN2B1008SET
PC1272050	41,5	SP100330060HI	2 F0415015017030H0I	1 AN2B1008SET
PC1272100	42	SP100330060HI	2 F0420015017530H0I	1 AN2B1008SET
PC1272150	42,5	SP100330060HI	2 F0425015017530H0I	1 AN2B1008SET
PC1272200	43	SP100330060HI	2 F0430015018030H0I	1 AN2B1008SET


Compressione 20,2
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 47,7
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Rapido				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2272	41	10 X 33 X 6	2 G30K STD 1,50 	10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2272000	41	SP100330060HI	2 F0410015017030K0I	1 AN2B1008SET
PC2272050	41,5	SP100330060HI	2 F0415015017030K0I	1 AN2B1008SET
PC2272100	42	SP100330060HI	2 F0420015017530K0I	1 AN2B1008SET
PC2272150	42,5	SP100330060HI	2 F0425015017530K0I	1 AN2B1008SET
PC2272200	43	SP100330060HI	2 F0430015018030K0I	1 AN2B1008SET

Compressione 20,2
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 47,7
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Eliseo	100	1999	2002	
Speedfight	100	1997	2001	
Trekker	100	1998	1999	
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2009	50,6	14 X 42 X 9	2 G30HP SF 1,20 	14 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2009000	50,6	SP140420090HI	2 S0506012021030HPI	1 AN1B1410SET
PC2009040	51	SP140420090HI	2 S0510012021530HPI	1 AN1B1410SET
PC2009090	51,5	SP140420090HI	2 S0515012021530HPI	1 AN1B1410SET
PC2009140	52	SP140420090HI	2 S0520012021530HPI	1 AN1B1410SET

Compressione 29
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 63
Tot. Length mm




Motorcycles & Scooters

PEUGEOT

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
V-Clc	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1871	39	13 X 30 X 8	1 C1KBP SF 1,00  1 C2LP SF 1,00  1 R7P SF 2,00 	13 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1871000	39	SP130300080HI	1 RSMOT390001	1	AN1B1310SET
PC1871040	39,4	SP130300080HI	1 RSMOT394001	1	AN1B1310SET
PC1871080	39,8	SP130300080HI	1 RSMOT398001	1	AN1B1310SET
PC1871100	40	SP130300080HI	1 RSMOT400001	1	AN1B1310SET
PC1871140	40,4	SP130300080HI	1 RSMOT404001	1	AN1B1310SET




Compressione 17,2
Compression mm

Mis. Testa B-2FV
Head size mm

Lungh. tot. 33,7
Tot. Length mm

4 VALVOLE / 4 VALVES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
CITYSTAR 125	125	2010	2014	
GEOPOLIS 125	125	2007	2012	
SATELIS 125	125	2006	2014	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
NEW 2605	57	15 X 40 X 10	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 2,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2605000	57	SP150400100HI	1 RSMOT570005	1	AN0B1510SET
PC2605025	57,25	SP150400100HI	1 RSMOT572505	1	AN0B1510SET
PC2605050	57,5	SP150400100HI	1 RSMOT575005	1	AN0B1510SET
PC2605075	57,75	SP150400100HI	1 RSMOT577505	1	AN0B1510SET
PC2605100	58	SP150400100HI	1 RSMOT580005	1	AN0B1510SET

Compressione 21
Compression mm

Mis. Testa
Head size mm

Lungh. tot. 40,8
Tot. Length mm




Motorcycles & Scooters

PEUGEOT

4 TEMPI 4 STROKES

2 VALVOLE/ 2 VALVES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
ELYSEO 125	125	1998	2004	
ELYSTAR 125	125	2000	2006	
JETFORCE 125	125	2003		

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
NEW 2618	57	15 X 40 X 10	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 2,00 	15 SB FILO 1.0

Compressione 21
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 39,75
 Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2618000	57	SP150400100HI	1 RSMOT570005	1	ANOB1510SET
PC2618025	57,25	SP150400100HI	1 RSMOT572505	1	ANOB1510SET
PC2618050	57,5	SP150400100HI	1 RSMOT575005	1	ANOB1510SET
PC2618075	57,75	SP150400100HI	1 RSMOT577505	1	ANOB1510SET
PC2618100	58	SP150400100HI	1 RSMOT580005	1	ANOB1510SET

Motorcycles & Scooters

PIAGGIO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa XL 50 Catalizzata	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1613	38	12 X 31.5 X 8	1 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC16131	37,955	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC16132	37,96	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC16133	37,965	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC16134	37,97	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC1613000	38	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC1613050	38,5	SP120315080HI	1 F0385015016015H0I	1	AN2B1210SET
PC1613100	39	SP120315080HI	1 F0390015016515H0I	1	AN2B1210SET

Compressione 24
 Compression mm
 Mis. Testa B-2,5
 Head size mm
 Lungh. tot. 55,5
 Tot. Length mm

Motorcycles & Scooters

PIAGGIO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Bravo-Si Boxer Cil. Ridotto	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1102	38,2	10 X 31.5 X 6	1 LH	STD	2,00	SEEGER D.10
			1 G15H	STD	1,50	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CUIPqty	Cod. SERIE anellino
-----------------------	------	---------------------------	--------------------------------------	-------------------	------------------------

PC1102000	38,2	SP100315060HI	1 F0382020017531H0I 1 F0382015016015H0I	2	SG10
PC1102020	38,4	SP100315060HI	1 F0384020017531H0I 1 F0384015016015H0I	2	SG10
PC1102040	38,6	SP100315060HI	1 F0386020017531H0I 1 F0386015016015H0I	2	SG10
PC1102060	38,8	SP100315060HI	1 F0388020017531H0I 1 F0388015016015H0I	2	SG10
PC1102080	39	SP100315060HI	1 F0390020017531H0I 1 F0390015016515H0I	2	SG10
PC1102100	39,2	SP100315060HI	1 F0392020017531H0I 1 F0392015016515H0I	2	SG10
PC1102120	39,4	SP100315060HI	1 F0394020017531H0I 1 F0394015016515H0I	2	SG10
PC1102140	39,6	SP100315060HI	1 F0396020017531H0I 1 F0396015016515H0I	2	SG10
PC1102160	39,8	SP100315060HI	1 F0398020017531H0I 1 F0398015016515H0I	2	SG10
PC1102180	40	SP100315060HI	1 F0400020018531H0I 1 F0400015016515H0I	2	SG10
PC1102200	40,2	SP100315060HI	1 F0402020018531H0I 1 F0402015016515H0I	2	SG10
PC1102220	40,4	SP100315060HI	1 F0404020018531H0I 1 F0404015016515H0I	2	SG10
PC1102230	40,5	SP100315060HI	1 F0405020018531H0I 1 F0405015016515H0I	2	SG10
PC1102240	40,6	SP100315060HI	1 F0406020018531H0I 1 F0406015016515H0I	2	SG10
PC1102260	40,8	SP100315060HI	1 F0408020018531H0I 1 F0408015016515H0I	2	SG10

Compressione 26,54
Compression mm

Mis. Testa B-3,5
Head size mm

Lungh. tot. 52
Tot. Length mm

Motorcycles & Scooters

PIAGGIO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Sì ecologico - Heron	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1243	38,2	10 X 31.5 X 6	1 LH STD 2,00 1 G15H STD 1,50	SEEGER D.10

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
-----------------------	------	---------------------------	--------------------------------------	-------------------	------------------------

PC1243000	38,2	SP100315060HI	1 F0382020017531H0I 1 F0382015016015H0I	2	SG10
PC1243020	38,4	SP100315060HI	1 F0384020017531H0I 1 F0384015016015H0I	2	SG10
PC1243040	38,6	SP100315060HI	1 F0386020017531H0I 1 F0386015016015H0I	2	SG10
PC1243060	38,8	SP100315060HI	1 F0388020017531H0I 1 F0388015016015H0I	2	SG10
PC1243080	39	SP100315060HI	1 F0390020017531H0I 1 F0390015016515H0I	2	SG10
PC1243100	39,2	SP100315060HI	1 F0392020017531H0I 1 F0392015016515H0I	2	SG10
PC1243120	39,4	SP100315060HI	1 F0394020017531H0I 1 F0394015016515H0I	2	SG10
PC1243140	39,6	SP100315060HI	1 F0396020017531H0I 1 F0396015016515H0I	2	SG10
PC1243160	39,8	SP100315060HI	1 F0398020017531H0I 1 F0398015016515H0I	2	SG10
PC1243180	40	SP100315060HI	1 F0400020018531H0I 1 F0400015016515H0I	2	SG10
PC1243200	40,2	SP100315060HI	1 F0402020018531H0I 1 F0402015016515H0I	2	SG10

Compressione 26
Compression mm

Mis. Testa B-1,5
Head size mm

Lungh. tot. 49,5
Tot. Length mm

Motorcycles & Scooters

PIAGGIO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Bravo - Boxer - Ciao (L-RING)	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2679	38,2	12 X 31.5 X 8	1 LH STD 2,00 1 G15H STD 1,50	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2679000	38,2	SP120315080HI	1 F0382020017531H0I 1 F0382015016015H0I	1	AN2B1210SET
PC2679020	38,4	SP120315080HI	1 F0384020017531H0I 1 F0384015016015H0I	1	AN2B1210SET
PC2679040	38,6	SP120315080HI	1 F0386020017531H0I 1 F0386015016015H0I	1	AN2B1210SET
PC2679060	38,8	SP120315080HI	1 F0388020017531H0I 1 F0388015016015H0I	1	AN2B1210SET
PC2679080	39	SP120315080HI	1 F0390020017531H0I 1 F0390015016515H0I	1	AN2B1210SET
PC2679100	39,2	SP120315080HI	1 F0392020017531H0I 1 F0392015016515H0I	1	AN2B1210SET
PC2679140	39,6	SP120315080HI	1 F0396020017531H0I 1 F0396015016515H0I	1	AN2B1210SET
PC2679160	39,8	SP120315080HI	1 F0398020017531H0I 1 F0398015016515H0I	1	AN2B1210SET
PC2679180	40	SP120315080HI	1 F0400020018531H0I 1 F0400015016515H0I	1	AN2B1210SET
PC2679200	40,2	SP120315080HI	1 F0402020018531H0I 1 F0402015016515H0I	1	AN2B1210SET

Compressione 26,5
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 52,5
Tot. Length mm


Motorcycles & Scooters

PIAGGIO

2 TEMPI 2 STROKES




Compressione 26
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 52
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
Vespa 50 cc.	50				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
0539	38,4	12 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0539000	38,4	SP120315080HI	2 F0384020016015H0I	1	AN2B1210SET
PC0539040	38,8	SP120315080HI	2 F0388020016015H0I	1	AN2B1210SET
PC0539080	39,2	SP120315080HI	2 F0392020016515H0I	1	AN2B1210SET
PC0539100	39,4	SP120315080HI	2 F0394020016515H0I	1	AN2B1210SET
PC0539140	39,8	SP120315080HI	2 F0398020016515H0I	1	AN2B1210SET
PC0539180	40,2	SP120315080HI	2 F0402020016515H0I	1	AN2B1210SET
PC0539200	40,4	SP120315080HI	2 F0404020016515H0I	1	AN2B1210SET
PC0539240	40,8	SP120315080HI	2 F0408020016515H0I	1	AN2B1210SET
PC0539280	41,2	SP120315080HI	2 F0412020017015H0I	1	AN2B1210SET



Compressione 26
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 52
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
Ciao	50				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
0679	38,4	12 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0679000	38,2	SP120315080HI	2 F0382020016015H0I	1	AN2B1210SET
PC0679020	38,4	SP120315080HI	2 F0384020016015H0I	1	AN2B1210SET
PC0679040	38,6	SP120315080HI	2 F0386020016015H0I	1	AN2B1210SET
PC0679060	38,8	SP120315080HI	2 F0388020016015H0I	1	AN2B1210SET
PC0679080	39	SP120315080HI	2 F0390020016515H0I	1	AN2B1210SET
PC0679100	39,2	SP120315080HI	2 F0392020016515H0I	1	AN2B1210SET
PC0679120	39,4	SP120315080HI	2 F0394020016515H0I	1	AN2B1210SET
PC0679140	39,6	SP120315080HI	2 F0396020016515H0I	1	AN2B1210SET
PC0679160	39,8	SP120315080HI	2 F0398020016515H0I	1	AN2B1210SET
PC0679180	40	SP120315080HI	2 F0400020016515H0I	1	AN2B1210SET
PC0679200	40,2	SP120315080HI	2 F0402020016515H0I	1	AN2B1210SET

Motorcycles & Scooters

PIAGGIO

2 TEMPI 2 STROKES



Compressione 26
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 52
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Vespino 50/PK - Ape TM P50		50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1154	38,4	12 X 31.5 X 8	2	G15H STD 2,00	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1154000	38,4	SP120315080HI	2 F0384020016015H0I		1 AN2B1210SET
PC1154020	38,6	SP120315080HI	2 F0386020016015H0I		1 AN2B1210SET
PC1154040	38,8	SP120315080HI	2 F0388020016015H0I		1 AN2B1210SET
PC1154060	39	SP120315080HI	2 F0390020016515H0I		1 AN2B1210SET
PC1154080	39,2	SP120315080HI	2 F0392020016515H0I		1 AN2B1210SET
PC1154100	39,4	SP120315080HI	2 F0394020016515H0I		1 AN2B1210SET
PC1154110	39,5	SP120315080HI	2 F0395020016515H0I		1 AN2B1210SET
PC1154120	39,6	SP120315080HI	2 F0396020016515H0I		1 AN2B1210SET
PC1154140	39,8	SP120315080HI	2 F0398020016515H0I		1 AN2B1210SET
PC1154160	40	SP120315080HI	2 F0400020016515H0I		1 AN2B1210SET
PC1154180	40,2	SP120315080HI	2 F0402020016515H0I		1 AN2B1210SET
PC1154200	40,4	SP120315080HI	2 F0404020016515H0I		1 AN2B1210SET



Compressione 26,5
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 52
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Vespa 50 PK (ring not chromed)		50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1157	38,4	12 X 31.5 X 8	2	LH STD 2,00	SEEGER D.12 DIN 472
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1157A	38,35	SP120315080HI	2 F0384020017531H0I		2 SG12
PC1157B	38,36	SP120315080HI	2 F0384020017531H0I		2 SG12
PC1157C	38,37	SP120315080HI	2 F0384020017531H0I		2 SG12
PC1157D	38,38	SP120315080HI	2 F0384020017531H0I		2 SG12
PC1157E	38,39	SP120315080HI	2 F0384020017531H0I		2 SG12
PC1157F	38,4	SP120315080HI	2 F0384020017531H0I		2 SG12

Motorcycles & Scooters

PIAGGIO

2 TEMPI 2 STROKES

Segmenti NON CROMATI/ rings
NOT CHROMED



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Energy - NRG (ring not chromed)	50			
Free (ring not chromed)	50	1992	1998	
NTT (ring not chromed)	50	1995	1998	
Quarz (ring not chromed)	50	1992	1997	
Sfera (ring not chromed)	50	1991	1998	
Vespa ET2 (ring not chromed)	50	1998	2004	
Zip (ring not chromed)	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1306	40	12 X 33 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1306000	40	SP120330080HI	2 F0400015016515H0I	1	AN2B1210SET
PC1306020	40,2	SP120330080HI	2 F0402015016515H0I	1	AN2B1210SET
PC1306040	40,4	SP120330080HI	2 F0404015016515H0I	1	AN2B1210SET
PC1306060	40,6	SP120330080HI	2 F0406015016515H0I	1	AN2B1210SET
PC1306080	40,8	SP120330080HI	2 F0408015016515H0I	1	AN2B1210SET
PC1306100	41	SP120330080HI	2 F0410015017015H0I	1	AN2B1210SET
PC1306120	41,2	SP120330080HI	2 F0412015017015H0I	1	AN2B1210SET
PC1306140	41,4	SP120330080HI	2 F0414015017015H0I	1	AN2B1210SET
PC1306160	41,6	SP120330080HI	2 F0416015017015H0I	1	AN2B1210SET
PC1306180	41,8	SP120330080HI	2 F0418015017015H0I	1	AN2B1210SET
PC1306200	42	SP120330080HI	2 F0420015017515H0I	1	AN2B1210SET
PC1306250	42,5	SP120330080HI	2 F0425015017515H0I	1	AN2B1210SET
PC1306300	43	SP120330080HI	2 F0430015018015H0I	1	AN2B1210SET

Compressione 26
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 54
Tot. Length mm

Motorcycles & Scooters


PIAGGIO

2 TEMPI 2 STROKES

Segmenti CROMATI/ CHROMED.
rings



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Energy - NRG	50			
Free	50	1992	1998	
NTT	50	1995	1998	
Quarz	50	1992	1997	
Sfera	50	1991	1998	
Vespa ET2	50	1998	2004	
Zip	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2306	40	12 X 33 X 8	2 G15K STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2306000	40	SP120330080HI	2 F0400015016515K0I	1	AN2B1210SET
PC2306020	40,2	SP120330080HI	2 F0402015016515K0I	1	AN2B1210SET
PC2306040	40,4	SP120330080HI	2 F0404015016515K0I	1	AN2B1210SET
PC2306060	40,6	SP120330080HI	2 F0406015016515K0I	1	AN2B1210SET
PC2306080	40,8	SP120330080HI	2 F0408015016515K0I	1	AN2B1210SET
PC2306100	41	SP120330080HI	2 F0410015017015K0I	1	AN2B1210SET
PC2306120	41,2	SP120330080HI	2 F0412015017015K0I	1	AN2B1210SET
PC2306140	41,4	SP120330080HI	2 F0414015017015K0I	1	AN2B1210SET
PC2306160	41,6	SP120330080HI	2 F0416015017015K0I	1	AN2B1210SET
PC2306180	41,8	SP120330080HI	2 F0418015017515K0I	1	AN2B1210SET
PC2306200	42	SP120330080HI	2 F0420015017515K0I	1	AN2B1210SET

Compressione 26
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 54
Tot. Length mm


Motorcycles & Scooters

PIAGGIO

2 TEMPI 2 STROKES




Compressione 23,2
Compression mm
Mis. Testa B-2,2
Head size mm
Lungh. tot. 52,4
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Sfera - Typhoon 80				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1471	46,5	12 X 38 X 8	2 G15KP SF 1,50 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1471A	46,44	SP120380080HI	2 S0465015019015KPI	1 AN2B1210SET
PC1471B	46,45	SP120380080HI	2 S0465015019015KPI	1 AN2B1210SET
PC1471C	46,46	SP120380080HI	2 S0465015019015KPI	1 AN2B1210SET
PC1471D	46,47	SP120380080HI	2 S0465015019015KPI	1 AN2B1210SET
PC1471E	46,48	SP120380080HI	2 S0465015019015KPI	1 AN2B1210SET
PC1471F	46,49	SP120380080HI	2 S0465015019015KPI	1 AN2B1210SET
PC1471G	46,5	SP120380080HI	2 S0465015019015KPI	1 AN2B1210SET
PC1471050	47	SP120380080HI	2 S0470015019515KPI	1 AN2B1210SET
PC1471075	47,25	SP120380080HI	2 S0472515019515KPI	1 AN2B1210SET
PC1471100	47,5	SP120380080HI	2 S0475015019515KPI	1 AN2B1210SET
PC1471150	48	SP120380080HI	2 S0480015020015KPI	1 AN2B1210SET
PC1471200	48,5	SP120380080HI	2 S0485015020015KPI	1 AN2B1210SET



Compressione 35
Compression mm
Mis. Testa B-6
Head size mm
Lungh. tot. 70
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa P125X				
125				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0960	52,5	15 X 44 X 10	2 G15HP STD 2,50 	SEEGER D.15 DIN 472
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC0960000	52,5	SP150440100HI	2 F0525025021515HPI	2 SG15
PC0960020	52,7	SP150440100HI	2 F0527025021515HPI	2 SG15
PC0960040	52,9	SP150440100HI	2 F0529025021515HPI	2 SG15
PC0960060	53,1	SP150440100HI	2 F0531025022015HPI	2 SG15
PC0960080	53,3	SP150440100HI	2 F0533025022015HPI	2 SG15
PC0960100	53,5	SP150440100HI	2 F0535025022015HPI	2 SG15
PC0960120	53,7	SP150440100HI	2 F0537025022015HPI	2 SG15
PC0960140	53,9	SP150440100HI	2 F0539025022015HPI	2 SG15
PC0960160	54,1	SP150440100HI	2 F0541025022515HPI	2 SG15
PC0960180	54,3	SP150440100HI	2 F0543025022515HPI	2 SG15
PC0960200	54,5	SP150440100HI	2 F0545025022515HPI	2 SG15
PC0960220	54,7	SP150440100HI	2 F0547025022515H0I	2 SG15
PC0960250	55	SP150440100HI	2 F0550025023015HPI	2 SG15

Motorcycles & Scooters

PIAGGIO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa P125 K (seg. L)	125			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip	
1164	52,5	15 X 44 X 10	1	LHP	STD	2,50	SEEGER D.15 DIN 472
			1	G15HP	STD	2,50	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
-----------------------	------	---------------------------	--------------------------------------	-------------------	------------------------

PC1164000	52,5	SP150440100HI	1 F0525025021515HPI 1 F0525025021531HP2878I	2	SG15
PC1164020	52,7	SP150440100HI	1 F0527025021515HPI 1 F0527025021531HP2878I	2	SG15
PC1164040	52,9	SP150440100HI	1 F0529025021531HP2878I 1 F0529025021515HPI	2	SG15
PC1164060	53,1	SP150440100HI	1 F0531025022015HPI 1 F0531025022031HP2878I	2	SG15
PC1164080	53,3	SP150440100HI	1 F0533025022015HPI 1 F0533025022031HP2878I	2	SG15
PC1164100	53,5	SP150440100HI	1 F0535025022015HPI 1 F0535025022031HP2878I	2	SG15
PC1164120	53,7	SP150440100HI	1 F0537025022015HPI 1 F0537025022031HP2878I	2	SG15
PC1164140	53,9	SP150440100HI	1 F0539025022015HPI 1 F0539025022031HP2878I	2	SG15
PC1164160	54,1	SP150440100HI	1 F0541025022515HPI 1 F0541025022531HP2878I	2	SG15
PC1164180	54,3	SP150440100HI	1 F0543025022515HPI 1 F0543025022531HP2878I	2	SG15
PC1164200	54,5	SP150440100HI	1 F0545025022515HPI 1 F0545025022531HP2878I	2	SG15

Compressione 35
Compression mm
Mis. Testa B-5
Head size mm
Lungh. tot. 70
Tot. Length mm


Motorcycles & Scooters

PIAGGIO

2 TEMPI 2 STROKES






Compressione 36,5
Compression mm
Mis. Testa B-6
Head size mm
Lungh. tot. 71
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Vespa ET3 - Primavera - PKX 125cc		125				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
0973	55	15 X 47 X 10	2	G15H STD 2,50		SEEGER D.15 DIN 472
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC0973000	55	SP150470100HI	2 F0550025023015H0I	2	SG15	
PC0973040	55,4	SP150470100HI	2 F0554025023015H0I	2	SG15	
PC0973080	55,8	SP150470100HI	2 F0558025023015H0I	2	SG15	
PC0973120	56,2	SP150470100HI	2 F0562025023515H0I	2	SG15	
PC0973140	56,4	SP150470100HI	2 F0564025023515H0I	2	SG15	
PC0973160	56,6	SP150470100HI	2 F0566025023515H0I	2	SG15	
PC0973180	56,8	SP150470100HI	2 F0568025023515H0I	2	SG15	



Compressione 36,5
Compression mm
Mis. Testa B-5,5
Head size mm
Lungh. tot. 71
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Vespa 125 XL/PKS		125				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1120	55	15 X 47 X 10	1 LHP STD 2,50		SEEGER D.15 DIN 472	
			1 G15HP STD 2,50			
			1 G15H STD 2,50			
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC1120000	55	SP150470100HI	1 F0550025023031HP2879I 1 F0550025023015HP1	2	SG15	
PC1120040	55,4	SP150470100HI	1 F0554025023031HP2879I 1 F0554025023015HP1	2	SG15	
PC1120080	55,8	SP150470100HI	1 F0558025023031HP2879I 1 F0558025023015HP1	2	SG15	
PC1120120	56,2	SP150470100HI	1 F0562025023531HP2879I 1 F0562025023515HP1	2	SG15	
PC1120140	56,4	SP150470100HI	1 F0564025023531HP2879I 1 F0564025023515HP1	2	SG15	
PC1120160	56,6	SP150470100HI	1 F0566025023531HP2879I 1 F0566025023515HP1	2	SG15	
PC1120180	56,8	SP150470100HI	1 F0568025023531HP2879I 1 F0568025023515H0I	2	SG15	


Motorcycles & Scooters

PIAGGIO

2 TEMPI 2 STROKES




Compressione 30
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 63,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
Skipper	125				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1408	55	16 X 46 X 11	2 G30KB SF 1,20 	16 SB FILO 1.2	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1408A	54,95	SP160460110HI	2 S0550012023030KBP2291	1	ANOB1612SET
PC1408B	54,955	SP160460110HI	2 S0550012023030KBP2291	1	ANOB1612SET
PC1408C	54,96	SP160460110HI	2 S0550012023030KBP2291	1	ANOB1612SET
PC1408D	54,965	SP160460110HI	2 S0550012023030KBP2291	1	ANOB1612SET
PC1408E	54,97	SP160460110HI	2 S0550012023030KBP2291	1	ANOB1612SET
PC1408F	54,975	SP160460110HI	2 S0550012023030KBP2291	1	ANOB1612SET
PC1408000	55	SP160460110HI	2 S0550012023030KBP2291	1	ANOB1612SET
PC1408040	55,4	SP160460110HI	2 S0554012023030KB2291I	1	ANOB1612SET
PC1408060	55,6	SP160460110HI	2 S0556012023030KB2291I	1	ANOB1612SET
PC1408080	55,8	SP160460110HI	2 S0558012023030KB2291I	1	ANOB1612SET
PC1408100	56	SP160460110HI	2 S0560012023530KB2291I	1	ANOB1612SET
PC1408150	56,5	SP160460110HI	2 S0565012023530KB2291I	1	ANOB1612SET



Compressione 35
Compression mm
Mis. Testa B-7
Head size mm
Lungh. tot. 72
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
Vespa 150 Sprint Veloce 3L	150				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
0830	57	15 X 48.5 X 10	2 G15H STD 2,50 	SEEGER D.15 DIN 472	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0830000	57	SP150485100Y4I	2 F0570025024015H0I	2	SG15
PC0830020	57,2	SP150485100Y4I	2 F0572025024015H0I	2	SG15
PC0830040	57,4	SP150485100Y4I	2 F0574025024015H0I	2	SG15
PC0830060	57,6	SP150485100Y4I	2 F0576025024015H0I	2	SG15



Motorcycles & Scooters

PIAGGIO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa P150X - P150S	150			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1003	57,8	15 X 48.5 X 10	2 G15HP STD 2,50  2 G15H STD 2,50 	SEEGER D.15 DIN 472

Compressione 35
Compression mm
Mis. Testa B-7
Head size mm
Lungh. tot. 72
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1003000	57,8	SP150485100Y4I	2 F0578025024015HPI	2	SG15
PC1003020	58	SP150485100Y4I	2 F0580025024015HPI	2	SG15
PC1003040	58,2	SP150485100Y4I	2 F0582025024015HPI	2	SG15
PC1003060	58,4	SP150485100Y4I	2 F0584025024015HPI	2	SG15
PC1003080	58,6	SP150485100Y4I	2 F0586025024015HPI	2	SG15
PC1003100	58,8	SP150485100Y4I	2 F0588025024015HPI	2	SG15
PC1003120	59	SP150485100Y4I	2 F0590025024515H0I	2	SG15
PC1003140	59,2	SP150485100Y4I	2 F0592025024515H0I	2	SG15
PC1003160	59,4	SP150485100Y4I	2 F0594025024515H0I	2	SG15
PC1003180	59,6	SP150485100Y4I	2 F0596025024515H0I	2	SG15
PC1003200	59,8	SP150485100Y4I	2 F0598025024515H0I	2	SG15
PC1003220	60	SP150485100Y4I	2 F0600025025015H0I	2	SG15



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Skipper air cooled (cyl. Nikasil)	150			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1470	60,6	16 X 50 X 11	2 G30K STD 1,50 	16 SB FILO 1.2

Compressione 30
Compression mm
Mis. Testa B-4,1
Head size mm
Lungh. tot. 64,1
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1470A	60,56	SP160500110HI	2 F0606015025030K0I	1	AN0B1612SET
PC1470B	60,57	SP160500110HI	2 F0606015025030K0I	1	AN0B1612SET
PC1470C	60,58	SP160500110HI	2 F0606015025030K0I	1	AN0B1612SET
PC1470D	60,59	SP160500110HI	2 F0606015025030K0I	1	AN0B1612SET
PC1470E	60,6	SP160500110HI	2 F0606015025030K0I	1	AN0B1612SET


Motorcycles & Scooters

PIAGGIO

2 TEMPI 2 STROKES




Compressione 30
Compression mm
Mis. Testa B-4,2
Head size mm
Lungh. tot. 64,2
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
Hexagon 150	150				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1488	60,6	16 X 50 X 11	2 G30HP SF 1,50 	16 SB FILO 1.2	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1488000	60,6	SP160500110HI	2 S0606015025030HPI	1	AN0B1612SET
PC1488020	60,8	SP160500110HI	2 S0608015025030HPI	1	AN0B1612SET
PC1488040	61	SP160500110HI	2 S0610015025530HPI	1	AN0B1612SET
PC1488060	61,2	SP160500110HI	2 S0612015025530HPI	1	AN0B1612SET
PC1488080	61,4	SP160500110HI	2 S0614015025530HPI	1	AN0B1612SET
PC1488100	61,6	SP160500110HI	2 S0616015025530HPI	1	AN0B1612SET
PC1488120	61,8	SP160500110HI	2 S0618015025530HPI	1	AN0B1612SET



Compressione 43
Compression mm
Mis. Testa B-5,5
Head size mm
Lungh. tot. 70,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
Ape MP500/550	180				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
0720	63	16 X 54 X 11	2 G15H STD 2,50 	SEEGER D.16 DIN 472	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0720000	63	SP160540110Y4I	2 F0630025026515H0I	2	SG16
PC0720040	63,4	SP160540110Y4I	2 F0634025026515H0I	2	SG16
PC0720060	63,6	SP160540110Y4I	2 F0636025026515H0I	2	SG16
PC0720080	63,8	SP160540110Y4I	2 F0638025026515H0I	2	SG16
PC0720100	64	SP160540110Y4I	2 F0640025026515H0I	2	SG16
PC0720120	64,2	SP160540110Y4I	2 F0642025026515H0I	2	SG16
PC0720140	64,4	SP160540110Y4I	2 F0644025026515H0I	2	SG16
PC0720160	64,6	SP160540110Y4I	2 F0646025026515H0I	2	SG16
PC0720180	64,8	SP160540110Y4I	2 F0648025026515H0I	2	SG16
PC0720200	65	SP160540110Y4I	2 F0650025027015H0I	2	SG16
PC0720220	65,2	SP160540110Y4I	2 F0652025027015H0I	2	SG16
PC0720240	65,4	SP160540110Y4I	2 F0654025027015H0I	2	SG16
PC0720260	65,6	SP160540110Y4I	2 F0656025027015H0I	2	SG16


Motorcycles & Scooters

PIAGGIO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa PX 200cc.	200			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1007	66,5	16 X 59 X 11	2 G15HP STD 2,50 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1007000	66,5	SP160590110HI	2 F0665025027515HPI	2	SG16
PC1007020	66,7	SP160590110HI	2 F0667025027515HPI	2	SG16
PC1007040	66,9	SP160590110HI	2 F0669025027515HPI	2	SG16
PC1007060	67,1	SP160590110HI	2 F0671025028015HPI	2	SG16
PC1007080	67,3	SP160590110HI	2 F0673025028015HPI	2	SG16
PC1007100	67,5	SP160590110HI	2 F0675025028015HPI	2	SG16
PC1007120	67,7	SP160590110HI	2 F0677025028015HPI	2	SG16
PC1007140	67,9	SP160590110HI	2 F0679025028015HPI	2	SG16
PC1007160	68,1	SP160590110HI	2 F0681025028515HPI	2	SG16
PC1007180	68,3	SP160590110HI	2 F0683025028515HPI	2	SG16
PC1007200	68,5	SP160590110HI	2 F0685025028515HPI	2	SG16
PC1007220	68,7	SP160590110HI	2 F0687025028515HPI	2	SG16

Compressione 42,5
Compression mm

Mis. Testa B-5,5
Head size mm

Lungh. tot. 81
Tot. Length mm

Motorcycles & Scooters


PIAGGIO

2 TEMPI 2 STROKES



Compressione 42,5
Compression mm
Mis. Testa B-6
Head size mm
Lungh. tot. 80
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Ape Car	250			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0895	68	18 X 59 X 12	2 G15HP STD 2,50 	SEEGER D.18 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0895000	68	SP180590120HI	2 F0680025028515HPI	2	SG18
PC0895020	68,2	SP180590120HI	2 F0682025028515HPI	2	SG18
PC0895040	68,4	SP180590120HI	2 F0684025028515HPI	2	SG18
PC0895060	68,6	SP180590120HI	2 F0686025028515HPI	2	SG18
PC0895080	68,8	SP180590120HI	2 F0688025028515HPI	2	SG18
PC0895100	69	SP180590120HI	2 F0690025029015HPI	2	SG18
PC0895120	69,2	SP180590120HI	2 F0692025029015HPI	2	SG18
PC0895140	69,4	SP180590120HI	2 F0694025029015HPI	2	SG18
PC0895160	69,6	SP180590120HI	2 F0696025029015HPI	2	SG18
PC0895180	69,8	SP180590120HI	2 F0698025029015HPI	2	SG18
PC0895200	70	SP180590120HI	2 F0700025029015HPI	2	SG18
PC0895220	70,2	SP180590120HI	2 F0702025029015HPI	2	SG18
PC0895240	70,4	SP180590120HI	2 F0704025029015HPI	2	SG18
PC0895260	70,6	SP180590120HI	2 F0706025029015HPI	2	SG18
PC0895280	70,8	SP180590120HI	2 F0708025029015HPI	2	SG18



Compressione 42,5
Compression mm
Mis. Testa B-5,6
Head size mm
Lungh. tot. 79,6
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Ape Car vers. originale				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2335	68	18 X 59 X 12		SEEGER D.18 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2335000	68	SP180590120HI	1 SS2335000I	2	SG18
PC2335040	68,4	SP180590120HI	1 SS2335040I	2	SG18
PC2335060	68,6	SP180590120HI	1 SS2335060I	2	SG18
PC2335080	68,8	SP180590120HI	1 SS2335080I	2	SG18
PC2335100	69	SP180590120HI	1 SS2335100I	2	SG18
PC2335120	69,2	SP180590120HI	1 SS2335120I	2	SG18
PC2335140	69,4	SP180590120HI	1 SS2335140I	2	SG18
PC2335160	69,6	SP180590120HI	1 SS2335160I	2	SG18
PC2335180	69,8	SP180590120HI	1 SS2335180I	2	SG18
PC2335200	70	SP180590120HI	1 SS2335200I	2	SG18


Motorcycles & Scooters

PIAGGIO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Ape Car (spin. 16mm)	250			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2895	68	16 X 59 X 11	2 G15HP STD 2,50 	SEEGER D.16 DIN 472




Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2895000	68	SP160590110HI	2 F0680025028515HPI	2	SG16
PC2895040	68,4	SP160590110HI	2 F0684025028515HPI	2	SG16
PC2895080	68,8	SP160590110HI	2 F0688025028515HPI	2	SG16
PC2895100	69	SP160590110HI	2 F0690025029015HPI	2	SG16
PC2895140	69,4	SP160590110HI	2 F0694025029015HPI	2	SG16
PC2895160	69,6	SP160590110HI	2 F0696025029015HPI	2	SG16
PC2895180	69,8	SP160590110HI	2 F0698025029015HPI	2	SG16
PC2895200	70	SP160590110HI	2 F0700025029015HPI	2	SG16
PC2895240	70,4	SP160590110HI	2 F0704025029015HPI	2	SG16

Compressione 42,5
Compression mm
Mis. Testa B-6
Head size mm
Lungh. tot. 80
Tot. Length mm

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Liberty	50	2004	2013	
Zip	50	2000	2013	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1828	39	13 X 30 X 8	RS 1 C1KBP SF 1,00  1 C2LP SF 1,00  1 R7P SF 2,00 	13 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1828000	39	SP130300080HI	1 RSMOT390001	1	AN1B1310SET
PC1828040	39,4	SP130300080HI	1 RSMOT394001	1	AN1B1310SET
PC1828080	39,8	SP130300080HI	1 RSMOT398001	1	AN1B1310SET
PC1828100	40	SP130300080HI	1 RSMOT400001	1	AN1B1310SET
PC1828120	40,2	SP130300080HI	1 RSMOT402001	1	AN1B1310SET
PC1828140	40,4	SP130300080HI	1 RSMOT404001	1	AN1B1310SET

Compressione 18
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 35
Tot. Length mm




Motorcycles & Scooters

PIAGGIO

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Liberty 50- 4 Valvole	50			
Vespa 50- 4 Valvole	50			




MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2305	39	13 X 30 X 8	1 C1KBP SF 1,00  1 C2LP SF 1,00  1 R7P SF 2,00 	13 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2305000	39	SP130300080HI	1 RSMOT390001	1	ANOB1310SET
PC2305040	39,4	SP130300080HI	1 RSMOT394001	1	ANOB1310SET
PC2305080	39,8	SP130300080HI	1 RSMOT398001	1	ANOB1310SET

Compressione 18,5
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 38
 Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Fly	100	2006	2009	
Zip	100	2002	2008	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2146	50	13 X 30 X 8	1 C6KBP SF 1,00  1 C2LP F 1,00  1 R7P SF 2,00 	13 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2146040	50,4	SP130300080HI	1 RSMOT504001	1	ANOB1310SET
PC2146080	50,8	SP130300080HI	1 RSMOT508001	1	ANOB1310SET

Compressione 17,5
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 34
 Tot. Length mm




Motorcycles & Scooters

PIAGGIO

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa ET4	125	2002	2006	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1548	57	14 X 42 X 9	1 C2LP F 1,00  1 S20LP F 1,00  1 R5P STD 2,50 	14 1B FILO 1.2

Compressione
Compression mm 19,7

Mis. Testa
Head size mm






Lungh. tot.
Tot. Length mm 42,7

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1548000	57	SP140420090HI	1 RSMOT570001	1	AN1B1412SET
PC1548025	57,25	SP140420090HI	1 RSMOT572501	1	AN1B1412SET
PC1548050	57,5	SP140420090HI	1 RSMOT575001	1	AN1B1412SET
PC1548080	57,8	SP140420090HI	1 RSMOT578001	1	AN1B1412SET
PC1548100	58	SP140420090HI	1 RSMOT580001	1	AN1B1412SET

SEGM. RASCH. GHISA/OIL RING IN CAST IRON



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Beverly	125	2008	2011	
Carnaby	125	2007	2011	
Motori Leader (4 valvole)	125	2008	2011	
Vespa GTS	125	2008	2012	
X7	125			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1769	57	15 X 44 X 10	1 S20LP F 1,00  1 C2LP F 1,00  1 S20LP F 1,00  1 C2LP F 1,00  1 R5P STD 2,50 	15 SB FILO 1.0

Compressione
Compression mm 23,6

Mis. Testa
Head size mm P+4 FV

Lungh. tot.
Tot. Length mm 47,5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1769000	57	SP150440100HI	1 RSMOT570001	1	AN0B1510SET
PC1769040	57,4	SP150440100HI	1 RSMOT574001	1	AN0B1510SET
PC1769080	57,8	SP150440100HI	1 RSMOT578001	1	AN0B1510SET

Motorcycles & Scooters




PIAGGIO

4 TEMPI 4 STROKES

SEGM. RASCH. GHISA/OIL RING IN
CAST IRON



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Liberty (4 valvole)	125			
X9	125			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1923	57	16 X 44 X 11	1 C2LP F 1,00  1 S20LP F 1,00  1 R5P STD 2,50 	16 SB FILO 1.2




Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1923000	57	SP160440110HI	1 RSMOT570001	1	ANOB1612SET
PC1923050	57,5	SP160440110HI	1 RSMOT575001	1	ANOB1612SET
PC1923100	58	SP160440110HI	1 RSMOT580001	1	ANOB1612SET

Compressione 24,3
Compression mm
Mis. Testa P+4 FV
Head size mm
Lungh. tot. 47,5
Tot. Length mm

SEGM. RASCH. ACCIAIO/ OIL RING
IN STEEL



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa ET4	125	2002	2006	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2468	57	14 X 42 X 9	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 2,00 	14 1B FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2468000	57	SP140420090HI	1 RSMOT570005	1	AN1B1412SET
PC2468050	57,5	SP140420090HI	1 RSMOT575005	1	AN1B1412SET
PC2468100	58	SP140420090HI	1 RSMOT580005	1	AN1B1412SET

Compressione 19,7
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 42,7
Tot. Length mm

Motorcycles & Scooters




PIAGGIO

4 TEMPI 4 STROKES

SEGM. RASCH. ACCIAIO / OIL RING
IN STEEL



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Beverly	125	2008	2011	
Carnaby	125	2007	2011	
Motori Leader (4 valvole)	125	2008	2011	
Vespa GTS	125	2008	2012	
X7	125	2008		

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2469	57	15 X 44 X 10	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 2,00 	15 SB FILO 1.0




Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2469000	57	SP150440100HI	1 RSMOT570005	1	ANOB1510SET
PC2469050	57,5	SP150440100HI	1 RSMOT575005	1	ANOB1510SET
PC2469100	58	SP150440100HI	1 RSMOT580005	1	ANOB1510SET

Compressione 23,6
Compression mm
Mis. Testa P+4 FV
Head size mm
Lungh. tot. 47,5
Tot. Length mm

SEGM. RASCH. ACCIAIO/OIL RING
IN STEEL



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Liberty (4 valvole)	125	2003		
X9	125	2002		

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2470	57	16 X 44 X 11	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 2,00 	16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2470000	57	SP160440110HI	1 RSMOT570005	1	ANOB1612SET
PC2470050	57,5	SP160440110HI	1 RSMOT575005	1	ANOB1612SET
PC2470100	58	SP160440110HI	1 RSMOT580005	1	ANOB1612SET

Compressione 23,65
Compression mm
Mis. Testa P+4 FV
Head size mm
Lungh. tot. 47,2
Tot. Length mm




Motorcycles & Scooters

PIAGGIO

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Beverly 200 (cast iron cyl.)	200	2002	2003	
Beverly 250 (cast iron cyl.)	250	2004	2011	
Carnaby 200 (cast iron cyl.)	200	2007	2011	
Carnaby 250 (cast iron cyl.)	250	2008	2011	
X9 (cast iron cyl.)	200	2000	2006	




MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2049	72	15 X 44 X 7	1 C6KBP SF 1,00  1 S20LP F 1,00  1 R5P F 2,50 	15 SB FILO 1.0

Compressione 23,6
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 38,6
 Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2049000	72	SP150440070HI	1 RSMOT720002	1	ANOB1510SET
PC2049025	72,25	SP150440070HI	1 RSMOT722502	1	ANOB1510SET
PC2049050	72,5	SP150440070HI	1 RSMOT725002	1	ANOB1510SET
PC2049075	72,75	SP150440070HI	1 RSMOT727502	1	ANOB1510SET



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Beverly 200 (aluminum cyl.)	200	2002	2003	
Beverly 250 (aluminum cyl.)	250	2004	2011	
Carnaby 200 (aluminum cyl.)	200	2007	2011	
Carnaby 250 (aluminum cyl.)	250	2008	2011	
X9 (aluminum cyl.)	200	2000	2006	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2050	72	15 X 44 X 7	1 C6KBP SF 1,00  1 S20LP F 1,00  1 R5P F 2,50 	15 SB FILO 1.0

Compressione 23,6
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 38,6
 Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2050A	71,96	SP150440070HI	1 RSMOT720002	1	ANOB1510SET
PC2050B	71,97	SP150440070HI	1 RSMOT720002	1	ANOB1510SET
PC2050C	71,98	SP150440070HI	1 RSMOT720002	1	ANOB1510SET
PC2050D	71,99	SP150440070HI	1 RSMOT720002	1	ANOB1510SET







Motorcycles & Scooters

PIAGGIO

4 TEMPI 4 STROKES

FORGIATO/FORGED


Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Beverly, Carnaby, MP3	300			
Vespa GTS-GTD	300			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2424	75	16 X 45 X 9.5 BIC	NS 1 C6NB AC 1,00  1 C2LP F 1,20  1 RAN AC 2,00  WS 1 C6NB AC 1,00  1 C2LP F 1,20  1 RAN AC 2,00 	16 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2424000	75	SP160450095KBI	1 NSMOT750002	1	ANOB1610SET
PC2424050	75,5	SP160450095KBI	1 WSMOT755005I	1	ANOB1610SET
PC2424100	76	SP160450095KBI	1 WSMOT760005I	1	ANOB1610SET

**NUOVE
MAGGIORAZIONI /
NEW OVER SIZES: Ø
75,5 - Ø 76 mm**

Compressione 23,6
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 41,6
Tot. Length mm


Motorcycles & Scooters

POLINI

2 TEMPI 2 STROKES



Compressione 20
 Compression mm
 Mis. Testa B-1,5
 Head size mm
 Lungh. tot. 43,5
 Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
Minimoto	40				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1920	36	10 X 29 X 6	1 G30KB SF 1,00 	10 SB FILO 0.8	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC19203575	35,75	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203576	35,76	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203577	35,77	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203578	35,78	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203579	35,79	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203580	35,8	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203581	35,81	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203582	35,82	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203583	35,83	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203584	35,84	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203585	35,85	SP100290060HI	1 S0358010015030KB2639I	1	ANOB1008SET
PC19203586	35,86	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203587	35,87	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203588	35,88	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203589	35,89	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203590	35,9	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203591	35,91	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203592	35,92	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203593	35,93	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203594	35,94	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203595	35,95	SP100290060HI	1 S0359010015030KB2016I	1	ANOB1008SET
PC19203596	35,96	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC19203597	35,97	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC19203598	35,98	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC19203600	36	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET
PC19203602	36,02	SP100290060HI	1 S0360010015030KB2016I	1	ANOB1008SET


Motorcycles & Scooters

POLINI

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. Piaggio Ciao/Si- foro spinotto 10	0			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1223	43	10 X 34 X 6	2 G15HP STD 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1223000	43	SP100340060HI	2 F0430015018015HPI	1	AN2B1010SET
PC1223020	43,4	SP100340060HI	2 F0434015018015HPI	1	AN2B1010SET
PC1223040	43,8	SP100340060HI	2 F0438015018015HPI	1	AN2B1010SET

Compressione 26,5
Compression mm
Mis. Testa B - 2,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. Piaggio CIAO/SI - foro spinotto 12	0			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2552	43	12 X 35 X 8	2 G15HP STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2552000	43	SP120350080HI	2 F0430015018015HPI	1	AN2B1210SET
PC2552040	43,4	SP120350080HI	2 F0434015018015HPI	1	AN2B1210SET
PC2552080	43,8	SP120350080HI	2 F0438015018015HPI	1	AN2B1210SET

Compressione 26,5
Compression mm
Mis. Testa B - 2,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Motorcycles & Scooters

POLINI

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Tr. Honda Camino				


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1200	46	10 X 36 X 6	2 G15HP STD 1,50  2 G15H STD 1,50 	10 SB FILO 1

Compressione 24,5
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 49
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1200000	46	SP100360060HI	2 F0460015019015H0I	1	ANOB1010SET
PC1200020	46,2	SP100360060HI	2 F0462015019015H0I	1	ANOB1010SET
PC1200040	46,4	SP100360060HI	2 F0464015019015H0I	1	ANOB1010SET
PC1200050	46,5	SP100360060HI	2 F0465015019015H0I	1	ANOB1010SET
PC1200060	46,6	SP100360060HI	2 F0466015019015H0I	1	ANOB1010SET
PC1200080	46,8	SP100360060HI	2 F0468015019015H0I	1	ANOB1010SET
PC1200100	47	SP100360060HI	2 F0470015018515HP2861I	1	ANOB1010SET
PC1200120	47,2	SP100360060HI	2 F0472015019515H0I	1	ANOB1010SET
PC1200140	47,4	SP100360060HI	2 F0474015018515HP2861I	1	ANOB1010SET
PC1200150	47,5	SP100360060HI	2 F0475015019515H0I	1	ANOB1010SET
PC1200160	47,6	SP100360060HI	2 F0476015019515H0I	1	ANOB1010SET
PC1200180	47,8	SP100360060HI	2 F0478015018515HP2861I	1	ANOB1010SET
PC1200200	48	SP100360060HI	2 F0480015020015H0I	1	ANOB1010SET



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Tr. Piaggio Vespa 90 cc.	90			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1247	47	12 X 40 X 7	2 G15HP STD 1,50 	12 2B FILO 1.0

Compressione 26,2
Compression mm
Mis. Testa B-3,8
Head size mm
Lungh. tot. 52
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1247000	47	SP120400070KI	2 F0470015019515HPI	1	AN2B1210SET
PC1247020	47,2	SP120400070KI	2 F0472015019515HPI	1	AN2B1210SET
PC1247040	47,4	SP120400070KI	2 F0474015019515HPI	1	AN2B1210SET
PC1247060	47,6	SP120400070KI	2 F0476015019515HPI	1	AN2B1210SET
PC1247080	47,8	SP120400070KI	2 F0478015019515HPI	1	AN2B1210SET
PC1247100	48	SP120400070KI	2 F0480015020015HPI	1	AN2B1210SET
PC1247120	48,2	SP120400070KI	2 F0482015020015HPI	1	AN2B1210SET
PC1247140	48,4	SP120400070KI	2 F0484015020015HPI	1	AN2B1210SET
PC1247160	48,6	SP120400070KI	2 F0486015020015HPI	1	AN2B1210SET
PC1247180	48,8	SP120400070KI	2 F0488015020015HPI	1	AN2B1210SET


Motorcycles & Scooters

POLINI

2 TEMPI 2 STROKES




Compressione 20,2
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 45
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Tr. Derby Vamos 74cc.; Suzuki Tr. Address - Sepia - ZZ - AJ - Ru		74			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1380	47	10 X 36 X 6	2 G30HP STD 1,50 		10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1380000	47	SP100360060HI	2 F0470015019530HPI	1	AN2B1010SET
PC1380020	47,2	SP100360060HI	2 F0472015019530HPI	1	AN2B1010SET
PC1380040	47,4	SP100360060HI	2 F0474015019530HPI	1	AN2B1010SET
PC1380060	47,6	SP100360060HI	2 F0476015019530HPI	1	AN2B1010SET
PC1380080	47,8	SP100360060HI	2 F0478015019530HPI	1	AN2B1010SET
PC1380100	48	SP100360060HI	2 F0480015020030HPI	1	AN2B1010SET



Compressione 24,5
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Tr. Scooter Aprilia - MBK - Yamaha; spin. Ø 10		75			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1415	47	10 X 36 X 6	2 G30HP SF 1,20 		10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1415000	47	SP100360060HI	2 S0470012020030HP2290I	1	AN2B1010SET
PC1415020	47,2	SP100360060HI	2 S0472012020030HP2290I	1	AN2B1010SET
PC1415040	47,4	SP100360060HI		1	AN2B1010SET
PC1415060	47,6	SP100360060HI	2 S0476012020030HP2290I	1	AN2B1010SET
PC1415080	47,8	SP100360060HI	2 S0478012020030HP2290I	1	AN2B1010SET
PC1415100	48	SP100360060HI	2 S0480012020030HP2290I	1	AN2B1010SET
PC1415120	48,2	SP100360060HI	2 S0482012020030HP2290I	1	AN2B1010SET



Motorcycles & Scooters

POLINI

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Tr. Scooter Honda - Kymco - Piaggio; spin. Ø 12	75			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1416	47	12 X 36 X 8	1 G30KB SF 1,20 	12 2B FILO 1.0
			1 G30HP SF 1,20 	

Compressione 24,5
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1416000	47	SP120360080HI	1 S0470012019530KB2671I 1 S0470012020030HP2290I	1	AN2B1210SET
PC1416020	47,2	SP120360080HI	1 S0472012019530KB2671I 1 S0472012020030HP2290I	1	AN2B1210SET
PC1416040	47,4	SP120360080HI	1 S0474012019530KB2671I 1 S0474012020030HP2290I	1	AN2B1210SET
PC1416060	47,6	SP120360080HI	1 S0476012020030HP2290I 1 S0476012019530KB2671I	1	AN2B1210SET
PC1416080	47,8	SP120360080HI	1 S0478012020030HP2290I 1 S0478012020030KB2671I	1	AN2B1210SET
PC1416100	48	SP120360080HI	1 S0480012020030KB2671I 1 S0480012020030HP2290I	1	AN2B1210SET
PC1416120	48,2	SP120360080HI	1 S0482012020030KB2671I 1 S0482012020030HP2290I	1	AN2B1210SET
PC1416140	48,4	SP120360080HI	1 S0484012020030KB2671I 1 S0484012020030HP2290I	1	AN2B1210SET



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Tr. Morini G30; Gilera Bullit; Minarelli AM	74			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1490	47	12 X 40 X 7	2 G30KB SF 1,00 	12 2B FILO 1.0

Compressione 24,5
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 48,5
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1490A	46,95	SP120400070KI	2 S0470010019530KB2471I	1	AN2B1210SET
PC1490B	46,96	SP120400070KI	2 S0470010019530KB2471I	1	AN2B1210SET
PC1490C	46,97	SP120400070KI	2 S0470010019530KB2471I	1	AN2B1210SET
PC1490D	46,98	SP120400070KI	2 S0470010019530KB2471I	1	AN2B1210SET
PC1490E	46,99	SP120400070KI	2 S0470010019530KB2471I	1	AN2B1210SET


Motorcycles & Scooters

POLINI

2 TEMPI 2 STROKES




Compressione 25
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 49,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Tr. Yamaha / Minarelli 75	75			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1765	47,6	10 X 38 X 6	1 G30KB SF 1,00 	10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty
PC1765A	47,55	SP100380060HI	1 S0476010019530KB2545I	1 AN2B1010SET
PC1765B	47,56	SP100380060HI	1 S0476010019530KB2545I	1 AN2B1010SET
PC1765C	47,57	SP100380060HI	1 S0476010019530KB2545I	1 AN2B1010SET
PC1765D	47,58	SP100380060HI	1 S0476010019530KB2545I	1 AN2B1010SET
PC1765E	47,59	SP100380060HI	1 S0476010019530KB2545I	1 AN2B1010SET

FERMO SEGM. LATERALE / SHIFTED RING STOPPER




Compressione 25
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 50,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Tr. Piaggio - Gilera 75	75			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1766	47,6	12 X 37 X 8	1 G30KB SF 1,00 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty
PC1766A	47,55	SP120370080HI	1 S0476010019530KB2545I	1 AN2B1210SET
PC1766B	47,56	SP120370080HI	1 S0476010019530KB2545I	1 AN2B1210SET
PC1766C	47,57	SP120370080HI	1 S0476010019530KB2545I	1 AN2B1210SET
PC1766D	47,58	SP120370080HI	1 S0476010019530KB2545I	1 AN2B1210SET
PC1766E	47,59	SP120370080HI	1 S0476010019530KB2545I	1 AN2B1210SET



Compressione 25
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 49,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Tr. Scooters Piaggio - Tipo racing (ring 0,8 mm)	75			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2185	47,6	12 X 38 X 8	1 G30KB AC 0,80 	12 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty
PC2185A	47,55	SP120380080KI	1 N0476008018530KBI	1 AN0B1210SET
PC2185B	47,56	SP120380080KI	1 N0476008018530KBI	1 AN0B1210SET
PC2185C	47,57	SP120380080KI	1 N0476008018530KBI	1 AN0B1210SET
PC2185D	47,58	SP120380080KI	1 N0476008018530KBI	1 AN0B1210SET

Motorcycles & Scooters

POLINI

2 TEMPI 2 STROKES

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Tr. Piaggio Vespa 99,7 cc.		100			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1037	55	12 X 40 X 7	2	G30HP STD 1,50	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1037000	55	SP120400070KI	2 F0550015022030HP2850I	1	AN2B1210SET
PC1037040	55,4	SP120400070KI	2 F0554015022030HP2850I	1	AN2B1210SET
PC1037080	55,8	SP120400070KI	2 F0558015022030HP2850I	1	AN2B1210SET
PC1037120	56,2	SP120400070KI	2 F0562015023530HPI	1	AN2B1210SET
PC1037140	56,4	SP120400070KI	2 F0564015023530HPI	1	AN2B1210SET
PC1037150	56,5	SP120400070KI	2 F0565015023530HPI	1	AN2B1210SET
PC1037160	56,6	SP120400070KI	2 F0566015023530HPI	1	AN2B1210SET
PC1037180	56,8	SP120400070KI	2 F0568015023530HPI	1	AN2B1210SET
PC1037200	57	SP120400070KI	2 F0570015024030HP2875I	1	AN2B1210SET



Compressione 26,5
Compression mm
Mis. Testa B-2,2
Head size mm
Lungh. tot. 50,7
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Tr. Piaggio Vespa ET3 (luce bassa)		125			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1249	57	15 X 48.5 X 10	2	G30HP SF 1,50	15 2B FILO 1.2
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1249000	57	SP150485100Y4I	2 S0570015023030HP2628I	1	AN2B1512SET
PC1249040	57,4	SP150485100Y4I	2 S0574015023030HP2628I	1	AN2B1512SET
PC1249080	57,8	SP150485100Y4I	2 S0578015023030HP2628I	1	AN2B1512SET
PC1249120	58,2	SP150485100Y4I	2 S0582015023030HP2628I	1	AN2B1512SET



Compressione 36
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 69
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. VESPA 50PK, 50 SPECIAL, 50XL					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2582	57,5	12 X 40 X 7	2	G30HP STD 1,50	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2582000	57,5	SP120400070KI	2 F0575015023530HP2834I	1	AN2B1210SET
PC2582040	57,9	SP120400070KI	2 F0579015023530HP2834I	1	AN2B1210SET
PC2582080	58,3	SP120400070KI	2 F0583015023530HP2834I	1	AN2B1210SET
PC2582100	58,5	SP120400070KI	2 F0585015023530HP2834I	1	AN2B1210SET



Compressione 26,6
Compression mm
Mis. Testa B-2,1
Head size mm
Lungh. tot. 50,7
Tot. Length mm

Motorcycles & Scooters

POLINI

2 TEMPI 2 STROKES



Compressione 35
 Compression mm
 Mis. Testa B-2
 Head size mm
 Lungh. tot. 67
 Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. Vespa 125/150 PX-TS - LML STAR DELUXE 125/150	175			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1036	63	15 X 54 X 10	2	G30HP STD	2,00	15 2B FILO 1.2



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1036000	63	SP150540100HI	2 F0630020026530HPI	1	AN2B1512SET
PC1036040	63,4	SP150540100HI	2 F0634020026530HPI	1	AN2B1512SET
PC1036080	63,8	SP150540100HI	2 F0638020026530HPI	1	AN2B1512SET
PC1036100	64	SP150540100HI	2 F0640020026530HPI	1	AN2B1512SET


Motorcycles & Scooters

PUCH

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
VZMM 4V	50			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0763	38	12 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0763050	38,5	SP120315080HI	2 F0385020016015H0I	1	AN2B1210SET
PC0763100	39	SP120315080HI	2 F0390020016515H0I	1	AN2B1210SET
PC0763150	39,5	SP120315080HI	2 F0395020016515H0I	1	AN2B1210SET

Compressione 22,5
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 55
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
50 cc. (Cil. Crom.)	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0816	38	12 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC08167	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC08166	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC08165	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC08164	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC08163	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC08162	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC08161	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0816025	38,25	SP120315080HI	2 F0382520016015H0I	1	AN2B1210SET
PC0816060	38,5	SP120315080HI	2 F0386020016015H0I	1	AN2B1210SET
PC0816100	39	SP120315080HI	2 F0390020016515H0I	1	AN2B1210SET
PC0816150	39,5	SP120315080HI	2 F0395020016515H0I	1	AN2B1210SET

Compressione 22,5
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 52,5
Tot. Length mm


Motorcycles & Scooters

PUCH

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Puch Supermaxi cat.	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1613	38	12 X 31.5 X 8	1 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC16131	37,955	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC16132	37,96	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC16133	37,965	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC16134	37,97	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC1613000	38	SP120315080HI	1 F0380015016015H0I	1	AN2B1210SET
PC1613050	38,5	SP120315080HI	1 F0385015016015H0I	1	AN2B1210SET
PC1613100	39	SP120315080HI	1 F0390015016515H0I	1	AN2B1210SET

Compressione 24
 Compression mm
 Mis. Testa B-2,5
 Head size mm
 Lungh. tot. 55,5
 Tot. Length mm




Motorcycles & Scooters

ROTAX

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Rotax 123 (cast iron cyl.)	125			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1298	54	15 X 45 X 10 BIC	2 G30KP SF 1,00 	15 SB FILO 1.0
			2 G30KB SF 1,00 	
			2 G30KB AC 1,00 	

Compressione 29
Compression mm
Mis. Testa B-3,2
Head size mm
Lungh. tot. 63,2
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1298000	54	SP150450100YB4I	2 N0540010022530KBI	1	AN0B1510SET
PC1298025	54,25	SP150450100YB4I	2 S0542510022530KPI	1	AN0B1510SET
PC1298050	54,5	SP150450100YB4I	2 S0545010022530KB2669I	1	AN0B1510SET
PC1298075	54,75	SP150450100YB4I	2 S0547510022530KPI	1	AN0B1510SET
PC1298100	55	SP150450100YB4I	2 S0550010023030KB2522I	1	AN0B1510SET
PC1298150	55,5	SP150450100YB4I	2 S0555010023030KPI	1	AN0B1510SET
PC1298200	56	SP150450100YB4I	2 S0560010023530KB2350I	1	AN0B1510SET



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Rotax 123 - Aluminium cylinder	125			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1688	54	15 X 45 X 10 BIC	2 G30KB SF 1,20 	15 SB FILO 1.0

Compressione 29
Compression mm
Mis. Testa B-3,3
Head size mm
Lungh. tot. 63,3
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1688A	53,96	SP150450100YB4I	2 S0540012022530KB2670I	1	AN0B1510SET
PC1688B	53,97	SP150450100YB4I	2 S0540012022530KB2670I	1	AN0B1510SET
PC1688C	53,98	SP150450100YB4I	2 S0540012022530KB2670I	1	AN0B1510SET
PC1688D	53,99	SP150450100YB4I	2 S0540012022530KB2670I	1	AN0B1510SET
PC1688E	54	SP150450100YB4I	2 S0540012022530KB2670I	1	AN0B1510SET


Motorcycles & Scooters

ROTAX

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
TM (aluminum cyl.)	125			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1789	54	15 X 45 X 10 BIC	1 G30KP SF 1,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1789A	53,93	SP150450100YB4I	1 S0540010022530KP2030I	1	ANOB1510SET
PC1789B	53,94	SP150450100YB4I	1 S0540010022530KP2030I	1	ANOB1510SET
PC1789C	53,95	SP150450100YB4I	1 S0540010022530KP2030I	1	ANOB1510SET
PC1789D	53,96	SP150450100YB4I	1 S0540010022530KP2030I	1	ANOB1510SET
PC1789E	53,97	SP150450100YB4I	1 S0540010022530KP2030I	1	ANOB1510SET
PC1789F	53,98	SP150450100YB4I	1 S0540010022530KP2030I	1	ANOB1510SET
PC1789G	53,99	SP150450100YB4I	1 S0540010022530KP2030I	1	ANOB1510SET

Compressione 29
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 62
Tot. Length mm

Motorcycles & Scooters

SACHS

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
M. 58/59 - 2.2. HP	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
0290	38	12 X 31.5 X 8	2	G15H STD	2,00	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0290000	38	SP120315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0290030	38,3	SP120315080HI	2 F0383020016015H0I	1	AN2B1210SET
PC0290060	38,6	SP120315080HI	2 F0386020016015H0I	1	AN2B1210SET
PC0290090	38,9	SP120315080HI	2 F0389020016015H0I	1	AN2B1210SET
PC0290120	39,2	SP120315080HI	2 F0392020016515H0I	1	AN2B1210SET
PC0290150	39,5	SP120315080HI	2 F0395020016515H0I	1	AN2B1210SET
PC0290200	40	SP120315080HI	2 F0400020016515H0I	1	AN2B1210SET
PC0290220	40,2	SP120315080HI	2 F0402020016515H0I	1	AN2B1210SET

Compressione 28
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 53,5
Tot. Length mm

Motorcycles & Scooters

SACHS

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vel. Herkules	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0857	38	14 X 30 X 9	1 LH STD 2,00 1 G15H STD 1,50	14 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0857A	37,95	SP140300090HI	1 F0380020017531H0I 1 F0380015016015H0I	1	AN1B1410SET
PC0857B	37,96	SP140300090HI	1 F0380020017531H0I 1 F0380015016015H0I	1	AN1B1410SET
PC0857C	37,97	SP140300090HI	1 F0380020017531H0I 1 F0380015016015H0I	1	AN1B1410SET
PC0857D	37,98	SP140300090HI	1 F0380020017531H0I 1 F0380015016015H0I	1	AN1B1410SET
PC0857E	37,99	SP140300090HI	1 F0380020017531H0I 1 F0380015016015H0I	1	AN1B1410SET
PC0857F	38	SP140300090HI	1 F0380020017531H0I 1 F0380015016015H0I	1	AN1B1410SET
PC0857000	38	SP140300090HI	1 F0380020017531H0I 1 F0380015016015H0I	1	AN1B1410SET
PC0857G	38,01	SP140300090HI	1 F0380020017531H0I 1 F0380015016015H0I	1	AN1B1410SET
PC0857050	38,5	SP140300090HI	1 F0385020017531H0I 1 F0385015016015H0I	1	AN1B1410SET
PC0857100	39	SP140300090HI	1 F0390020017531H0I 1 F0390015016515H0I	1	AN1B1410SET
PC0857150	39,5	SP140300090HI	1 F0395020017531H0I 1 F0395015016515H0I	1	AN1B1410SET
PC0857200	40	SP140300090HI	1 F0400020018531H0I 1 F0400015016515H0I	1	AN1B1410SET

Compressione 28
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 51
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
504-2 vel.	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0922	38	12.02 X 31.5 X 8	2 G15H STD 2,00	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0922A	37,97	SP121315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0922B	37,98	SP121315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0922C	37,99	SP121315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0922D	38	SP121315080HI	2 F0380020016015H0I	1	AN2B1210SET

Compressione 28
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 53
Tot. Length mm


Motorcycles & Scooters

SACHS

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
505/25 Km.	50			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip		
0987	38	12.02 X 31.5 X 8	2	G15H	STD	2,00		12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0987A	37,97	SP121315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0987B	37,98	SP121315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0987C	37,99	SP121315080HI	2 F0380020016015H0I	1	AN2B1210SET
PC0987D	38	SP121315080HI	2 F0380020016015H0I	1	AN2B1210SET

Compressione 28
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 50,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
50 cc.	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip		
1271	38	12 X 31.5 X 8	1	G30H	STD	1,50		12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1271A	37,96	SP120315080HI	1 F0380015016030H0I	1	AN2B1210SET
PC1271B	37,97	SP120315080HI	1 F0380015016030H0I	1	AN2B1210SET
PC1271C	37,98	SP120315080HI	1 F0380015016030H0I	1	AN2B1210SET
PC1271D	37,99	SP120315080HI	1 F0380015016030H0I	1	AN2B1210SET
PC1271E	38	SP120315080HI	1 F0380015016030H0I	1	AN2B1210SET

Compressione 28
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 53
Tot. Length mm

Motorcycles & Scooters

SACHS

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Herkules	60			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
0858	42	14 X 34 X 9	1 LH	STD	2,00	14 1B FILO 1.0
			1 G15H	STD	1,50	



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CUIPqty	Cod. SERIE anellino
PC0858A	41,945	SP140340090HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN1B1410SET
PC0858B	41,955	SP140340090HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN1B1410SET
PC0858C	41,965	SP140340090HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN1B1410SET
PC0858D	41,975	SP140340090HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN1B1410SET
PC0858E	41,985	SP140340090HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN1B1410SET
PC0858F	41,995	SP140340090HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN1B1410SET
PC0858G	42,005	SP140340090HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN1B1410SET
PC0858050	42,5	SP140340090HI	1 F0425020018531H0I 1 F0425015017515H0I	1	AN1B1410SET
PC0858100	43	SP140340090HI	1 F0430015018015H0I	1	AN1B1410SET

Compressione 28
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 51
Tot. Length mm

Motorcycles & Scooters

SUZUKI

2 TEMPI 2 STROKES




Compressione 19,2
Compression mm
Mis. Testa B-3,3
Head size mm
Lungh. tot. 45,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Adress - Sepia - ZZ - AJ - Rush - F50 - Street - Magic Scooter (50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1365	41	10 X 33 X 6	2	G30H STD 1,50	10 2B FILO 0.8
					
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1365000	41	SP100330060HI	2 F0410015017030H0I	1	AN2B1008SET
PC1365025	41,25	SP100330060HI	2 F0412515017030H0I	1	AN2B1008SET
PC1365050	41,5	SP100330060HI	2 F0415015017030H0I	1	AN2B1008SET
PC1365075	41,75	SP100330060HI	2 F0417515017030H0I	1	AN2B1008SET
PC1365100	42	SP100330060HI	2 F0420015017530H0I	1	AN2B1008SET
PC1365150	42,5	SP100330060HI	2 F0425015017530H0I	1	AN2B1008SET
PC1365200	43	SP100330060HI	2 F0430015018030H0I	1	AN2B1008SET



Compressione 27
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 51,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
TS50W-TS50X-TS50-TV50 Katana - RMX 50 Wolf Scooter (ring not ch		50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1423	41	12 X 33 X 8	2	G30H STD 1,50	12 2B FILO 1.0
					
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1423000	41	SP120330080HI	2 F0410015017030H0I	1	AN2B1210SET
PC1423025	41,25	SP120330080HI	2 F0412515017030H0I	1	AN2B1210SET
PC1423050	41,5	SP120330080HI	2 F0415015017030H0I	1	AN2B1210SET
PC1423075	41,75	SP120330080HI	2 F0417515017030H0I	1	AN2B1210SET
PC1423100	42	SP120330080HI	2 F0420015017530H0I	1	AN2B1210SET
PC1423125	42,25	SP120330080HI	2 F0422515017530H0I	1	AN2B1210SET
PC1423150	42,5	SP120330080HI	2 F0425015017530H0I	1	AN2B1210SET
PC1423175	42,75	SP120330080HI	2 F0427515017530H0I	1	AN2B1210SET
PC1423200	43	SP120330080HI	2 F0430015018030H0I	1	AN2B1210SET

Motorcycles & Scooters

SUZUKI

2 TEMPI 2 STROKES



Compressione 21,3
Compression mm
Mis. Testa B-3,2
Head size mm
Lungh. tot. 46,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Gema		50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2354	41	10 X 33 X 6	2	G30K STD 1,50	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2354000	41	SP100330060HI	2	F0410015017030K0I	1 AN0B1008SET
PC2354050	41,5	SP100330060HI	2	F0415015017030K0I	1 AN0B1008SET
PC2354100	42	SP100330060HI	2	F0420015017530K0I	1 AN0B1008SET
PC2354150	42,5	SP100330060HI	2	F0425015017530K0I	1 AN0B1008SET
PC2354175	42,75	SP100330060HI	2	F0427515017530K0I	1 AN0B1008SET
PC2354200	43	SP100330060HI	2	F0430015018030K0I	1 AN0B1008SET



Compressione 19,2
Compression mm
Mis. Testa B-3,3
Head size mm
Lungh. tot. 45,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Adress - Sepia - ZZ - AJ - Rush - F50 - TR50 - Street - Magic Sco		50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2365	41	10 X 33 X 6	2	G30K STD 1,50	10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2365000	41	SP100330060HI	2	F0410015017030K0I	1 AN2B1008SET
PC2365025	41,25	SP100330060HI	2	F0412515017030K0I	1 AN2B1008SET
PC2365050	41,5	SP100330060HI	2	F0415015017030K0I	1 AN2B1008SET
PC2365075	41,75	SP100330060HI	2	F0417515017030K0I	1 AN2B1008SET
PC2365100	42	SP100330060HI	2	F0420015017530K0I	1 AN2B1008SET
PC2365150	42,5	SP100330060HI	2	F0425015017530K0I	1 AN2B1008SET
PC2365200	43	SP100330060HI	2	F0430015018030K0I	1 AN2B1008SET


Motorcycles & Scooters

SUZUKI

2 TEMPI 2 STROKES




Compressione 27
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 51,5
Tot. Length mm


Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
TS50W-TS50X-TS50-TV50 Katana - RMX 50 - Wolf Scooter	50				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
2423	41	12 X 33 X 8	2 G30K STD 1,50 	12 2B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2423000	41	SP120330080HI	2 F0410015017030K0I	1	AN2B1210SET
PC2423025	41,25	SP120330080HI	2 F0412515017030K0I	1	AN2B1210SET
PC2423050	41,5	SP120330080HI	2 F0415015017030K0I	1	AN2B1210SET
PC2423075	41,75	SP120330080HI	2 F0417515017030K0I	1	AN2B1210SET
PC2423100	42	SP120330080HI	2 F0420015017530K0I	1	AN2B1210SET
PC2423125	42,25	SP120330080HI	2 F0422515017530K0I	1	AN2B1210SET
PC2423150	42,5	SP120330080HI	2 F0425015017530K0I	1	AN2B1210SET
PC2423175	42,75	SP120330080HI	2 F0427515017530K0I	1	AN2B1210SET
PC2423200	43	SP120330080HI	2 F0430015018030K0I	1	AN2B1210SET



Compressione 27
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 51,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
Trasf. FM 50 / Landie					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1305	45	12 X 37 X 8	2 G30H STD 1,50 	12 2B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1305A	44,94	SP120370080HI	2 F0450015019030H0I	1	AN2B1210SET
PC1305B	44,95	SP120370080HI	2 F0450015019030H0I	1	AN2B1210SET
PC1305C	44,96	SP120370080HI	2 F0450015019030H0I	1	AN2B1210SET
PC1305D	44,97	SP120370080HI	2 F0450015019030H0I	1	AN2B1210SET
PC1305E	44,98	SP120370080HI	2 F0450015019030H0I	1	AN2B1210SET
PC1305F	44,99	SP120370080HI	2 F0450015019030H0I	1	AN2B1210SET

Compressione 28,6
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 59,1
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
RGV 250 Twin cylinders	250				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
NEW 2585	56	16 X 45 X 9.5 BIC	2 G30KB AC 1,00 	16 SB FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2585A	55,94	SP160450095KBI	2 N0560010022530KBI	1	AN0B1610SET
PC2585B	55,95	SP160450095KBI	2 N0560010022530KBI	1	AN0B1610SET
PC2585C	55,96	SP160450095KBI	2 N0560010022530KBI	1	AN0B1610SET
PC2585D	55,97	SP160450095KBI	2 N0560010022530KBI	1	AN0B1610SET
PC2585E	55,98	SP160450095KBI	2 N0560010022530KBI	1	AN0B1610SET

Motorcycles & Scooters

SUZUKI

2 TEMPI 2 STROKES

RACING Versione 1 SEGMENTO - 1
RING version

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
RGV 250 Twin cylinders	250			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
---------	-----------	-------------------------------------	---	------------------

NEW 2634

56

16 X 45 X 9.5 BIC

1 G30KB AC 1,00



16 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2634A	55,94	SP160450095KBI	1 N0560010022530KBI	1	AN0B1610SET
PC2634B	55,95	SP160450095KBI	1 N0560010022530KBI	1	AN0B1610SET
PC2634C	55,96	SP160450095KBI	1 N0560010022530KBI	1	AN0B1610SET
PC2634D	55,97	SP160450095KBI	1 N0560010022530KBI	1	AN0B1610SET
PC2634E	55,98	SP160450095KBI	1 N0560010022530KBI	1	AN0B1610SET

Compressione 28,6
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 59,1
Tot. Length mm




Motorcycles & Scooters

SYM

4 TEMPI 4 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Fiddle	50			




MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
1871	39	13 X 30 X 8	1 C1KBP SF 1,00  1 C2LP SF 1,00  1 R7P SF 2,00 	13 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1871000	39	SP130300080HI	1 RSMOT390001	1	AN1B1310SET
PC1871040	39,4	SP130300080HI	1 RSMOT394001	1	AN1B1310SET
PC1871080	39,8	SP130300080HI	1 RSMOT398001	1	AN1B1310SET
PC1871100	40	SP130300080HI	1 RSMOT400001	1	AN1B1310SET
PC1871140	40,4	SP130300080HI	1 RSMOT404001	1	AN1B1310SET

Compressione 17,2
Compression mm
Mis. Testa B-2FV
Head size mm
Lungh. tot. 33,7
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Joyride 200 - Joyride 200 EVO - HD 200	200			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2290	61	15 X 44 X 10	1 C6KBP SF 1,00  1 C2LP F 1,00  1 RAC AC 2,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2290050	61,5	SP150440100HI	1 RSMOT615005	1	AN0B1510SET
PC2290100	62	SP150440100HI	1 RSMOT620005	1	AN0B1510SET


Compressione 19
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 35,5
Tot. Length mm

Motorcycles & Scooters

TOMOS


2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
5 M	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0872	38	12 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC0872000	38	SP120315080HI	2 F0380020016015H0I	1 AN2B1210SET
PC0872025	38,25	SP120315080HI	2 F0382520016015H0I	1 AN2B1210SET
PC0872050	38,5	SP120315080HI	2 F0385020016015H0I	1 AN2B1210SET
PC0872100	39	SP120315080HI	2 F0390020016515H0I	1 AN2B1210SET
PC0872150	39,5	SP120315080HI	2 F0395020016515H0I	1 AN2B1210SET



Compressione 22,5
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 50
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
50 cc.	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1370	38	10 X 31.5 X 6	2 G15H STD 2,00 	10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1370000	38	SP100315060HI	2 F0380020016015H0I	1 AN2B1010SET
PC1370050	38,5	SP100315060HI	2 F0385020016015H0I	1 AN2B1010SET
PC1370100	39	SP100315060HI	2 F0390020016515H0I	1 AN2B1010SET
PC1370150	39,5	SP100315060HI	2 F0395020016515H0I	1 AN2B1010SET

Compressione 22,5
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 50
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
50 cc.	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1371	38	10 X 31.5 X 6	1 LH STD 2,00  1 G15H STD 2,00 	10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1371000	38	SP100315060HI	1 F0380020017531H0I 1 F0380020016015H0I	1 AN2B1010SET
PC1371050	38,5	SP100315060HI	1 F0385020017531H0I 1 F0385020016015H0I	1 AN2B1010SET
PC1371100	39	SP100315060HI	1 F0390020017531H0I 1 F0390020016515H0I	1 AN2B1010SET
PC1371150	39,5	SP100315060HI	1 F0395020017531H0I 1 F0395020016515H0I	1 AN2B1010SET

Compressione 22,5
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 50
Tot. Length mm


Motorcycles & Scooters

TOMOS

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Colibri (due finestre) Trav.	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1392	38	12 X 31.5 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1392000	38	SP120315080HI	2 F0380015016015H0I	1	AN2B1210SET
PC1392025	38,25	SP120315080HI	2 F0382515016015H0I	1	AN2B1210SET
PC1392050	38,5	SP120315080HI	2 F0385015016015H0I	1	AN2B1210SET
PC1392100	39	SP120315080HI	2 F0390015016515H0I	1	AN2B1210SET

Compressione 22,5
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 50
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
5 M	50			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2872	38	12 X 31.5 X 8	1 LH STD 2,00  1 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2872000	38	SP120315080HI	1 F0380020017531H0I 1 F0380020016015H0I	1	AN2B1210SET
PC2872050	38,5	SP120315080HI	1 F0385020017531H0I 1 F0385020016015H0I	1	AN2B1210SET
PC2872100	39	SP120315080HI	1 F0390020017531H0I 1 F0390020016515H0I	1	AN2B1210SET
PC2872150	39,5	SP120315080HI	1 F0395020017531H0I 1 F0395020016515H0I	1	AN2B1210SET

Compressione 22,5
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 50
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
50 cc.	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1561	40	12 X 31.5 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1561000	40	SP120315080HI	2 F0400020016515H0I	1	AN2B1210SET


Compressione 22,5
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 50
Tot. Length mm

Motorcycles & Scooters

TOMOS



2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
50 cc.	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2370	40	10 X 31.5 X 6	2 G15H STD 2,00 	10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2370000	40	SP100315060HI	2 F0400020016515H0I	1 AN2B1010SET



Compressione 22,5
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 50
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
50 cc.	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2371	40	10 X 31.5 X 6	1 LH STD 2,00  1 G15H STD 2,00 	10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2371000	40	SP100315060HI	1 F0400020018531H0I 1 F0400020016515H0I	1 AN2B1010SET

Compressione 22,5
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 50
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
5 M	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2561	40	12 X 31.5 X 8	1 LH STD 2,00  1 G15H STD 2,00 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2561000	40	SP120315080HI	1 F0400020018531H0I 1 F0400020016515H0I	1 AN2B1210SET
PC2561050	40,5	SP120315080HI	1 F0405020018531H0I 1 F0405020016515H0I	1 AN2B1210SET
PC2561100	41	SP120315080HI	1 F0410020018531H0I 1 F0410020017015H0I	1 AN2B1210SET
PC2561150	41,5	SP120315080HI	1 F0415020018531H0I 1 F0415020017015H0I	1 AN2B1210SET

Compressione 22,5
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 50
Tot. Length mm


Motorcycles & Scooters

TOMOS

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
60 cc.	60			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0913	42	12 X 35 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0913000	42	SP120350080HI	2 F0420020017515H0I	1	AN2B1210SET
PC0913050	42,5	SP120350080HI	2 F0425020017515H0I	1	AN2B1210SET
PC0913100	43	SP120350080HI	2 F0430020018015H0I	1	AN2B1210SET

Compressione 22,5
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 53
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
60 cc.	60			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1389	42	10 X 36 X 6	2 G15H STD 2,00 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1389000	42	SP100360060HI	2 F0420020017515H0I	1	AN2B1010SET
PC1389050	42,5	SP100360060HI	2 F0425020017515H0I	1	AN2B1010SET

Compressione 22,5
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 53
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
60 cc.	60			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1913	42	12 X 35 X 8	1 LH STD 2,00  1 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1913000	42	SP120350080HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN2B1210SET
PC1913050	42,5	SP120350080HI	1 F0425020018531H0I 1 F0425015017515H0I	1	AN2B1210SET
PC1913100	43	SP120350080HI	1 F0430015018015H0I	1	AN2B1210SET

Compressione 22,5
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 53
Tot. Length mm

Motorcycles & Scooters

TOMOS

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
60 cc.	60			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2389	42	10 X 36 X 6	1 LH STD 2,00 1 G15H STD 1,50	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2389000	42	SP100360060HI	1 F0420020018531H0I 1 F0420015017515H0I	1	AN2B1010SET
PC2389050	42,5	SP100360060HI	1 F0425020018531H0I 1 F0425015017515H0I	1	AN2B1010SET
PC2389100	43	SP100360060HI	1 F0430015018015H0I	1	AN2B1010SET

Compressione 22,5
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 53
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
90 cc.	90			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1308	46	14 X 37.5 X 9	1 LH STD 2,00 1 G30H STD 1,50	14 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1308A	45,95	SP140375090HI	1 F0460020019031H0I 1 F0460015019030H0I	1	AN1B1410SET
PC1308B	45,96	SP140375090HI	1 F0460020019031H0I 1 F0460015019030H0I	1	AN1B1410SET
PC1308C	45,97	SP140375090HI	1 F0460020019031H0I 1 F0460015019030H0I	1	AN1B1410SET
PC1308D	45,98	SP140375090HI	1 F0460020019031H0I 1 F0460015019030H0I	1	AN1B1410SET
PC1308E	45,99	SP140375090HI	1 F0460020019031H0I 1 F0460015019030H0I	1	AN1B1410SET

Compressione 23
Compression mm
Mis. Testa B-4,3
Head size mm
Lungh. tot. 54,3
Tot. Length mm




Motorcycles & Scooters

TOMOS

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
100 cc.	100			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip		
1309	48	14 X 40 X 9	1	LH	STD	2,00	  	14 1B FILO 1.0
			1	G30H	STD	1,50		

Compressione 22,7
 Compression mm
 Mis. Testa B-4,6
 Head size mm
 Lungh. tot. 54,3
 Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1309A	47,95	SP140400090HI	1 F0480020020031H0I 1 F0480015020030H0I	1	AN1B1410SET
PC1309B	47,96	SP140400090HI	1 F0480020020031H0I 1 F0480015020030H0I	1	AN1B1410SET
PC1309C	47,97	SP140400090HI	1 F0480020020031H0I 1 F0480015020030H0I	1	AN1B1410SET
PC1309D	47,98	SP140400090HI	1 F0480020020031H0I 1 F0480015020030H0I	1	AN1B1410SET
PC1309E	47,99	SP140400090HI	1 F0480020020031H0I 1 F0480015020030H0I	1	AN1B1410SET

Motorcycles & Scooters

TOP PERFORMANCES

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. APRILIA - YAMAHA - MINARELLI	70			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip	
2300	47	10 X 38 X 6 18NirCoMo	1	G18KP	IKA	1,56	  10 2B FILO 1.0
			1	G18HL	IKA	1,56	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2300000	47	SP100380060KI	1 I0470015618018HL2556I 1 I0470015618018KP2555I	1	AN2B1010SET
PC2300040	47,4	SP100380060KI	1 I0474015618018KP2555I 1 I0474015618018HL2556I	1	AN2B1010SET
PC2300080	47,8	SP100380060KI	1 I0478015618018KP2555I 1 I0478015618018HL2556I	1	AN2B1010SET
PC2300100	48	SP100380060KI	1 I0480015618018KP2555I 1 I0480015618018HL2556I	1	AN2B1010SET
PC2300120	48,2	SP100380060KI	1 I0482015618018HL2556I 1 I0482015618018KP2555I	1	AN2B1010SET
PC2300140	48,4	SP100380060KI	1 I0484015618018HL2556I 1 I0484015618018KP2555I	1	AN2B1010SET

Compressione 25,5
Compression mm

Mis. Testa B-2,4
Head size mm

Lungh. tot. 50,4
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Tr. Scooters Piaggio - Tipo racing (ring 0,8 mm) 75	75			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip	
2185	47,6	12 X 38 X 8	1	G30KB	AC	0,80	  12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2185A	47,55	SP120380080KI	1 N0476008018530KBI	1	AN0B1210SET
PC2185B	47,56	SP120380080KI	1 N0476008018530KBI	1	AN0B1210SET
PC2185C	47,57	SP120380080KI	1 N0476008018530KBI	1	AN0B1210SET
PC2185D	47,58	SP120380080KI	1 N0476008018530KBI	1	AN0B1210SET

Compressione 25
Compression mm

Mis. Testa B-2
Head size mm

Lungh. tot. 49,5
Tot. Length mm

Motorcycles & Scooters

TOP PERFORMANCES

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. Typhoon - Sfera	75			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1489	48	12 X 40 X 7	1 G15KP STD 1,50 	12 2B FILO 1.0
			1 G15HP STD 1,50 	

Compressione
Compression mm

25,5

Mis. Testa
Head size mm

B-2,5

Lungh. tot.
Tot. Length mm

54

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1489000	48	SP120400070KI	1 F0480015020015KPI 1 F0480015020015HPI	1	AN2B1210SET
PC1489020	48,2	SP120400070KI	1 F0482015020015KPI 1 F0482015020015HPI	1	AN2B1210SET
PC1489040	48,4	SP120400070KI	1 F0484015020015KPI 1 F0484015020015HPI	1	AN2B1210SET
PC1489060	48,6	SP120400070KI	1 F0486015020015KPI 1 F0486015020015HPI	1	AN2B1210SET
PC1489080	48,8	SP120400070KI	1 F0488015020015KPI 1 F0488015020015HPI	1	AN2B1210SET
PC1489100	49	SP120400070KI	1 F0490015020515KPI 1 F0490015020515HPI	1	AN2B1210SET
PC1489120	49,2	SP120400070KI	1 F0492015020515KPI 1 F0492015020515HPI	1	AN2B1210SET
PC1489140	49,4	SP120400070KI	1 F0494015020515KPI	1	AN2B1210SET



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
TYPHOON - SFERA (1-ring version)				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2001	48	12 X 40 X 8	1 G15K STD 1,50 	12 2B FILO 1.0

Compressione
Compression mm

25,5

Mis. Testa
Head size mm

B-2,5

Lungh. tot.
Tot. Length mm

54

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2001000	48	SP120400080HI	1 F0480015020015K0I	1	AN2B1210SET
PC2001040	48,4	SP120400080HI	1 F0484015020015K0I	1	AN2B1210SET
PC2001080	48,8	SP120400080HI	1 F0488015020015K0I	1	AN2B1210SET

Motorcycles & Scooters

TOP PERFORMANCES

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Trasf. Scooter racing - pin 12mm	86			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2269	50	12 X 42 X 7 BIC RAM	1	G30KB SF	1,00	12 SB FILO 1.0



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2269A	49,95	SP120420070KRI	1 S0500010021030KB2249I	1	ANOB1210SET
PC2269B	49,96	SP120420070KRI	1 S0500010021030KB2249I	1	ANOB1210SET
PC2269C	49,97	SP120420070KRI	1 S0500010021030KB2249I	1	ANOB1210SET

Compressione 24
Compression mm

Mis. Testa B-2
Head size mm

Lungh. tot. 47
Tot. Length mm

Motorcycles & Scooters

YAMAHA

2 TEMPI 2 STROKES

Segmenti NON CROMATI/ rings
NOT CHROMED



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Aerox (ring not chromed)	50	2007	2013	
Axis (ring not chromed)	50	1995	1998	
BW'S (ring not chromed)	50	2000	2011	
CRZ (ring not chromed)	50	1992	1995	
CT (ring not chromed)	50	1990	1996	
Neo's (ring not chromed)	50	2009	2013	
Zest (ring not chromed)	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1278	40	10 X 33 X 6	2 G15H STD 1,50 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1278000	40	SP100330060HI	2 F0400015016515H0I	1	AN2B1008SET
PC1278025	40,25	SP100330060HI	2 F0402515016515H0I	1	AN2B1008SET
PC1278050	40,5	SP100330060HI	2 F0405015016515H0I	1	AN2B1008SET
PC1278075	40,75	SP100330060HI	2 F0407515016515H0I	1	AN2B1008SET
PC1278100	41	SP100330060HI	2 F0410015017015H0I	1	AN2B1008SET
PC1278125	41,25	SP100330060HI	2 F0412515017015H0I	1	AN2B1008SET
PC1278150	41,5	SP100330060HI	2 F0415015017015H0I	1	AN2B1008SET
PC1278175	41,75	SP100330060HI	2 F0417515017015H0I	1	AN2B1008SET
PC1278200	42	SP100330060HI	2 F0420015017515H0I	1	AN2B1008SET
PC1278220	42,25	SP100330060HI	2 F0422015017515H0I	1	AN2B1008SET
PC1278250	42,5	SP100330060HI	2 F0425015017515H0I	1	AN2B1008SET
PC1278300	43	SP100330060HI	2 F0430015018015H0I	1	AN2B1008SET
PC1278350	43,5	SP100330060HI	2 F0435015018015H0I	1	AN2B1008SET

Compressione 25,5
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm


Motorcycles & Scooters

YAMAHA

2 TEMPI 2 STROKES



Compressione 23,5
 Compression mm
 Mis. Testa B-1
 Head size mm
 Lungh. tot. 49
 Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
DT 50 Moped	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2258	40	12 X 33 X 8	2 G15K STD 1,50 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2258000	40	SP120330080HI	2 F0400015016515K0I	1 AN2B1210SET
PC2258025	40,25	SP120330080HI	2 F0402515016515K0I	1 AN2B1210SET
PC2258050	40,5	SP120330080HI	2 F0405015016515K0I	1 AN2B1210SET
PC2258075	40,75	SP120330080HI	2 F0407515016515K0I	1 AN2B1210SET
PC2258100	41	SP120330080HI	2 F0410015017015K0I	1 AN2B1210SET
PC2258150	41,5	SP120330080HI	2 F0415015017015K0I	1 AN2B1210SET
PC2258175	41,75	SP120330080HI	2 F0417515017015K0I	1 AN2B1210SET
PC2258200	42	SP120330080HI	2 F0420015017515K0I	1 AN2B1210SET
PC2258250	42,5	SP120330080HI	2 F0425015017515K0I	1 AN2B1210SET

Motorcycles & Scooters

YAMAHA

2 TEMPI 2 STROKES

Segmenti CROMATI/ CHROMED.
rings



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Aerox	50	2007	2013	
Axis	50	1995	1998	
BW'S	50	2000	2011	
CRZ	50	1992	1995	
CT	50	1990	1996	
Neo's	50	2009	2013	
Zest	50			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2278	40	10 X 33 X 6	2 G15K STD 1,50 	10 2B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2278000	40	SP100330060HI	2 F0400015016515K0I	1	AN2B1008SET
PC2278025	40,25	SP100330060HI	2 F0402515016515K0I	1	AN2B1008SET
PC2278050	40,5	SP100330060HI	2 F0405015016515K0I	1	AN2B1008SET
PC2278075	40,75	SP100330060HI	2 F0407515016515K0I	1	AN2B1008SET
PC2278100	41	SP100330060HI	2 F0410015017015K0I	1	AN2B1008SET
PC2278125	41,25	SP100330060HI	2 F0412515017015K0I	1	AN2B1008SET
PC2278150	41,5	SP100330060HI	2 F0415015017015K0I	1	AN2B1008SET
PC2278175	41,75	SP100330060HI	2 F0417515017015K0I	1	AN2B1008SET
PC2278200	42	SP100330060HI	2 F0420015017515K0I	1	AN2B1008SET
PC2278225	42,25	SP100330060HI	2 F0422515017515K0I	1	AN2B1008SET
PC2278250	42,5	SP100330060HI	2 F0425015017515K0I	1	AN2B1008SET
PC2278300	43	SP100330060HI	2 F0430015018015K0I	1	AN2B1008SET
PC2278350	43,5	SP100330060HI	2 F0435015018015K0I	1	AN2B1008SET

Compressione 25,5
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 50,5
Tot. Length mm


Motorcycles & Scooters

YAMAHA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
YB80-PW80-TY80	80			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1572	47	12 X 40 X 8	2 G15K STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1572A	46,95	SP120400080HI	2 F0470015019515K0I	1	AN2B1210SET
PC1572B	46,96	SP120400080HI	2 F0470015019515K0I	1	AN2B1210SET
PC1572C	46,97	SP120400080HI	2 F0470015019515K0I	1	AN2B1210SET
PC1572D	46,98	SP120400080HI	2 F0470015019515K0I	1	AN2B1210SET
PC1572000	47	SP120400080HI	2 F0470015019515K0I	1	AN2B1210SET
PC1572025	47,25	SP120400080HI	2 F0472515019515K0I	1	AN2B1210SET
PC1572050	47,5	SP120400080HI	2 F0475015019515K0I	1	AN2B1210SET
PC1572075	47,75	SP120400080HI	2 F0477515019515K0I	1	AN2B1210SET
PC1572100	48	SP120400080HI	2 F0480015020015K0I	1	AN2B1210SET

Compressione 30
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 59
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Aerox	100	1999	2002	
BW'S	100	1999	2002	
Neos	100	2002	2003	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2008	52	14 X 40 X 9	2 G30KP SF 1,20 	14 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2008000	52	SP140400090HI	2 S0520012021530KPI	1	AN1B1410SET
PC2008050	52,5	SP140400090HI	2 S0525012021530KPI	1	AN1B1410SET
PC2008100	53	SP140400090HI	2 S0530012022030KPI	1	AN1B1410SET
PC2008150	53,5	SP140400090HI	2 S0535012022030KPI	1	AN1B1410SET

Compressione 33,5
Compression mm
Mis. Testa B-3,2
Head size mm
Lungh. tot. 63,5
Tot. Length mm


Motorcycles & Scooters

YAMAHA

2 TEMPI 2 STROKES




Compressione 30
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 65,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
DTLC - DTMX	125				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1119	56	16 X 48 X 11 BIC	2 G15KP SF 1,20 	16 SB FILO 1.2	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1119000	56	SP160480110KBI	2 S0560012023515KPI	1	ANOB1612SET
PC1119025	56,25	SP160480110KBI	2 S0562512023515KPI	1	ANOB1612SET
PC1119050	56,5	SP160480110KBI	2 S0565012023515KPI	1	ANOB1612SET
PC1119075	56,75	SP160480110KBI	2 S0567512023515KPI	1	ANOB1612SET
PC1119100	57	SP160480110KBI	2 S0570012024015KPI	1	ANOB1612SET
PC1119125	57,25	SP160480110KBI	2 S0572512024015KPI	1	ANOB1612SET
PC1119150	57,5	SP160480110KBI	2 S0575012024015KPI	1	ANOB1612SET
PC1119200	58	SP160480110KBI	2 S0580012024015KPI	1	ANOB1612SET



Compressione 30,5
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 63,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
DTR 125	125				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1399	56	16 X 48 X 11 BIC	2 G15KP SF 1,20 	16 SB FILO 1.2	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1399000	56	SP160480110KBI	2 S0560012023515KPI	1	ANOB1612SET
PC1399025	56,25	SP160480110KBI	2 S0562512023515KPI	1	ANOB1612SET
PC1399050	56,5	SP160480110KBI	2 S0565012023515KPI	1	ANOB1612SET
PC1399075	56,75	SP160480110KBI	2 S0567512023515KPI	1	ANOB1612SET
PC1399100	57	SP160480110KBI	2 S0570012024015KPI	1	ANOB1612SET
PC1399125	57,25	SP160480110KBI	2 S0572512024015KPI	1	ANOB1612SET
PC1399150	57,5	SP160480110KBI	2 S0575012024015KPI	1	ANOB1612SET
PC1399200	58	SP160480110KBI	2 S0580012024015KPI	1	ANOB1612SET

Motorcycles & Scooters


YAMAHA

2 TEMPI 2 STROKES



Compressione 30
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 65,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
DT 125 R	125	1994	2004	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1522	56	16 X 48 X 11 BIC	2 G30KB SF 1,00 	16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1522A	55,95	SP160480110KBI	2 S0560010023530KB2350I	1	ANOB1612SET
PC1522B	55,96	SP160480110KBI	2 S0560010023530KB2350I	1	ANOB1612SET
PC1522C	55,97	SP160480110KBI	2 S0560010023530KB2350I	1	ANOB1612SET
PC1522000	56	SP160480110KBI	2 S0560010023530KB2350I	1	ANOB1612SET
PC1522025	56,25	SP160480110KBI	2 S0562510023530KB2350I	1	ANOB1612SET
PC1522050	56,5	SP160480110KBI	2 S0565010023530KB2350I	1	ANOB1612SET
PC1522075	56,75	SP160480110KBI	2 S0567510023530KB2350I	1	ANOB1612SET
PC1522100	57	SP160480110KBI	2 S0570010023530KB2350I	1	ANOB1612SET
PC1522125	57,25	SP160480110KBI	2 S0572510023530KB2350I	1	ANOB1612SET
PC1522150	57,5	SP160480110KBI	2 S0575010023530KB2350I	1	ANOB1612SET
PC1522175	57,75	SP160480110KBI	2 S0577510023530KB2350I	1	ANOB1612SET
PC1522200	58	SP160480110KBI	2 S0580010023530KB2350I	1	ANOB1612SET




4 TEMPI 4 STROKES



**PER LE
MAGGIORAZIONI / FOR
OVERSIZES Ø 54 /
54,25/ 54,50 VEDERE
PISTONE / SEE PISTON
No. 2487**

Compressione 18,8
Compression mm
Mis. Testa P+2 FV
Head size mm
Lungh. tot. 37
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Majesty	125			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1772	53,7	15 X 44 X 10	RS 1 G6KBP SF 1,00  1 C2LP F 1,00  1 R7P F 2,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1772000	53,7	SP150440100HI	1 RSMOT537001	1	ANOB1510SET

Motorcycles & Scooters

YAMAHA

4 TEMPI 4 STROKES









Compressione 18,8
 Compression mm
 Mis. Testa P+2 FV
 Head size mm
 Lungh. tot. 37
 Tot. Length mm

Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM	
Majesty	125				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
2487	54	15 X 44 X 10		15 SB FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2487030	54	SP150440100HI	1 WSMOT540001I	1	ANOB1510SET
PC2487055	54,25	SP150440100HI	1 WSMOT542501I	1	ANOB1510SET
PC2487080	54,5	SP150440100HI	1 WSMOT545001I	1	ANOB1510SET



Compressione 18,6
 Compression mm
 Mis. Testa P+2FV
 Head size mm
 Lungh. tot. 36,7
 Tot. Length mm

Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM	
Majesty 150	150	1999	2004		
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
2299	59,5	15 X 42 X 10	RS 1 C6KBP SF 1,00  1 C2LP F 1,00  1 R7P F 2,00 	15 SB FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2299050	60	SP150420100HI	1 WSMOT600001I	1	ANOB1510SET
PC2299090	60,4	SP150420100HI	1 WSMOT604001I	1	ANOB1510SET
PC2299130	60,8	SP150420100HI	1 RSMOT608001	1	ANOB1510SET

Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM	
Majesty	250				
X-City	250				
X-Max	250				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1771	69	17 X 47 X 12 BIC RAM	RS 1 C6KBP SF 1,00  1 S20LP F 1,00  1 R7P F 2,00 	17 SB FILO 1.2	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1771000	69	SP170470120KRI	1 RSMOT690001	1	ANOB1712SET
PC1771075	69,75	SP170470120KRI	1 RSMOT697501	1	ANOB1712SET
PC1771100	70	SP170470120KRI	1 RSMOT700001	1	ANOB1712SET

Compressione 21,25
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 42,35
 Tot. Length mm




Motorcycles & Scooters

YAMAHA

4 TEMPI 4 STROKES

**SERIE SEGM. ACCIAIO / RINGS SET
IN STEEL**






Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Majesty	250			
X-City	250			
X-Max	250			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat. WS	Anellino/Circlip
2512	69	17 X 47 X 12 BIC RAM	1 C6KB AC 1,00  1 C2LP SF 1,00  1 RAC AC 1,50 	17 SB FILO 1.2

Compressione 21,25
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 42,35
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2512000	69	SP170470120KRI	1 WSMOT690001I	1	ANOB1712SET
PC2512025	69,25	SP170470120KRI	1 WSMOT692501I	1	ANOB1712SET
PC2512050	69,5	SP170470120KRI	1 WSMOT695001I	1	ANOB1712SET
PC2512075	69,75	SP170470120KRI	1 WSMOT697501I	1	ANOB1712SET
PC2512100	70	SP170470120KRI	1 WSMOT700001I	1	ANOB1712SET
PC2512150	70,5	SP170470120KRI	1 WSMOT705001I	1	ANOB1712SET

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Majesty-Versity	300			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat. RS	Anellino/Circlip
2048	71	17 X 47 X 12 BIC RAM	1 C6KBP SF 1,00  1 R7P F 2,00  1 C2LP F 1,00  1 F 0,10 1 R7P F 2,00  1 C2LP F 1,00 	17 SB FILO 1.2

Compressione 21,25
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 42,35
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2048000	71	SP170470120KRI	1 RSMOT710001	1	ANOB1712SET
PC2048025	71,25	SP170470120KRI	1 RSMOT712501	1	ANOB1712SET
PC2048050	71,5	SP170470120KRI	1 RSMOT715001	1	ANOB1712SET
PC2048100	72	SP170470120KRI	1 RSMOT720001	1	ANOB1712SET
PC2048125	72,25	SP170470120KRI	1 RSMOT722501	1	ANOB1712SET
PC2048150	72,5	SP170470120KRI	1 RSMOT725001	1	ANOB1712SET




Motorcycles & Scooters

YAMAHA

4 TEMPI 4 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Majesty-Versity	300			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat. WS	Anellino/Circlip
2543	71	17 X 47 X 12 BIC RAM		17 SB FILO 1.2

1	C6KB	AC	1,00	
1	C2LP	SF	1,00	
1	RAC	AC	2,00	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2543000	71	SP170470120KRI	1 WSMOT710003I	1	AN0B1712SET
PC2543050	71,5	SP170470120KRI	1 WSMOT715003I	1	AN0B1712SET
PC2543100	72	SP170470120KRI	1 WSMOT720003I	1	AN0B1712SET
PC2543150	72,5	SP170470120KRI	1 WSMOT725003I	1	AN0B1712SET


Compressione 21,25
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 42,35
 Tot. Length mm

Motorcycles & Scooters

ZUNDAPP


2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
50 cc.	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0774	39	12 X 31.5 X 8	1 G30H STD 1,50 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC0774AB	38,95	SP120315080HI	1 F0390015016530H0I	1 AN2B1210SET
PC0774BC	38,955	SP120315080HI	1 F0390015016530H0I	1 AN2B1210SET
PC0774CD	38,96	SP120315080HI	1 F0390015016530H0I	1 AN2B1210SET
PC0774DE	38,965	SP120315080HI	1 F0390015016530H0I	1 AN2B1210SET
PC0774EF	38,97	SP120315080HI	1 F0390015016530H0I	1 AN2B1210SET
PC0774FG	38,975	SP120315080HI	1 F0390015016530H0I	1 AN2B1210SET
PC0774GH	38,98	SP120315080HI	1 F0390015016530H0I	1 AN2B1210SET


Compressione 26
Compression mm
Mis. Testa B-1,5
Head size mm
Lungh. tot. 51,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
50 cc.	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0803	39	12 X 31.5 X 8	1 G30H STD 1,50 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC0803AB	38,95	SP120315080HI	1 F0390015016530H0I	1 AN2B1210SET
PC0803CD	38,96	SP120315080HI	1 F0390015016530H0I	1 AN2B1210SET
PC0803EF	38,97	SP120315080HI	1 F0390015016530H0I	1 AN2B1210SET
PC0803GH	38,98	SP120315080HI	1 F0390015016530H0I	1 AN2B1210SET
PC0803000	39	SP120315080HI	1 F0390015016530H0I	1 AN2B1210SET
PC0803050	39,5	SP120315080HI	1 F0395015016530H0I	1 AN2B1210SET
PC0803100	40	SP120315080HI	1 F0400015016530H0I	1 AN2B1210SET

Compressione 26
Compression mm
Mis. Testa B-1,5
Head size mm
Lungh. tot. 51,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
KS 1976	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0933	39	12 X 31.5 X 8	1 LH STD 2,00 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC0933AB	38,95	SP120315080HI	1 F0390020017531H0I	1 AN2B1210SET
PC0933CD	38,96	SP120315080HI	1 F0390020017531H0I	1 AN2B1210SET
PC0933EF	38,97	SP120315080HI	1 F0390020017531H0I	1 AN2B1210SET
PC0933GH	38,98	SP120315080HI	1 F0390020017531H0I	1 AN2B1210SET

Compressione 26
Compression mm
Mis. Testa B-1,5
Head size mm
Lungh. tot. 51,5
Tot. Length mm


Vintage

LAMBRETТА

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
LI 2a serie	125	1959	1961	
LI 3a serie	125	1962	1967	


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0326	52	16 X 45 X 11	2 G15H STD 2,00 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0326000	52	SP160450110HI	2 F0520020021515H0I	2	SG16
PC0326040	52,4	SP160450110HI	2 F0520020021515H0I	2	SG16
PC0326080	52,8	SP160450110HI	2 F0520020021515H0I	2	SG16
PC0326120	53,2	SP160450110HI	2 F0520020021515H0I	2	SG16
PC0326160	53,6	SP160450110HI	2 F0520020021515H0I	2	SG16

Compressione 39
Compression mm
Mis. Testa B-6
Head size mm
Lungh. tot. 75
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Lambretta LI 2a-3a serie	150			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0688	57	16 X 50 X 11	2 G15H STD 2,00 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0688000	57	SP160500110HI	2 F0570020024015H0I	2	SG16
PC0688040	57,4	SP160500110HI	2 F0574020024015H0I	2	SG16
PC0688080	57,8	SP160500110HI	2 F0578020024015H0I	2	SG16
PC0688120	58,2	SP160500110HI	2 F0582020024015H0I	2	SG16
PC0688160	58,6	SP160500110HI	2 F0586020024015H0I	2	SG16
PC0688180	58,8	SP160500110HI	2 F0588020024015H0I	2	SG16

Compressione 39
Compression mm
Mis. Testa B-6,5
Head size mm
Lungh. tot. 76
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
175 SX - 150 LI TRASF. 175	175			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0582	62	16 X 54 X 11	2 G15H STD 2,50 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0582000	62	SP160540110Y4I	2 F0620025026015H0I	2	SG16
PC0582040	62,4	SP160540110Y4I	2 F0624025026015H0I	2	SG16
PC0582060	62,6	SP160540110Y4I	2 F0626025026015H0I	2	SG16
PC0582080	62,8	SP160540110Y4I	2 F0628025026015H0I	2	SG16
PC0582100	63	SP160540110Y4I	2 F0630025026515H0I	2	SG16

Compressione 39
Compression mm
Mis. Testa B-7
Head size mm
Lungh. tot. 76
Tot. Length mm


Vintage

LAMBRETТА

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
LAMBRETТА SX - Lambro Motocarro	200	1966	1969	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0766	66	16 X 59 X 11	3 G15H STD 2,00 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0766040	66,4	SP160590110HI	3 F0664020027515H0I	2	SG16
PC0766080	66,8	SP160590110HI	3 F0668020027515H0I	2	SG16
PC0766120	67,2	SP160590110HI	3 F0672020028015H0I	2	SG16
PC0766160	67,6	SP160590110HI	3 F0676020028015H0I	2	SG16
PC0766180	67,8	SP160590110HI	3 F0678020028015H0I	2	SG16

Compressione 39
 Compression mm
 Mis. Testa B-7
 Head size mm
 Lungh. tot. 78
 Tot. Length mm


Vintage

PIAGGIO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa Super Sprint	90	1966	1969	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip	
0654	47	15 X 40 X 10	2	G15H	STD	2,00 	SEEGER D.15 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0654000	47	SP150400100HI	2 F0470020019515H0I	2	SG15
PC0654040	47,4	SP150400100HI	2 F0474020019515H0I	2	SG15
PC0654080	47,8	SP150400100HI	2 F0478020019515H0I	2	SG15
PC0654120	48,2	SP150400100HI	2 F0482020020015H0I	2	SG15
PC0654140	48,4	SP150400100HI	2 F0484020020015H0I	2	SG15
PC0654160	48,6	SP150400100HI	2 F0486020020015H0I	2	SG15


Compressione
Compression mm 29,5

Mis. Testa
Head size mm B-6

Lungh. tot.
Tot. Length mm 63



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa VNB - 2%	125	1960	1965	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip	
0321	52,5	15 X 44 X 10	2	G15HP	STD	2,50 	SEEGER D.15 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0321040	52,9	SP150440100HI	2 F0529025021515HP1	2	SG15
PC0321080	53,3	SP150440100HI	2 F0533025022015HP1	2	SG15
PC0321120	53,7	SP150440100HI	2 F0537025022015HP1	2	SG15
PC0321160	54,1	SP150440100HI	2 F0541025022515HP1	2	SG15
PC0321180	54,3	SP150440100HI	2 F0543025022515HP1	2	SG15


Compressione
Compression mm 35

Mis. Testa
Head size mm B-5

Lungh. tot.
Tot. Length mm 70



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa VM1 - VN1	125	1953	1957	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip	
0139	54	15 X 45 X 10	2	G15H	STD	2,50 	SEEGER D.15 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0139000	54	SP150450100HI	2 F0540025022515H0I	2	SG15
PC0139040	54,4	SP150450100HI	2 F0544025022515H0I	2	SG15
PC0139080	54,8	SP150450100HI	2 F0548025022515H0I	2	SG15
PC0139120	55,2	SP150450100HI	2 F0552025023015H0I	2	SG15
PC0139160	55,6	SP150450100HI	2 F0556025023015H0I	2	SG15
PC0139180	55,8	SP150450100HI	2 F0558025023015H0I	2	SG15

Compressione
Compression mm 30

Mis. Testa
Head size mm DFL-12

Lungh. tot.
Tot. Length mm 76


Vintage

PIAGGIO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa VN1A - VM2A	125	1957	1958	


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0215	54	15 X 45 X 10	2 G15H STD 2,50 	SEEGER D.15 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0215040	54,4	SP150450100HI	2 F0544025022515H0I	2	SG15
PC0215080	54,8	SP150450100HI	2 F0548025022515H0I	2	SG15
PC0215120	55,2	SP150450100HI	2 F0552025023015H0I	2	SG15
PC0215160	55,6	SP150450100HI	2 F0556025023015H0I	2	SG15
PC0215180	55,8	SP150450100HI	2 F0558025023015H0I	2	SG15

Compressione 35
Compression mm
Mis. Testa DFL-12
Head size mm
Lungh. tot. 77
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa SL/Primavera	125			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0671	55	15 X 47 X 10	2 G15H STD 2,50 	SEEGER D.15 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0671040	55,4	SP150470100HI	2 F0554025023015H0I	2	SG15
PC0671080	55,8	SP150470100HI	2 F0558025023015H0I	2	SG15
PC0671120	56,2	SP150470100HI	2 F0562025023515H0I	2	SG15
PC0671160	56,6	SP150470100HI	2 F0566025023515H0I	2	SG15
PC0671180	56,8	SP150470100HI	2 F0568025023515H0I	2	SG15

Compressione 36,5
Compression mm
Mis. Testa B-6
Head size mm
Lungh. tot. 71
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa VL1.2.3-VB1 Mix5%	150	1955	1958	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0186	57	15 X 48.5 X 10	2 G15H STD 2,50 	SEEGER D.15 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0186040	57,4	SP150485100Y4I	2 F0574025024015H0I	2	SG15
PC0186080	57,8	SP150485100Y4I	2 F0578025024015H0I	2	SG15
PC0186120	58,2	SP150485100Y4I	2 F0582025024015H0I	2	SG15
PC0186160	58,6	SP150485100Y4I	2 F0586025024015H0I	2	SG15
PC0186180	58,8	SP150485100Y4I	2 F0588025024015H0I	2	SG15

Compressione 30
Compression mm
Mis. Testa DFL-12
Head size mm
Lungh. tot. 79
Tot. Length mm


Vintage

PIAGGIO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa - VBA-VBB-VGLA-VGLB Mix 2 %	150	1959	1961	


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0430	57	15 X 48.5 X 10	2 G15H STD 2,50 	SEEGER D.15 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0430040	57,4	SP150485100Y4I	2 F0574025024015H0I	2	SG15
PC0430080	57,8	SP150485100Y4I	2 F0578025024015H0I	2	SG15
PC0430120	58,2	SP150485100Y4I	2 F0582025024015H0I	2	SG15
PC0430160	58,6	SP150485100Y4I	2 F0586025024015H0I	2	SG15
PC0430180	58,8	SP150485100Y4I	2 F0588025024015H0I	2	SG15

Compressione 35
Compression mm
Mis. Testa DFL-12
Head size mm
Lungh. tot. 77
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa GL - Super - Sprint VL1-2-3 VGL1 VLA	150	1962	1968	


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0498	57	15 X 48.5 X 10	2 G15H STD 2,50 	SEEGER D.15 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0498000	57	SP150485100Y4I	2 F0570025024015H0I	2	SG15
PC0498040	57,4	SP150485100Y4I	2 F0574025024015H0I	2	SG15
PC0498080	57,8	SP150485100Y4I	2 F0578025024015H0I	2	SG15
PC0498120	58,2	SP150485100Y4I	2 F0582025024015H0I	2	SG15
PC0498140	58,4	SP150485100Y4I	2 F0584025024015H0I	2	SG15
PC0498160	58,6	SP150485100Y4I	2 F0586025024015H0I	2	SG15
PC0498180	58,8	SP150485100Y4I	2 F0588025024015H0I	2	SG15

Compressione 35
Compression mm
Mis. Testa B-7
Head size mm
Lungh. tot. 72
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa 160 GS	160	1960	1965	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0461	58	15 X 48.5 X 10	2 G15H STD 2,50 	15 2B FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0461000	58	SP150485100Y4I	2 F0580025024015H0I	1	AN2B1512SET
PC0461040	58,4	SP150485100Y4I	2 F0584025024015H0I	1	AN2B1512SET
PC0461080	58,8	SP150485100Y4I	2 F0588025024015H0I	1	AN2B1512SET
PC0461100	59	SP150485100Y4I	2 F0590025024515H0I	1	AN2B1512SET
PC0461140	59,4	SP150485100Y4I	2 F0594025024515H0I	1	AN2B1512SET
PC0461180	59,8	SP150485100Y4I	2 F0598025024515H0I	1	AN2B1512SET
PC0461200	60	SP150485100Y4I	2 F0600025025015H0I	1	AN2B1512SET

Compressione 42,5
Compression mm
Mis. Testa B-5,4
Head size mm
Lungh. tot. 80,9
Tot. Length mm

Vintage


PIAGGIO

2 TEMPI 2 STROKES



Compressione 42,5
Compression mm
Mis. Testa B-5
Head size mm
Lungh. tot. 80,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa 180 SS	180	1964	1968	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0577	62	16 X 54 X 11	2 G15H STD 2,50 	16 2B FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0577000	62	SP160540110Y4I	2 F0620025026015H0I	1	AN2B1612SET
PC0577040	62,4	SP160540110Y4I	2 F0624025026015H0I	1	AN2B1612SET
PC0577080	62,8	SP160540110Y4I	2 F0628025026015H0I	1	AN2B1612SET
PC0577100	63	SP160540110Y4I	2 F0630025026515H0I	1	AN2B1612SET
PC0577140	63,4	SP160540110Y4I	2 F0634025026515H0I	1	AN2B1612SET
PC0577180	63,8	SP160540110Y4I	2 F0638025026515H0I	1	AN2B1612SET
PC0577200	64	SP160540110Y4I	2 F0640025026515H0I	1	AN2B1612SET
PC0577250	64,5	SP160540110Y4I	2 F0645025026515H0I	1	AN2B1612SET
PC0577300	65	SP160540110Y4I	2 F0650025027015H0I	1	AN2B1612SET
PC0577350	65,5	SP160540110Y4I	2 F0655025027015H0I	1	AN2B1612SET



Compressione 42,5
Compression mm
Mis. Testa B-5
Head size mm
Lungh. tot. 80,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Vespa 180 Rally	180	1968	1973	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0719	63,5	16 X 54 X 11	2 G15H STD 2,50 	16 2B FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0719000	63,5	SP160540110Y4I	2 F0635025026515H0I	1	AN2B1612SET
PC0719040	63,9	SP160540110Y4I	2 F0639025026515H0I	1	AN2B1612SET
PC0719080	64,3	SP160540110Y4I		1	AN2B1612SET
PC0719100	64,5	SP160540110Y4I	2 F0645025026515H0I	1	AN2B1612SET
PC0719120	64,7	SP160540110Y4I	2 F0647025026515H0I	1	AN2B1612SET
PC0719150	65	SP160540110Y4I	2 F0650025027015H0I	1	AN2B1612SET
PC0719200	65,5	SP160540110Y4I	2 F0655025027015H0I	1	AN2B1612SET


Vintage

YAMAHA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
TZ250 - 5F7 Bi-cilindrico/Two-cylinder	250	1981	1984	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2508	56	16 X 45 X 9.5 BIC	1 G30KB AC 0,80 	16 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC25085594	55,94	SP160450095KBI	1 N0560008022530KBI	1	AN0B1610SET
PC25085596	55,96	SP160450095KBI	1 N0560008022530KBI	1	AN0B1610SET
PC25085598	55,98	SP160450095KBI	1 N0560008022530KBI	1	AN0B1610SET
PC2508000	56	SP160450095KBI	1 N0560008022530KBI	1	AN0B1610SET
PC25085600	56	SP160450095KBI	1 N0560008022530KBI	1	AN0B1610SET

Compressione 30,1
Compression mm
Mis. Testa B-2,3
Head size mm
Lungh. tot. 59,3
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
TR3	350		1972	
TZ350 Bi-cilindrico/Two-cylinder	350	1973	1981	

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2338	64	16 X 50 X 10 BIC	1 G30KB AC 1,00 	16 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC23386396	63,96	SP160500100KBI	1 N0640010024530KBI	1	AN0B1610SET
PC23386397	63,97	SP160500100KBI	1 N0640010024530KBI	1	AN0B1610SET
PC23386398	63,98	SP160500100KBI	1 N0640010024530KBI	1	AN0B1610SET


Compressione 36,2
Compression mm
Mis. Testa B-3,9
Head size mm
Lungh. tot. 66,1
Tot. Length mm

Gardening - Forestry

ALPINA

2 TEMPI 2 STROKES




Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 40/41				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	
1025	40	10 X 29 X 6	2 G15H STD 1,50	 Anellino/Circlip 10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1025000	40	SP100290060HI	2 F0400015016515H0I	1 AN2B1010SET

Compressione 22
Compression mm

Mis. Testa B-2,5
Head size mm

Lungh. tot. 43
Tot. Length mm




Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 45				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	
1146	41	10 X 29 X 6	2 G15H STD 1,50	 Anellino/Circlip 10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1146B	41	SP100290060HI	2 F0410015017015H0I	1 AN2B1010SET

Compressione 22
Compression mm

Mis. Testa B-2,5
Head size mm

Lungh. tot. 43
Tot. Length mm



Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 450				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	
1334	42	10 X 29 X 6	1 G15H STD 1,50	 Anellino/Circlip 10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1334000	42	SP100290060HI	1 F0420015017515H0I	1 AN2B1010SET

Compressione 17,5
Compression mm

Mis. Testa P
Head size mm


Lungh. tot. 34,5
Tot. Length mm

Gardening - Forestry

ALPINA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 500				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1348	45	10 X 34 X 6	1 G15H STD 1,50 	10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1348000	45	SP100340060HI	1 F0450015019015H0I	1 AN2B1010SET

Compressione 17,5
 Compression mm
 Mis. Testa p
 Head size mm
 Lungh. tot. 34,5
 Tot. Length mm


Gardening - Forestry

DOLMAR

2 TEMPI 2 STROKES




Compressione 20,2
 Compression mm
 Mis. Testa B-1,3
 Head size mm
 Lungh. tot. 34
 Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Chainsaw Mod. 111						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2044	44	10 X 29 X 6	2	G15H STD 1,20	 10 SB FILO 0.8	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC2044AB	43,96	SP100290060HI	2 F0440012018515H0I		1	ANOB1008SET
PC2044B	43,97	SP100290060HI	2 F0440012018515H0I		1	ANOB1008SET




Compressione 18,7
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 38,3
 Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Chainsaw Mod. PS 6000i						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1280	46	12 X 30 X 8 DIS. SP116	2	G15H STD 1,50	 12 SB FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC1280A	45,95	SP120300080HI	2 F0460015019015H0I		1	ANOB1210SET
PC1280B	45,96	SP120300080HI	2 F0460015019015H0I		1	ANOB1210SET
PC1280C	45,97	SP120300080HI	2 F0460015019015H0I		1	ANOB1210SET



Compressione 18,7
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 38,3
 Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Chainsaw Mod. PS 6800i						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1281	49	12 X 30 X 8 DIS. SP116	2	G15H STD 1,50	 12 SB FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC1281A	48,95	SP120300080HI	2 F0490015020515H0I		1	ANOB1210SET
PC1281B	48,96	SP120300080HI	2 F0490015020515H0I		1	ANOB1210SET
PC1281C	48,97	SP120300080HI	2 F0490015020515H0I		1	ANOB1210SET
PC1281D	48,98	SP120300080HI	2 F0490015020515H0I		1	ANOB1210SET


Gardening - Forestry

DOLMAR

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. PS9000				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1728	52	12 X 33 X 8	2 G15H F 1,20 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1728A	51,96	SP120330080HI	2 E0520012021515H02321I	1	AN2B1210SET
PC1728B	51,97	SP120330080HI	2 E0520012021515H02321I	1	AN2B1210SET
PC1728C	51,98	SP120330080HI	2 E0520012021515H02321I	1	AN2B1210SET


Compressione 22
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 44
Tot. Length mm

ECHO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Mod. 302				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1685	37	9 X 28.5 X 5	2 G15H STD 1,50 	9 2B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1685A	36,94	SP090285050HI	2 F0370015015515H0I	1	AN2B0908SET
PC1685B	36,95	SP090285050HI	2 F0370015015515H0I	1	AN2B0908SET
PC1685C	36,96	SP090285050HI	2 F0370015015515H0I	1	AN2B0908SET

Compressione 16
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 34,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter Mod. 4605	0			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1794	42	10 X 29 X 6	2 G15H STD 1,20 	10 2B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1794A	41,97	SP100290060HI	2 F0420012017515H0I	1	AN2B1008SET
PC1794B	41,98	SP100290060HI	2 F0420012017515H0I	1	AN2B1008SET
PC1794C	41,99	SP100290060HI	2 F0420012017515H0I	1	AN2B1008SET
PC1794D	42	SP100290060HI	2 F0420012017515H0I	1	AN2B1008SET

Compressione 17,2
Compression mm
Mis. Testa B-2,8
Head size mm
Lungh. tot. 39,5
Tot. Length mm


Gardening - Forestry

EFCO

2 TEMPI 2 STROKES

Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM
Brushcutter Mod. 8300	0			




MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1556	34	9 X 28.5 X 5	2 G15H STD 1,50 	9 2B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1556A	33,95	SP090285050HI	2 F0340015014015H0I	1	AN2B0908SET
PC1556B	33,96	SP090285050HI	2 F0340015014015H0I	1	AN2B0908SET
PC1556C	33,97	SP090285050HI	2 F0340015014015H0I	1	AN2B0908SET

Compressione 16
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 33
Tot. Length mm

Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM
Brushcutter Mod. 8400				




MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1554	40	9 X 31 X 5	2 G15H STD 1,50 	9 2B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1554A	39,94	SP090310050HI	2 F0400015016515H0I	1	AN2B0908SET
PC1554B	39,95	SP090310050HI	2 F0400015016515H0I	1	AN2B0908SET
PC1554C	39,96	SP090310050HI	2 F0400015016515H0I	1	AN2B0908SET

Compressione 16
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 32
Tot. Length mm

Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM
Brushcutter Mod. 8510-8515				



MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1536	44	12 X 31.5 X 8	2 G15H STD 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1536A	43,95	SP120315080HI	2 F0440015018515H0I	1	AN2B1210SET
PC1536B	43,96	SP120315080HI	2 F0440015018515H0I	1	AN2B1210SET
PC1536C	43,97	SP120315080HI	2 F0440015018515H0I	1	AN2B1210SET
PC1536D	43,98	SP120315080HI	2 F0440015018515H0I	1	AN2B1210SET

Compressione 17
Compression mm
Mis. Testa B-1
Head size mm
Lungh. tot. 37,5
Tot. Length mm


Gardening - Forestry

EFCO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter Mod.151				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1565	46	10 X 31.5 X 6	2 G15H STD 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1565A	45,96	SP100315060HI	2 F0460015019015H0I	1	AN2B1010SET
PC1565B	45,97	SP100315060HI	2 F0460015019015H0I	1	AN2B1010SET
PC1565C	45,98	SP100315060HI	2 F0460015019015H0I	1	AN2B1010SET
PC1565D	45,99	SP100315060HI	2 F0460015019015H0I	1	AN2B1010SET

Compressione 18,2
 Compression mm
 Mis. Testa B-2,1
 Head size mm
 Lungh. tot. 36,3
 Tot. Length mm

Gardening - Forestry

HUSQVARNA

2 TEMPI 2 STROKES



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Chainsaw mod. 232						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1868	35	10 X 25 X 6	1	G15H STD 1,50	10 2B FILO 0.8	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC1868000	35	SP100250060HI	1 F0350015014515H0I		1	AN2B1008SET

Compressione 18,5
Compression mm
Mis. Testa B-0,8
Head size mm
Lungh. tot. 35,3
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Chainsaw Mod. 36 - 136 - 137						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1807	38	10 X 31.5 X 6	1	G15H STD 1,50	10 2B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC1807000	38	SP100315060HI	1 F0380015016015H0I		1	AN2B1010SET

Compressione 16
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 34
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Chainsaw mod. 235						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1869	38	10 X 25 X 6	1	G15H STD 1,50	10 2B FILO 0.8	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC1869000	37,95	SP100250060HI	1 F0380015016015H0I		1	AN2B1008SET

Compressione 18
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 35
Tot. Length mm

Gardening - Forestry

HUSQVARNA

2 TEMPI 2 STROKES



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 40					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1724	40	10 X 29 X 6	1	G15H IKA 1,50	10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1724000	39,94	SP100290060HI	1 I0400015016515H01688I		1 AN2B1008SET

Compressione 18
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 35
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 340					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1730	40	10 X 29 X 6	1	G15H IKA 1,50	10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1730000	39,94	SP100290060HI	1 I0400015016515H01688I		1 AN2B1008SET
CC1730	40				

Compressione 19
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 37
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 141 - 142					521.32.51-01
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2031	40	10 X 31.5 X 6	1	G15H STD 1,50	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC2031000	39,93	SP100315060HI	1 F0400015016515H0I		1 AN0B1008SET

Compressione 16
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 34
Tot. Length mm

Gardening - Forestry

HUSQVARNA

2 TEMPI 2 STROKES



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 435-440-135					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2421	41	10 X 25 X 6	1	G15H F 1,50	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC2421000	41	SP100250060HI	1 E0410015017015H02663I		1 ANOB1008SET

Compressione 27,8
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 42,6
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 242 - 242XP (closed version)					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1587	42	10 X 29 X 6	1	G15H F 1,50	10 SB FILO 1
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1587A	41,95	SP100290060HI	1 E0420015017515H02728I		1 ANOB1010SET
PC1587B	41,96	SP100290060HI	1 E0420015017515H02728I		1 ANOB1010SET
PC1587C	41,97	SP100290060HI	1 E0420015017515H02728I		1 ANOB1010SET

Compressione 18,2
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 34,2
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 45					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1755	42	10 X 31.5 X 6	1	G15H F 1,50	10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1755000	41,95	SP100315060HI	1 E0420015017515H02728I		1 AN2B1010SET

Compressione 18,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 35,5
Tot. Length mm


Gardening - Forestry

HUSQVARNA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter mod. 345R				503 90 73 71
Chainsaw mod. 346 XP				503 90 73 71


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1760	42	10 X 31.5 X 6	1 G15H F 1,50 	10 SB FILO 1

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1760A	41,95	SP100315060HI	1 E0420015017515H02728I	1	ANOB1010SET
PC1760AB	41,955	SP100315060HI	1 E0420015017515H02728I	1	ANOB1010SET
PC1760B	41,96	SP100315060HI	1 E0420015017515H02728I	1	ANOB1010SET

Compressione 19
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 37
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter 343 FR				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2295	42	10 X 31.5 X 6	2 G15H F 1,20 	10 2B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2295000	42	SP100315060HI	2 E0420012017515H02575I	1	AN2B1008SET

Compressione 19
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 37
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. H545-H550				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2584	43	10 X 28 X 6 BIC	1 G15H F 1,20 	10 1B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2584AB	43	SP100280060HB2I	1 E0430012018015H02856I	1	AN1B1008SET

**AVAILABLE FROM
OCTOBER 2017**

Compressione 28,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 44,6
Tot. Length mm

Gardening - Forestry

HUSQVARNA

2 TEMPI 2 STROKES



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw mod. 350 (old version) - H50					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2254	44	10 X 34 X 6	1	G15H L 1,50	10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC2254000	44	SP100340060HI	1 L0440015018515H01794I		1 AN2B1008SET

Compressione 19
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 37
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 246					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2563	44	10 X 29 X 6	1	G15 L 1,50	10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC2563AB	44	SP100290060HI	1 L0440015018515001794I		1 AN2B1008SET

Compressione 19
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 34
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod.346XP new					525 47 01 02
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2095	44,3	10 X 31.5 X 6	1	G15H F 1,50	10 SB FILO 1
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC2095000	44,3	SP100315060HI	1 E0443015018515H02729I		1 AN0B1010SET

Compressione 19
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 37
Tot. Length mm


Gardening - Forestry

HUSQVARNA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 51				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1664	45	10 X 36 X 6	1 G15H F 1,50 	10 2B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1664A	44,92	SP100360060HI	1 E0450015019015H02557I	1	AN2B1008SET
PC1664B	44,93	SP100360060HI	1 E0450015019015H02557I	1	AN2B1008SET

Compressione 19
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 37
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 353				537 22 36-02
Chainsaws Mod. 346XP (Big Bore)				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2205	45	10 X 34 X 6	1 G15H F 1,50 	10 2B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2205000	44,95	SP100340060HI	1 E0450015019015H02557I	1	AN2B1008SET
CC2205	45				

Compressione 19
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 37
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 254				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2293	45	12 X 30.5 X 8 DIS. SP01	1 G15H F 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2293AB	45	SP120305080HI	1 E0450015019015H02557I	1	AN2B1210SET


Compressione 20
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 39
Tot. Length mm

Gardening - Forestry

HUSQVARNA


2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 55				
503 16 91 71				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1660	46	10 X 34 X 6	1 G15H F 1,50 	10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1660000	45,96	SP100340060HI	1 E0460015018515H02730I	1 AN2B1008SET
CC1660	46			


Compressione 19
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 37
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 357XP				
537 21 96 02				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1824	46	12 X 31.5 X 8	1 G15H F 1,50 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1824A	45,95	SP120315080HI	1 E0460015018515H02730I	1 AN2B1210SET
PC1824AB	45,955	SP120315080HI	1 E0460015018515H02730I	1 AN2B1210SET
PC1824B	45,96	SP120315080HI	1 E0460015018515H02730I	1 AN2B1210SET
CC1824	46			

Compressione 20
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 39
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 555 - 560XP - 562XP				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2251	46	10 X 29 X 6	1 G15H F 1,50 	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2251AB	46	SP100290060HI	1 E0460015018515H02730I	1 AN0B1008SET

Compressione 30
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 46,6
Tot. Length mm


Gardening - Forestry

HUSQVARNA

2 TEMPI 2 STROKES



Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 359				537 15 72 02 (576 47 202)

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1945	47	12 X 33 X 8	1 G15H IKA 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1945A	46,95	SP120330080HI	1 I0470015018515H02662I	1	AN2B1210SET
PC1945B	46,96	SP120330080HI	1 I0470015018515H02662I	1	AN2B1210SET
PC1945C	46,97	SP120330080HI	1 I0470015018515H02662I	1	AN2B1210SET

Compressione 20
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 39
Tot. Length mm



Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 455				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2420	47	12 X 31.5 X 8	1 G15H IKA 1,50 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2420000	47	SP120315080HI	1 I0470015018515H02662I	1	AN0B1210SET

Compressione 27,2
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 43,7
Tot. Length mm



Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 61/92				503.53.90-02

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1417	48	12 X 33 X 8	1 G15H F 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1417A	47,95	SP120330080HI	1 E0480015020015H02731I	1	AN2B1210SET
PC1417AB	47,96	SP120330080HI	1 E0480015020015H02731I	1	AN2B1210SET
PC1417B	47,97	SP120330080HI	1 E0480015020015H02731I	1	AN2B1210SET
CC1417	48				


Compressione 22
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 39
Tot. Length mm

Gardening - Forestry

HUSQVARNA


2 TEMPI 2 STROKES



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Chainsaw Mod. 65 - 265						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1462	48	12 X 40 X 8	1 G15H F 1,50			12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC1462A	47,93	SP120400080HI	1 E0480015020015H02731I	1	AN2B1210SET	
PC1462B	47,94	SP120400080HI	1 E0480015020015H02731I	1	AN2B1210SET	
PC1462C	47,95	SP120400080HI	1 E0480015020015H02731I	1	AN2B1210SET	
PC1462D	47,96	SP120400080HI	1 E0480015020015H02731I	1	AN2B1210SET	


Compressione 22
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 41
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Chainsaw Mod. 61 (after 1992)						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1606	48	12 X 33 X 8	1 G15H F 1,50			12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC1606A	47,93	SP120330080HI	1 E0480015020015H02731I	1	AN2B1210SET	
PC1606B	47,94	SP120330080HI	1 E0480015020015H02731I	1	AN2B1210SET	
PC1606C	47,95	SP120330080HI	1 E0480015020015H02731I	1	AN2B1210SET	
PC1606D	47,96	SP120330080HI	1 E0480015020015H02731I	1	AN2B1210SET	

Compressione 22
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 39
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Chainsaw Mod. 262					503 53 11 71	
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1650	48	12 X 33 X 8	1 G15H F 1,50			12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC1650A	47,94	SP120330080HI	1 E0480015020015H02731I	1	AN2B1210SET	
PC1650B	47,95	SP120330080HI	1 E0480015020015H02731I	1	AN2B1210SET	
PC1650C	47,96	SP120330080HI	1 E0480015020015H02731I	1	AN2B1210SET	
PC1650D	47,97	SP120330080HI	1 E0480015020015H02731I	1	AN2B1210SET	

Compressione 21
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 41,5
Tot. Length mm

Gardening - Forestry

HUSQVARNA

2 TEMPI 2 STROKES



Compressione 22,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 42,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 365XP					503 69 13 03
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1681	48	12 X 33 X 8	1	G15H F 1,50	12 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty
PC1681A	47,95	SP120330080HI	1 E0480015020015H02731I		1 AN0B1210SET
PC1681AB	47,96	SP120330080HI	1 E0480015020015H02731I		1 AN0B1210SET
PC1681B	47,97	SP120330080HI	1 E0480015020015H02731I		1 AN0B1210SET
CC1681	48				



Compressione 24
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 40,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 266 - 266XP					501 65 94 03
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1314	50	12 X 33 X 8	1	G15H F 1,50	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty
PC1314A	49,95	SP120330080HI	1 E0500015020015H01563I		1 AN2B1210SET
PC1314B	49,96	SP120330080HI	1 E0500015020015H01563I		1 AN2B1210SET
PC1314C	49,97	SP120330080HI	1 E0500015020015H01563I		1 AN2B1210SET



Compressione 24
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 40,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 268 / 268S / 268K					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1646	50	12 X 33 X 8	1	G15H F 1,50	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty
PC1646A	49,95	SP120330080HI	1 E0500015020015H01563I		1 AN2B1210SET
PC1646B	49,96	SP120330080HI	1 E0500015020015H01563I		1 AN2B1210SET
PC1646C	49,97	SP120330080HI	1 E0500015020015H01563I		1 AN2B1210SET
PC1646D	49,98	SP120330080HI	1 E0500015020015H01563I		1 AN2B1210SET

Gardening - Forestry


HUSQVARNA

2 TEMPI 2 STROKES




Items PC1723A and PC1723B: fino ad esaurimento stock/ available until stock expires.

Compressione 24
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 40,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 268 "closed" version				
503448371				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1723	50	12 X 33 X 8	1 G15H F 1,50 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1723A	49,95	SP120330080HI	1 E0500015020015H01563I	1 AN2B1210SET
PC1723AB	49,96	SP120330080HI	1 E0500015020015H01563I	1 AN2B1210SET
PC1723B	49,97	SP120330080HI	1 E0500015020015H01563I	1 AN2B1210SET
CC1723	50			




Compressione 22,5
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 42,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw mod. 371 - 372 XP				
503 69 12 71				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1725	50	12 X 36 X 8	1 G15H F 1,50 	12 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1725A	49,95	SP120360080HI	1 E0500015020015H01563I	1 AN0B1210SET
PC1725AB	49,96	SP120360080HI	1 E0500015020015H01563I	1 AN0B1210SET
PC1725B	49,97	SP120360080HI	1 E0500015020015H01563I	1 AN0B1210SET
CC1725	50			



Compressione 29,7
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 49,7
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 365 X-TORQ / 372 X-TORQ				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2404	50	12 X 33 X 8	2 G15H F 1,20 	12 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2404AB	49,95	SP120330080HI	2 E0500012020015H02661I	1 AN0B1210SET


Gardening - Forestry

HUSQVARNA

2 TEMPI 2 STROKES




Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Concrete saw Mod. K750				2012
Concrete saw Mod. K760				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2471	51	12 X 33 X 8	2 G15H F 1,20 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2471AB	51	SP120330080HI	2 E0510012020515H02746I	1	AN0B1210SET

Compressione 29,7
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 49,8
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Model 570 - 575 - 575XP				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2577	51	12 X 33 X 8 BIC. DIS. SP15	2 G15H F 1,20 	12 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2577AB	51	SP120330080HB2I	2 E0510012020515H02746I	1	AN1B1210SET

**AVAILABLE FROM
SEPTEMBER 2017**

Compressione 29,7
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 49,7
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 281 / 282				544 22 40 02

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1647	52	13 X 37 X 8	1 G15H F 1,50 	13 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1647A	51,96	SP130370080HI	1 E0520015021515H02732I	1	AN1B1310SET
PC1647B	51,97	SP130370080HI	1 E0520015021515H02732I	1	AN1B1310SET
PC1647C	51,98	SP130370080HI	1 E0520015021515H02732I	1	AN1B1310SET




Compressione 22
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 43
Tot. Length mm

Gardening - Forestry

HUSQVARNA


2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 272 - 272XP - 272K				503 60 98-03
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2061	52	12 X 33 X 8	1 G15H F 1,50 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
CC2061	52			
PC2061000	52	SP120330080HI	1 E0520015021515H02732I	1 AN2B1210SET


Compressione 24
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 40,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 181 - 281XP - 288				503 50 60 02
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1735	54	13 X 37 X 8	1 G15H F 1,50 	13 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1735A	53,945	SP130370080HI	1 E0540015022515H02734I	1 AN1B1310SET
PC1735AB	53,955	SP130370080HI	1 E0540015022515H02734I	1 AN1B1310SET
PC1735B	53,965	SP130370080HI	1 E0540015022515H02734I	1 AN1B1310SET
CC1735	54			

Compressione 22
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 43
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 385				503 50 60 02
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1944	54	13 X 37 X 8	2 G15H F 1,50 	13 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1944A	53,95	SP130370080HI	2 E0540015022515H02734I	1 AN1B1310SET
PC1944B	53,96	SP130370080HI	2 E0540015022515H02734I	1 AN1B1310SET
PC1944C	53,97	SP130370080HI	2 E0540015022515H02734I	1 AN1B1310SET

Compressione 26,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 46,5
Tot. Length mm


Gardening - Forestry

HUSQVARNA

2 TEMPI 2 STROKES




Compressione 26,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 46,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 390					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2302	55	13 X 37 X 8	2 G15H IKA 1,20 		13 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2302AB	54,96	SP130370080HI	2 I0550012023015H02579I	1	AN1B1310SET




Compressione 27
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 49
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 394					503 46 02 02
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1716	56	13 X 39 X 8	2 G15H STD 1,50 		13 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1716A	55,94	SP130390080HI	2 F0560015023515H0I	1	AN1B1310SET
PC1716AB	55,95	SP130390080HI	2 F0560015023515H0I	1	AN1B1310SET
PC1716B	55,96	SP130390080HI	2 F0560015023515H0I	1	AN1B1310SET



Compressione 27
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 48
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 395XP					537 13 76-71
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1815	56	13 X 39 X 8	2 G15H F 1,20 		13 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1815A	55,94	SP130390080HI	2 E0560012023515H02735I	1	AN1B1310SET
PC1815AB	55,95	SP130390080HI	2 E0560012023515H02735I	1	AN1B1310SET
PC1815B	55,96	SP130390080HI	2 E0560012023515H02735I	1	AN1B1310SET
CC1815	56				


Gardening - Forestry

JONSERED

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. JV 2149 - 2150 - 2152				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2205	45	10 X 34 X 6	1 G15H F 1,50 	10 2B FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2205000	44,95	SP100340060HI	1 E0450015019015H02557I	1	AN2B1008SET
CC2205	45				

Compressione 19
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 37
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod.625-630				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1606	48	12 X 33 X 8	1 G15H F 1,50 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1606A	47,93	SP120330080HI	1 E0480015020015H02731I	1	AN2B1210SET
PC1606B	47,94	SP120330080HI	1 E0480015020015H02731I	1	AN2B1210SET
PC1606C	47,95	SP120330080HI	1 E0480015020015H02731I	1	AN2B1210SET
PC1606D	47,96	SP120330080HI	1 E0480015020015H02731I	1	AN2B1210SET

Compressione 22
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 39
Tot. Length mm


Gardening - Forestry

KAWASAKI

2 TEMPI 2 STROKES




Compressione 16
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 33
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter	0			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1556	34	9 X 28.5 X 5	2 G15H STD 1,50 	9 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1556A	33,95	SP090285050HI	2 F0340015014015H0I	1 AN2B0908SET
PC1556B	33,96	SP090285050HI	2 F0340015014015H0I	1 AN2B0908SET
PC1556C	33,97	SP090285050HI	2 F0340015014015H0I	1 AN2B0908SET




Compressione 16,5
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 37,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter Mod. TD40				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1658	40	11 X 35 X 7	2 G15H STD 1,50 	11 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1658000	40	SP110350070HI	2 F0400015016515H0I	1 AN1B1110SET



Compressione 16,5
Compression mm
Mis. Testa B-1 + P
Head size mm
Lungh. tot. 35
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter Mod. TH48				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1555	44	11 X 35 X 7	2 G15H STD 1,50 	11 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1555A	43,96	SP110350070HI	2 F0440015018515H0I	1 AN1B1110SET
PC1555B	43,97	SP110350070HI	2 F0440015018515H0I	1 AN1B1110SET
PC1555C	43,98	SP110350070HI	2 F0440015018515H0I	1 AN1B1110SET

Gardening - Forestry

MARUYAMA

2 TEMPI 2 STROKES



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Mod. 420					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1825	40	11 X 35 X 7	2	G15H STD 1,50	11 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1825000	39,96	SP110350070HI	2 F0400015016515H0I		1 AN1B1110SET

Compressione 16,5
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 38
Tot. Length mm

McCULLOCH

2 TEMPI 2 STROKES



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw PROMAC 36-38 MAC 538		38			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1612	40	9 X 28.5 X 5	2	G15H STD 1,50	9 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1612000	40	SP090285050HI	2 F0400015016515H0I		1 AN2B0908SET

Compressione 17,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 33
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw PROMAC 46 - TITAN 46		46			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1763	43	12 X 30.5 X 8 DIS. SP01	1	G15H STD 1,50	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1763000	40	SP120305080HI	1 F0430015018015H0I		1 AN2B1210SET

Compressione 18,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 35,5
Tot. Length mm

Gardening - Forestry

MITSUBISHI

2 TEMPI 2 STROKES



Compressione 17
 Compression mm
 Mis. Testa B-3,5
 Head size mm
 Lungh. tot. 39,5
 Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter Mod. TL43					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1583	40	10 X 31.5 X 6	2	G15H STD 1,50	10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1583A	39,94	SP100315060HI	2 F0400015016515H0I		1 AN2B1008SET
PC1583B	39,95	SP100315060HI	2 F0400015016515H0I		1 AN2B1008SET
PC1583C	39,96	SP100315060HI	2 F0400015016515H0I		1 AN2B1008SET
PC1583D	39,97	SP100315060HI	2 F0400015016515H0I		1 AN2B1008SET



Compressione 17
 Compression mm
 Mis. Testa B-4
 Head size mm
 Lungh. tot. 40
 Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter Mod. 8004 - TL52					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1535	44	10 X 36 X 6	2	G15H STD 2,00	10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1535A	43,95	SP100360060HI	2 F0440020018515H0I		1 AN2B1008SET
PC1535B	43,96	SP100360060HI	2 F0400020016515H0I		1 AN2B1008SET
PC1535C	43,97	SP100360060HI	2 F0440020018515H0I		1 AN2B1008SET
PC1535D	43,98	SP100360060HI	2 F0440020018515H0I		1 AN2B1008SET


Gardening - Forestry

OLEOMAC

2 TEMPI 2 STROKES




Compressione 16
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 32
 Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Brushcutter Mod. 740T						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1554	40	9 X 31 X 5	2	G15H STD 1,50	9 2B FILO 0.8	
						
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC1554A	39,94	SP090310050HI	2 F0400015016515H0I	1	AN2B0908SET	
PC1554B	39,95	SP090310050HI	2 F0400015016515H0I	1	AN2B0908SET	
PC1554C	39,96	SP090310050HI	2 F0400015016515H0I	1	AN2B0908SET	




Compressione 17
 Compression mm
 Mis. Testa B-2
 Head size mm
 Lungh. tot. 41
 Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Mod. S50 / SC33						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1657	40	10 X 33 X 6	2	G15H STD 1,50	10 2B FILO 0.8	
						
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC1657A	39,97	SP100330060HI	2 F0400015016515H0I	1	AN2B1008SET	
PC1657B	39,98	SP100330060HI	2 F0400015016515H0I	1	AN2B1008SET	
PC1657C	39,99	SP100330060HI	2 F0400015016515H0I	1	AN2B1008SET	
PC1657D	40	SP100330060HI	2 F0400015016515H0I	1	AN2B1008SET	



Compressione 17
 Compression mm
 Mis. Testa B-1,5
 Head size mm
 Lungh. tot. 38
 Tot. Length mm


Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Mod. 753						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1877	45	12 X 33 X 8	2	G15H STD 1,50	12 2B FILO 1.0	
						
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino	
PC1877A	44,95	SP120330080HI	2 F0450015019015H0I	1	AN2B1210SET	
PC1877B	44,96	SP120330080HI	2 F0450015019015H0I	1	AN2B1210SET	
PC1877C	44,97	SP120330080HI	2 F0450015019015H0I	1	AN2B1210SET	

Gardening - Forestry

OLEOMAC


2 TEMPI 2 STROKES



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Mod. 350 AFS						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1460	46	12 X 30 X 8 DIS. SP116	2	G15H	STD 1,50	12 2B FILO 1.0
						
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC1460A	45,96	SP120300080HI	2 F0460015019015H0I		1	AN2B1210SET
PC1460B	45,97	SP120300080HI	2 F0460015019015H0I		1	AN2B1210SET
PC1460C	45,98	SP120300080HI	2 F0460015019015H0I		1	AN2B1210SET
PC1460D	45,99	SP120300080HI	2 F0460015019015H0I		1	AN2B1210SET


Compressione 19,2
Compression mm
Mis. Testa B-1,8
Head size mm
Lungh. tot. 36,5
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Mod. 951						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1565	46	10 X 31.5 X 6	2	G15H	STD 1,50	10 2B FILO 1.0
						
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC1565A	45,96	SP100315060HI	2 F0460015019015H0I		1	AN2B1010SET
PC1565B	45,97	SP100315060HI	2 F0460015019015H0I		1	AN2B1010SET
PC1565C	45,98	SP100315060HI	2 F0460015019015H0I		1	AN2B1010SET
PC1565D	45,99	SP100315060HI	2 F0460015019015H0I		1	AN2B1010SET

Compressione 18,2
Compression mm
Mis. Testa B-2,1
Head size mm
Lungh. tot. 36,3
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Mod. 962						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1727	48	12 X 31.5 X 8	2	G15H	STD 1,50	12 SB FILO 1.0
						
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC1727A	47,93	SP120315080HI	2 F0480015020015H0I		1	AN0B1210SET
PC1727B	47,94	SP120315080HI	2 F0480015020015H0I		1	AN0B1210SET
PC1727C	47,95	SP120315080HI	2 F0480015020015H0I		1	AN0B1210SET
PC1727D	47,96	SP120315080HI	2 F0480015020015H0I		1	AN0B1210SET


Compressione 21,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 38
Tot. Length mm

Gardening - Forestry

PARTNER

2 TEMPI 2 STROKES




Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Concrete saw Mod. K750 3453				2012
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2471	51	12 X 33 X 8	2 G15H F 1,20 	12 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2471AB	51	SP120330080HI	2 E0510012020515H02746I	1 AN0B1210SET

Compressione 29,7
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 49,8
Tot. Length mm

SHINDAIWA


2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter C35				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1579	36	10 X 29 X 6	2 G15H STD 1,50 	10 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1579000	36	SP100290060HI	2 F0360015015015H0I	1 AN2B1008SET

Compressione 16,5
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 37,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter B45				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1580	40	11 X 35 X 7	2 G15H STD 1,50 	11 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1580000	40	SP110350070HI	2 F0400015016515H0I	1 AN0B1110SET

Compressione 16,5
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 38
Tot. Length mm

Gardening - Forestry

STIHL

2 TEMPI 2 STROKES



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Brushcutter Mod. FS 120						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1947	35	10 X 29 X 6	2	G15H STD 1,50	10 SB FILO 0.8	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC1947000	35	SP100290060HI	2 F0350015014515H0I		1	ANOB1008SET

Compressione 20
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 33
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Chainsaw Mod. MS 192T						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2547	37	10 X 25 X 6	2	G15H STD 1,20	10 SB FILO 0.8	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC2547000	37	SP100250060HI	2 F0370012015515H0I		1	ANOB1008SET

Compressione 16,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 30
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Brushcutter Mod. FS 220						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1592	38	10 X 29 X 6	2	G15H STD 1,50	10 SB FILO 0.8	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC1592A	37,94	SP100290060HI	2 F0380015016015H0I		1	ANOB1008SET
PC1592B	37,95	SP100290060HI	2 F0380015016015H0I		1	ANOB1008SET


Compressione 20
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 33
Tot. Length mm

Gardening - Forestry

STIHL


2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 018 - MS180				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1810	38	10 X 25 X 6	2 G15H STD 1,20 	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1810000	38	SP100250060HI	2 F0380012016015H0I	1 AN0B1008SET


Compressione 16,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 30
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 018				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1813	38	8 X 25 X 4	2 G15H STD 1,20 	8 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1813000	38	SP080250040HI	2 F0380012016015H0I	1 AN2B0808SET

Compressione 16,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 30
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter Mod. FS 200 - FS 350				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1946	38	10 X 29 X 6	2 G15H STD 1,50 	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1946000	38	SP100290060HI	2 F0380015016015H0I	1 AN0B1008SET

Compressione 20
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 33
Tot. Length mm

Gardening - Forestry

STIHL

2 TEMPI 2 STROKES

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS181		0			1139 030 2002
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2564	38	10 X 22 X 6	2	G15H STD 1,20	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC2564000	38	SP100220060H2I	2 F0380012016015H0I		1 AN0B1008SET

Compressione 24
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 39,5
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter Mod. FS 250 - FS 280					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1593	40	10 X 29 X 6	2	G15H STD 1,50	10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1593A	39,96	SP100290060HI	2 F0400015016515H0I		1 AN2B1010SET
PC1593B	39,97	SP100290060HI	2 F0400015016515H0I		1 AN2B1010SET

Compressione 20
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 33
Tot. Length mm



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter Mod.FS 400					
Chainsaw Mod. 021 - MS210 - 023 - MS230					1123 030 2001, 1123 02003
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1734	40	10 X 29 X 6	2	G15H STD 1,20	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1734A	39,96	SP100290060HI	2 F0400012016515H0I		1 AN0B1008SET
PC1734B	39,97	SP100290060HI	2 F0400012016515H0I		1 AN0B1008SET
CC1734	40				

Compressione 18
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 33
Tot. Length mm


Gardening - Forestry

STIHL

2 TEMPI 2 STROKES




Compressione 16,5
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 30
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw 020 - MS200T				1129 030 2002
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2055	40	9 X 23 X 5	2 G15H STD 1,50 	9 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
CC2055	40			
PC2055000	40	SP090230050HI	2 F0400015016515H0I	1 AN0B0908SET




Compressione 23
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 38
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS 201	0			1145 030 2001
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2345	40	9 X 23 X 5	2 G15H STD 1,20 	9 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2345000	40	SP090230050HI	2 F0400012016515H0I	1 AN0B0908SET



**AVAILABLE FROM HALF
JULY 2017**

Compressione 24
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 39,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw MS211				1139 030 2001
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2557	40	10 X 25 X 6	2 G15H STD 1,20 	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2557000	40	SP100250060HI	2 F0400012016515H0I	1 AN0B1008SET


Gardening - Forestry

STIHL

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 231				1143 030 2005

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2628	41,5	10 X 28 X 6 BIC	2 G15H IKA 1,20 	10 SB FILO 0.8


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2628000	41,5	SP100280060HB2I	2 I0415012017015H02874I	1	ANOB1008SET

**AVAILABLE FROM
SEPTEMBER 2017 - FITS
OEM 1143 030 2005 Ø
41,5 mm!**

Compressione 26
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 40,1
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter Mod. FS 450				


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1950	42	10 X 29 X 6	2 G15H STD 1,20 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
CC1950	42				
PC1950000	42	SP100290060HI	2 F0420012017515H0I	1	ANOB1008SET

Compressione 18
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 34
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 024 - MS240				1121 030 2005

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2430	42	10 X 29 X 6	2 G15H STD 1,50 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2430AB	42	SP100290060HI	2 F0420015017515H0I	1	ANOB1008SET

Compressione 20,1
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 35,6
Tot. Length mm


Gardening - Forestry

STIHL

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 025 - MS250				1123 030 2011; 1123 02016

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1793	42,5	10 X 29 X 6	2 G15H STD 1,20 	10 SB FILO 0.8

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
CC1793	42,5				
PC1793000	42,5	SP100290060HI	2 F0425012017515H0I	1	AN0B1008SET

Compressione 18
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 34
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS231				1143 030 2013

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2565	42,5	10 X 28 X 6 BIC	2 G15H F 1,20 	10 SB FILO 0.8


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2565000	42,5	SP100280060HB2I	2 E0425012017515H02575I	1	AN0B1008SET

**AVAILABLE FROM HALF
JULY 2017 - FITS OEM
1143 030 2013 Ø 42,5
mm!**

Compressione 26
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 40,1
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 028				1118 030 2001

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1143	44	10 X 31.5 X 6	2 G15H STD 1,50 	10 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1143A	43,96	SP100315060HI	2 F0440015018515H0I	1	AN2B1010SET
PC1143B	43,97	SP100315060HI	2 F0440015018515H0I	1	AN2B1010SET
PC1143C	43,98	SP100315060HI	2 F0440015018515H0I	1	AN2B1010SET

Compressione 20
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 38,5
Tot. Length mm


Gardening - Forestry

STIHL

2 TEMPI 2 STROKES




Compressione 20,2
Compression mm
Mis. Testa B-1,3
Head size mm
Lungh. tot. 34
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 026 - MS260				
1121 030 2001				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1668	44	10 X 29 X 6	2 G15H STD 1,20 	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1668A	43,95	SP100290060HI	2 F0440012018515H0I	1 ANOB1008SET
PC1668AB	43,96	SP100290060HI	2 F0440012018515H0I	1 ANOB1008SET
PC1668B	43,97	SP100290060HI	2 F0440012018515H0I	1 ANOB1008SET
CC1668	44			




Compressione 18
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 34
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter mod. FS480/FR480				
Chainsaw MS270				
1133 030 2000				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2331	44	10 X 29 X 6	2 G15H STD 1,20 	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
CC2331	44			
PC2331000	44	SP100290060HI	2 F0440012018515H0I	1 ANOB1008SET



**AVAILABLE FROM HALF
JULY 2017**

Compressione 26
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 40,1
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS251				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2566	44	10 X 28 X 6 BIC	2 G15 L 1,20 	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2566000	44	SP100280060HB2I	2 L0440012018515002069I	1 ANOB1008SET


Gardening - Forestry

STIHL

2 TEMPI 2 STROKES




Compressione 20,2
Compression mm
Mis. Testa B-1,3
Head size mm
Lungh. tot. 34
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS260				
1121 030 2003				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	
1895	44,7	10 X 29 X 6	2 G15H STD 1,20	 Anellino/Circlip 10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1895A	44,65	SP100290060HI	2 F0447012018515H0I	1 ANOB1008SET
PC1895AB	44,66	SP100290060HI	2 F0447012018515H0I	1 ANOB1008SET
PC1895B	44,67	SP100290060HI	2 F0447012018515H0I	1 ANOB1008SET




Compressione 27
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 41,3
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS 261 - MS 271				
1141 030 2012				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	
2515	44,7	10 X 32 X 6 BIC. DIS. SP15	2 G15H F 1,20	 Anellino/Circlip 10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2515AB	44,7	SP100320060HB2I	2 E0447012017015H02767I	1 ANOB1008SET



Compressione 21
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 36
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. SR 400				
1141 030 2012				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	
1474	46	10 X 31.5 X 6	2 G15H STD 1,50	 Anellino/Circlip 10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1474A	45,96	SP100315060HI	2 F0460015019015H0I	1 ANOB1008SET
PC1474B	45,97	SP100315060HI	2 F0460015019015H0I	1 ANOB1008SET
PC1474C	45,98	SP100315060HI	2 F0460015019015H0I	1 ANOB1008SET
PC1474D	45,99	SP100315060HI	2 F0460015019015H0I	1 ANOB1008SET

Gardening - Forestry

STIHL

2 TEMPI 2 STROKES



Compressione 20
 Compression mm
 Mis. Testa B-3
 Head size mm
 Lungh. tot. 38
 Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 028 Super					1118 030 2003
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1542	46	10 X 31.5 X 6	2	G15H STD 1,50	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty
PC1542A	45,96	SP100315060HI	2 F0460015019015H0I		1 ANOB1008SET
PC1542B	45,97	SP100315060HI	2 F0460015019015H0I		1 ANOB1008SET
PC1542C	45,98	SP100315060HI	2 F0460015019015H0I		1 ANOB1008SET
PC1542D	45,99	SP100315060HI	2 F0460015019015H0I		1 ANOB1008SET



Compressione 20,5
 Compression mm
 Mis. Testa p
 Head size mm
 Lungh. tot. 37
 Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw mod. 029 Super - MS290					1127 030 2003
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2032	46	10 X 31.5 X 6	2	G15H STD 1,50	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty
PC2032000	45,95	SP100315060HI	2 F0460015019015H0I		1 ANOB1008SET



Compressione 21
 Compression mm
 Mis. Testa p
 Head size mm
 Lungh. tot. 37
 Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter Mod. FS 420 - FS 550					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2346	46	10 X 31.5 X 6	2	G15H STD 1,20	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty
CC2346	46				
PC2346AB	46	SP100315060HI	2 F0460012019015H02614I		1 ANOB1008SET


Gardening - Forestry

STIHL

2 TEMPI 2 STROKES




Compressione 18,2
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 34,2
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS280					1133 030 2001
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2427	46	10 X 31.5 X 6	2	G15H STD 1,20 	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC2427AB	46	SP100315060HI	2 F0460012019015H02614I		1 AN0B1008SET




Compressione 21,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 38
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 034 - MS340					1125 030 2002
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2581	46	10 X 31.5 X 6	2	G15H STD 1,20 	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC2581AB	46	SP100315060HI	2 F0460012019015H02614I		1 AN0B1008SET



Compressione 27
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 45
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 08 -08S; Mistblower TS08, TS350, TS360					1108 030 2020
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
0915	47	12 X 31.5 X 8	2	G15H STD 1,50 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC0915A	46,925	SP120315080HI	2 F0470015019515H0I		1 AN2B1210SET
PC0915B	46,935	SP120315080HI	2 F0470015019515H0I		1 AN2B1210SET
PC0915C	46,945	SP120315080HI	2 F0470015019515H0I		1 AN2B1210SET


Gardening - Forestry

STIHL

2 TEMPI 2 STROKES




Compressione 23,5
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 41
 Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS341 - MS361				
1135 030 2000				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	
1884	47	11 X 33 X 7 BIC	2 G15H STD 1,20	 11 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1884A	46,95	SP110330070KBI	2 F0470012019515H0I	1 ANOB1110SET
PC1884B	46,96	SP110330070KBI	2 F0470012019515H0I	1 ANOB1110SET
PC1884C	46,97	SP110330070KBI	2 F0470012019515H0I	1 ANOB1110SET




Compressione 28
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 44,3
 Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS311 - MS362				
1140 030 2002				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	
2514	47	12 X 33 X 8 BIC. DIS. SP15	2 G15H F 1,20	 12 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2514AB	46,95	SP120330080HB2I	2 E0470012017515H02774I	1 ANOB1210SET



Compressione 21,5
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 38
 Tot. Length mm


Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 034 Super - 036 - MS360				
1125 030 2001				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	
1458	48	10 X 31.5 X 6	2 G15H STD 1,20	 10 SB FILO 1
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1458A	47,95	SP100315060HI	2 F0480012020015H0I	1 ANOB1010SET
PC1458AB	47,96	SP100315060HI	2 F0480012020015H0I	1 ANOB1010SET
PC1458B	47,97	SP100315060HI	2 F0480012020015H0I	1 ANOB1010SET
CC1458	48			

Gardening - Forestry

STIHL


2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 039 - MS390				1127 030 2005
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2377	49	10 X 36 X 6	2 G15H STD 1,50 	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2377000	49	SP100360060HI	2 F0490015020515H0I	1 AN0B1008SET


Compressione 20,5
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 37
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 044 - MS440 - pin 12mm (new version)				1128 030 2015
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2084	50	12 X 35 X 8 BIC	2 G15H F 1,20 	12 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2084000	49,96	SP120350080KBI	2 E0500012020015H02661I	1 AN0B1210SET
CC2084	50			

Compressione 21,5
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 39,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 044 - pin 10mm				1128 030 2015
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2147	50	10 X 34 X 6	2 G15H F 1,20 	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2147000	49,96	SP100340060HI	2 E0500012020015H02661I	1 AN0B1008SET
CC2147	50			


Compressione 21,5
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 39,5
Tot. Length mm

Gardening - Forestry

STIHL


2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Concrete saw Mod. TS410 - TS420				4238 030 2003
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2432	50	10 X 31.5 X 6	2 G15H F 1,20 	10 SB FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2432AB	49,96	SP100315060HI	2 E0500012020015H02661I	1 AN0B1008SET


Compressione 20,1
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 46,1
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS441				1138 030 2003
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2513	50	12 X 35 X 8 BIC	2 G15H F 1,20 	12 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2513AB	49,96	SP120350080KBI	2 E0500012020015H02661I	2 AN0B1210SET

Compressione 29,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 47
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 050 - 051 - TS 510				1111 030 2000
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1063	52	13 X 39 X 8	2 G15H STD 1,50 	13 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1063A	51,95	SP130390080HI	2 F0520015021515H0I	1 AN1B1310SET
PC1063B	51,96	SP130390080HI	2 F0520015021515H0I	1 AN1B1310SET
PC1063C	51,97	SP130390080HI	2 F0520015021515H0I	1 AN1B1310SET

Compressione 30,5
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 56,5
Tot. Length mm


Gardening - Forestry

STIHL

2 TEMPI 2 STROKES



Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 038M - MS380 - MS381				1119 030 2002, 1119 02003


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1405	52	12 X 33 X 8	2 G15H STD 1,50 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1405A	51,93	SP120330080HI	2 F0520015021515H0I	1	ANOB1210SET
PC1405B	51,94	SP120330080HI	2 F0520015021515H0I	1	ANOB1210SET
PC1405C	51,95	SP120330080HI	2 F0520015021515H0I	1	ANOB1210SET
PC1405D	51,96	SP120330080HI	2 F0520015021515H0I	1	ANOB1210SET

Compressione 22,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 39,5
Tot. Length mm



Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 064 - MS640				1122 030 2001


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1832	52	12 X 33 X 8	2 G15H STD 1,20 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1832AB	51,95	SP120330080HI	2 F0520012021515H0I	1	ANOB1210SET

Compressione 23
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 43
Tot. Length mm



Modello/Model	cc	Da/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 046 - MS460				1128 030 2009

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1833	52	12 X 33 X 8	2 G15H F 1,20 	12 SB FILO 1.0


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1833000	51,96	SP120330080HI	2 E0520012021515H02321I	1	ANOB1210SET
CC1833	52				

Compressione 22,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 39,5
Tot. Length mm

Gardening - Forestry


STIHL

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS 461				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	
2516	52	12 X 35 X 8 BIC	2 G15H F 1,20 	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2516AB	51,94	SP120350080KBI	2 E0520012021515H02321I	1 AN0B1210SET




Compressione 28,5
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 43,7
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 066 - MS660				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	
1756	54	12 X 33 X 8	2 G15H STD 1,20 	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1756A	53,95	SP120330080HI	2 F0540012022515H0I	1 AN2B1210SET
PC1756B	53,96	SP120330080HI	2 F0540012022515H0I	1 AN2B1210SET
PC1756C	53,97	SP120330080HI	2 F0540012022515H0I	1 AN2B1210SET
CC1756	54			



Compressione 23
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 43
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
MS661				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	
2589	56	12 X 35 X 8 BIC	2 G15H F 1,20 	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC2589000	56	SP120350080KBI	2 E0560012023515H02735I	1 AN0B1210SET

Compressione 28
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 43
Tot. Length mm

Gardening - Forestry

STIHL

2 TEMPI 2 STROKES



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 084 - 088 - MS880					1124 030 2007
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2467	60	13 X 39 X 8 BIC	2	G15H F 1,20	13 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2467000	60	SP130390080HB2I	2 E0600012024015H02736I	1	AN0B1310SET

Compressione 25,5
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 46,9
Tot. Length mm

WACKER NEUSON

2 TEMPI 2 STROKES



Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Rammer mod. WM 80					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1857	45	12 X 36 X 8	2	G15H F 1,50	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1857000	45	SP120360080HI	2 E0450015019015H02557I	1	AN2B1210SET

Compressione 31
Compression mm
Mis. Testa B-1,2+P
Head size mm
Lungh. tot. 56,4
Tot. Length mm

Gardening - Forestry Cylinders

AGRIA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
N.S.U. Agricolo 6000 cil. crom. - Motocoltivatore mod. 506				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
---------	-----------	-------------------------------------	---	------------------

CC090 58

- Compressione
- Compression mm
- Mis. Testa
- Head size mm
- Lungh. tot.
- Tot. Length mm

Gardening - Forestry Cylinders

HUSQVARNA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 340				503 870 076

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC173 40

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw mod. 350 (old version)				

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC225 44

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 346XP (Big Bore)				503 86 9971\537 25 30
Chainsaw Mod. 351				503 86 9971\537 25 30
Chainsaw Mod. 353				503 86 9971\537 25 30

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC220 45

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Gardening - Forestry Cylinders

HUSQVARNA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 254				503 50 39 02

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC229 45

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 55				503 16 91 71

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC166 46

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 357XP				

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC182 46

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 359				537 15 73 02

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC194 47

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Gardening - Forestry Cylinders

HUSQVARNA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 61				503 53 20 71

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC141 48

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 365				503 69 10 73

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC168 48

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 268				503 61 10 71

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC172 50

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 372				503 62 64 73

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC172 50

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Gardening - Forestry Cylinders

HUSQVARNA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 365 X-TORQ / 372 X-TORQ				575 25 57 02

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC240 50

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Concrete saw Mod. K750 - K760				506 38 61 71, 520 75 702

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC247 51

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw mod. 570 - 575 - 575XP	0			

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

NEW CC257 51

Compressione 0
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 0
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 272 - 272XP - 272K				503 75 81 72

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC206 52

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Gardening - Forestry Cylinders

HUSQVARNA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 181 - 281XP - 288				503 90 7471

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC173	54			

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 385 - 390				544 00 65 02

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC230	55			

**COMPLETE CIL. KIT FITS
ALSO 385!**

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 395				503 99 39-71, 503 99 303

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC181	56			

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Gardening - Forestry Cylinders

JONSERED

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. JV 2149 - 2150 - 2152				503 86 9971\537 25 30

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC220	45			

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Gardening - Forestry Cylinders

STIHL

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS192T				1137 020 1201

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC254 37

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS180				1130 020 1204

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC181 38

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 021 - MS210 - 023 - MS230				1123 020 1214

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC173 40

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Mod. MS200T				1129 020 1202

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC205 40

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Gardening - Forestry Cylinders

STIHL

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS201				1145 020 1200

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC234 40				

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter Mod. FS 450				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC195 42				

**FINO AD ESAURIMENTO
SCORTE/UNTIL STOCK
CLEARANCE**

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 024 3335				1121 020 1200

Chainsaw Mod. 024 -MS240				1121 020 1200
---------------------------------	--	--	--	---------------

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC243 42				

**FINO AD ESAURIMENTO
SCORTE/UNTIL STOCK
CLEARANCE**

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Gardening - Forestry Cylinders

STIHL

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 025 - MS250				1123 020 1220

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC179	42,5			

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
chainsaw mod. MS231	0			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
NEW CC256	42,5			

Compressione 0
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 0
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 026 - MS260				1121 020 1203, 1121 0 1208

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC166	44			

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Gardening - Forestry Cylinders

STIHL

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter Mod. FS480/FR480	0			

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC233 44

**FINO AD ESAURIMENTO
SCORTE/UNTIL STOCK
CLEARANCE**

Compressione
Compression mm

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
chainsaw mod. MS251	0			

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

NEW CC256 44

Compressione 0
Compression mm

Mis. Testa
Head size mm

Lungh. tot. 0
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS260				1121 020 1217, 1121 01215

MP Ref: Nom. Ø mm Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat.

CC189 44,7

Compressione
Compression mm

Mis. Testa
Head size mm

Lungh. tot.
Tot. Length mm

Gardening - Forestry Cylinders

STIHL

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS261	0			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC251	44,7			

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 029 - MS290				1127 020 1210, 1127 01217

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC203	46			

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Brushcutter mod. FS 420 - FS 550				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC234	46			

**FINO AD ESAURIMENTO
SCORTE/UNTIL STOCK
CLEARANCE**

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Gardening - Forestry Cylinders

STIHL

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS280				1133 020 1202/3

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC242	46			

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS361				1135 020 1202, 1135 01203

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC188	47			

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS362				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC251	47			

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Gardening - Forestry Cylinders

STIHL

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 036 - 360				1125 020 1215, 1125 01213

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC145	48			

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 039 - MS390				1127 020 1213, 1127 01216

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC237	49			

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 044 - MS440				1119 020 1215

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC208	50			

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Gardening - Forestry Cylinders

STIHL

2 TEMPI 2 STROKES

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 044 - pin 10mm				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
---------	-----------	-------------------------------------	---	------------------

NEW CC214 50

Compressione 0
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 0
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Concrete saw Mod. TS410 - TS420				4238 020 1202

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
---------	-----------	-------------------------------------	---	------------------

CC243 50



Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS441				1138 020 1201

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
---------	-----------	-------------------------------------	---	------------------

CC251 50



Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 064				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
---------	-----------	-------------------------------------	---	------------------

CC183 52



Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm

Gardening - Forestry Cylinders

STIHL

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 046 - MS460				1128 020 1217, 1128 01221

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC183	52			

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. MS 461				1128 020 1250

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC251	52			

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Chainsaw Mod. 066 - MS650 - MS660				1122 020 1211, 1122 01209

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
CC175	54			

Compressione
Compression mm
Mis. Testa
Head size mm
Lungh. tot.
Tot. Length mm


Agriculture

AGRIA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
N.S.U. Agricolo 2000 cil. crom.				


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0904	50	15 X 42 X 10	2 G15H STD 1,50 	15 2B FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0904A	49,94	SP150420100HI	2 F0500015021015H0I	1	AN2B1512SET
PC0904B	49,95	SP150420100HI	2 F0500015021015H0I	1	AN2B1512SET
PC0904C	49,96	SP150420100HI	2 F0500015021015H0I	1	AN2B1512SET
PC0904D	49,97	SP150420100HI	2 F0500015021015H0I	1	AN2B1512SET

Compressione 27
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 61
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
N.S.U. Agricolo 6000 cil. crom. - Motocoltivatore mod. 506				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0905	58	15 X 48.5 X 10	2 G15H STD 2,00 	15 2B FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0905A	57,95	SP150485100Y4I	2 F0580020024015H0I	1	AN2B1512SET
PC0905B	57,96	SP150485100Y4I	2 F0580020024015H0I	1	AN2B1512SET
PC0905C	57,97	SP150485100Y4I	2 F0580020024015H0I	1	AN2B1512SET
PC0905D	57,98	SP150485100Y4I	2 F0580020024015H0I	1	AN2B1512SET
PC0905E	57,99	SP150485100Y4I	2 F0580020024015H0I	1	AN2B1512SET
PC0905F	58	SP150485100Y4I	2 F0580020024015H0I	1	AN2B1512SET

Compressione 27
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 62
Tot. Length mm

Agriculture

AGRIMONDO

2 TEMPI 2 STROKES




Compressione 19,5
 Compression mm
 Mis. Testa B-2,5
 Head size mm
 Lungh. tot. 40,5
 Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Turbine K45					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1018	38	9 X 31 X 5			9 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1018A	37,96	SP090310050HI		1	AN2B0908SET
PC1018B	37,97	SP090310050HI		1	AN2B0908SET
PC1018C	37,98	SP090310050HI		1	AN2B0908SET
PC1018D	37,99	SP090310050HI		1	AN2B0908SET



Compressione 22,3
 Compression mm
 Mis. Testa B-4
 Head size mm
 Lungh. tot. 52,3
 Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Turbine K90					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
0991	44	12 X 37 X 8	2 G15H STD 1,50		SEEGER D.12 DIN 472
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0991A	43,96	SP120370080HI	2 F0440015018515H0I	2	SG12
PC0991B	43,97	SP120370080HI	2 F0440015018515H0I	2	SG12
PC0991C	43,98	SP120370080HI	2 F0440015018515H0I	2	SG12
PC0991D	43,99	SP120370080HI	2 F0440015018515H0I	2	SG12


Agriculture

BETA

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
B 90				


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1080	48	14 X 40 X 9	2 G15H STD 2,50 	14 1B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1080000	48	SP140400090HI	2 F0480025020015H0I	1	AN1B1410SET
PC1080050	48,5	SP140400090HI	2 F0485025020015H0I	1	AN1B1410SET
PC1080100	49	SP140400090HI	2 F0490025020515H0I	1	AN1B1410SET
PC1080150	49,5	SP140400090HI	2 F0495025020515H0I	1	AN1B1410SET

Compressione 32
Compression mm
Mis. Testa B-3
Head size mm
Lungh. tot. 59
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
B155 - B160				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0919	58	16 X 50 X 11	3 G15H STD 2,50 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0919000	58	SP160500110HI	3 F0580025024015H0I	2	SG16
PC0919050	58,5	SP160500110HI	3 F0585025024015H0I	2	SG16
PC0919100	59	SP160500110HI	3 F0590025024515H0I	2	SG16
PC0919150	59,5	SP160500110HI	3 F0595025024515H0I	2	SG16
PC0919200	60	SP160500110HI	3 F0600025025015H0I	2	SG16

Compressione 40
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 70
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
B205 - B210				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0908	67	16 X 59 X 11	3 G15HP STD 2,50 	16 2B FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0908000	67	SP160590110HI	3 F0670025028015HP1	1	AN2B1612SET
PC0908050	67,5	SP160590110HI	3 F0675025028015HP1	1	AN2B1612SET
PC0908100	68	SP160590110HI	3 F0680025028515HP1	1	AN2B1612SET
PC0908150	68,5	SP160590110HI	3 F0685025028515HP1	1	AN2B1612SET
PC0908200	69	SP160590110HI	3 F0690025029015HP1	1	AN2B1612SET

Compressione 38,5
Compression mm
Mis. Testa B-5,5
Head size mm
Lungh. tot. 71
Tot. Length mm


Agriculture

CAMPEON

2 TEMPI 2 STROKES




Compressione 23
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 50
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
H60						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1566	44	12 X 37 X 8	2	G15H STD 1,50	 12 2B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino	
PC1566000	44	SP120370080HI	2 F0440015018515H0I		1 AN2B1210SET	
PC1566050	44,5	SP120370080HI	2 F0445015018515H0I		1 AN2B1210SET	
PC1566100	45	SP120370080HI	2 F0450015019015H0I		1 AN2B1210SET	




Compressione 33,3
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 59,3
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
H100						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1430	52	14 X 45 X 9	2	G15HP STD 1,50	 14 1B FILO 1.2	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino	
PC1430000	52	SP140450090HI	2 F0520015021515HPI		1 AN1B1412SET	
PC1430050	52,5	SP140450090HI	2 F0525015021515HPI		1 AN1B1412SET	
PC1430100	53	SP140450090HI	2 F0530015022015HPI		1 AN1B1412SET	
PC1430150	53,5	SP140450090HI	2 F0535015022015HPI		1 AN1B1412SET	



Compressione 35,5
Compression mm
Mis. Testa B-6
Head size mm
Lungh. tot. 70
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
H165-Hirth/Argos 165						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1431	62	16 X 48 X 11	2	G15H STD 2,00	 SEEGER D.16 DIN 472	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino	
PC1431000	62	SP160480110HI	2 F0620020026015H0I		2 SG16	
PC1431050	62,5	SP160480110HI	2 F0625020026015H0I		2 SG16	
PC1431100	63	SP160480110HI	2 F0630020026515H0I		2 SG16	
PC1431150	63,5	SP160480110HI	2 F0635020026515H0I		2 SG16	

Agriculture

CIFARELLI

2 TEMPI 2 STROKES



Compressione 25
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 42,5
 Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Atomizzatore Mod. C7				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1803	52	12 X 42 X 8	2	G15H STD	1,50	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1803A	51,94	SP120420080HI	2 F0520015021515H0I	1	AN0B1210SET
PC1803B	51,95	SP120420080HI	2 F0520015021515H0I	1	AN0B1210SET
PC1803C	51,96	SP120420080HI	2 F0520015021515H0I	1	AN0B1210SET
PC1803D	51,97	SP120420080HI	2 F0520015021515H0I	1	AN0B1210SET


Agriculture

CM MOTORI

2 TEMPI 2 STROKES




Compressione 18,5
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 42,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
CM46/N				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1325	40	10 X 33 X 6	2 G15H STD 1,50 	10 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1325000	40	SP100330060HI	2 F0400015016515H0I	1 AN2B1010SET
PC1325040	40,4	SP100330060HI	2 F0404015016515H0I	1 AN2B1010SET
PC1325080	40,8	SP100330060HI	2 F0408015016515H0I	1 AN2B1010SET
PC1325100	41	SP100330060HI	2 F0410015017015H0I	1 AN2B1010SET
PC1325120	41,2	SP100330060HI	2 F0412015017015H0I	1 AN2B1010SET
PC1325140	41,4	SP100330060HI	2 F0414015017015H0I	1 AN2B1010SET
PC1325160	41,6	SP100330060HI	2 F0416015017015H0I	1 AN2B1010SET
PC1325180	41,8	SP100330060HI	2 F0418015017015H0I	1 AN2B1010SET
PC1325200	42	SP100330060HI	2 F0420015017515H0I	1 AN2B1010SET



Compressione 27,5
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 52,5
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
CM80				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1326	48	12 X 38 X 8	2 G15H STD 2,00 	12 2B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1326000	48	SP120380080HI	2 F0480020020015H0I	1 AN2B1210SET
PC1326040	48,4	SP120380080HI	2 F0484020020015H0I	1 AN2B1210SET
PC1326050	48,5	SP120380080HI	2 F0485020020015H0I	1 AN2B1210SET
PC1326080	48,8	SP120380080HI	2 F0488020020015H0I	1 AN2B1210SET
PC1326100	49	SP120380080HI	2 F0490020020515H0I	1 AN2B1210SET
PC1326150	49,5	SP120380080HI	2 F0495020020515H0I	1 AN2B1210SET
PC1326200	50	SP120380080HI	2 F0500020021015H0I	1 AN2B1210SET


Agriculture

CM MOTORI

2 TEMPI 2 STROKES



Compressione 30,5
Compression mm
Mis. Testa B-5,5
Head size mm
Lungh. tot. 64
Tot. Length mm


Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
CM90				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1327	52	15 X 44 X 10	2 G15H STD 2,00 	15 2B FILO 1.2
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1327000	52	SP150440100HI	2 F0520020021515H0I	1 AN2B1512SET
PC1327050	52,5	SP150440100HI	2 F0525020021515H0I	1 AN2B1512SET
PC1327100	53	SP150440100HI	2 F0530020022015H0I	1 AN2B1512SET
PC1327150	53,5	SP150440100HI	2 F0535020022015H0I	1 AN2B1512SET
PC1327200	54	SP150440100HI	2 F0540020022515H0I	1 AN2B1512SET

DUCATI

2 TEMPI 2 STROKES



Compressione 17,5
Compression mm
Mis. Testa B-1,5
Head size mm
Lungh. tot. 42
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Salice	50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0893	40	9 X 33 X 5	2 G15H STD 1,50 	9 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC0893000	40	SP090330050HI	2 F0400015016515H0I	1 AN2B0908SET
PC0893020	40,2	SP090330050HI	2 F0402015016515H0I	1 AN2B0908SET
PC0893040	40,4	SP090330050HI	2 F0404015016515H0I	1 AN2B0908SET
PC0893080	40,8	SP090330050HI	2 F0408015016515H0I	1 AN2B0908SET


Agriculture

ILO

2 TEMPI 2 STROKES




Compressione 35
Compression mm
Mis. Testa B-5
Head size mm
Lungh. tot. 61
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
L 101	100				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
0486	50	12 X 42 X 8	2 G15H STD 2,50 	12 2B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0486000	50	SP120420080HI	2 F0500025021015H0I	1	AN2B1210SET
PC0486040	50,4	SP120420080HI	2 F0504025021015H0I	1	AN2B1210SET
PC0486050	50,5	SP120420080HI	2 F0505025021015H0I	1	AN2B1210SET
PC0486080	50,8	SP120420080HI	2 F0508025021015H0I	1	AN2B1210SET
PC0486100	51	SP120420080HI	2 F0510025021515H0I	1	AN2B1210SET
PC0486150	51,5	SP120420080HI	2 F0515025021515H0I	1	AN2B1210SET
PC0486180	51,8	SP120420080HI	2 F0518025021515H0I	1	AN2B1210SET
PC0486200	52	SP120420080HI	2 F0520025021515H0I	1	AN2B1210SET



Compressione 39
Compression mm
Mis. Testa B-5
Head size mm
Lungh. tot. 69
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM	
2T L 152	150				
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
0497	59	14 X 50 X 9	3 G15H STD 2,50 	14 1B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0497000	59	SP140500090HI	3 F0590025024515H0I	1	AN1B1410SET
PC0497040	59,4	SP140500090HI	3 F0594025024515H0I	1	AN1B1410SET
PC0497050	59,5	SP140500090HI	3 F0595025024515H0I	1	AN1B1410SET
PC0497060	59,6	SP140500090HI	3 F0596025024515H0I	1	AN1B1410SET
PC0497080	59,8	SP140500090HI	3 F0598025024515H0I	1	AN1B1410SET
PC0497100	60	SP140500090HI	3 F0600025025015H0I	1	AN1B1410SET
PC0497150	60,5	SP140500090HI	3 F0605025025015H0I	1	AN1B1410SET
PC0497200	61	SP140500090HI	3 F0610025025515H0I	1	AN1B1410SET
PC0497250	61,5	SP140500090HI	3 F0615025025515H0I	1	AN1B1410SET
PC0497300	62	SP140500090HI	3 F0620025026015H0I	1	AN1B1410SET


Agriculture

ILO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
L 197	200			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0678	66	18 X 56 X 13	2 G15H STD 2,50 	SEEGER D.18 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0678000	66	SP180560130Y4I	2 F0660025027515H0I	2	SG18
PC0678050	66,5	SP180560130Y4I	2 F0665025027515H0I	2	SG18
PC0678100	67	SP180560130Y4I	2 F0670025028015H0I	2	SG18
PC0678150	67,5	SP180560130Y4I	2 F0675025028015H0I	2	SG18
PC0678200	68	SP180560130Y4I	2 F0680025028515H0I	2	SG18

Compressione 37
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 73
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
L 251 - L 252	250			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0542	69	16 X 59 X 11	3 G15H STD 2,50 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0542000	69	SP160590110HI	3 F0690025029015H0I	2	SG16
PC0542050	69,5	SP160590110HI	3 F0695025029015H0I	2	SG16
PC0542100	70	SP160590110HI	3 F0700025029015H0I	2	SG16
PC0542200	71	SP160590110HI	3 F0710025029515H0I	2	SG16

Compressione 50
Compression mm
Mis. Testa B-5
Head size mm
Lungh. tot. 84
Tot. Length mm

Agriculture

MINARELLI MOTORI INDUSTRIALI

2 TEMPI 2 STROKES



Compressione 29
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 60,5
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
I 90					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
0622	47	13 X 39 X 8	2	G15H STD 2,50	13 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC0622000	47	SP130390080HI	2 F0470025019515H0I		1 AN1B1310SET
PC0622020	47,2	SP130390080HI	2 F0472025019515H0I		1 AN1B1310SET
PC0622040	47,4	SP130390080HI	2 F0474025019515H0I		1 AN1B1310SET
PC0622060	47,6	SP130390080HI	2 F0476025019515H0I		1 AN1B1310SET
PC0622080	47,8	SP130390080HI	2 F0478025019515H0I		1 AN1B1310SET
PC0622100	48	SP130390080HI	2 F0480025020015H0I		1 AN1B1310SET
PC0622120	48,2	SP130390080HI	2 F0482025020015H0I		1 AN1B1310SET
PC0622140	48,4	SP130390080HI	2 F0484025020015H0I		1 AN1B1310SET
PC0622150	48,5	SP130390080HI	2 F0485025020015H0I		1 AN1B1310SET
PC0622180	48,8	SP130390080HI	2 F0488025020015H0I		1 AN1B1310SET
PC0622200	49	SP130390080HI	2 F0490025020515H0I		1 AN1B1310SET
PC0622240	49,4	SP130390080HI	2 F0494025020515H0I		1 AN1B1310SET
PC0622250	49,5	SP130390080HI	2 F0495025020515H0I		1 AN1B1310SET



Compressione 31
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 63
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
I 125					
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
1439	55	13 X 48 X 9	2	G15H STD 2,00	13 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC1439000	55	SP130480090HI	2 F0550020023015H0I		1 AN1B1310SET
PC1439040	55,4	SP130480090HI	2 F0554020023015H0I		1 AN1B1310SET
PC1439050	55,5	SP130480090HI	2 F0555020023015H0I		1 AN1B1310SET
PC1439080	55,8	SP130480090HI	2 F0558020023015H0I		1 AN1B1310SET
PC1439100	56	SP130480090HI	2 F0560020023515H0I		1 AN1B1310SET
PC1439150	56,5	SP130480090HI	2 F0565020023515H0I		1 AN1B1310SET
PC1439200	57	SP130480090HI	2 F0570020024015H0I		1 AN1B1310SET

Agriculture


MINARELLI MOTORI INDUSTRIALI

2 TEMPI 2 STROKES



Compressione 34
 Compression mm
 Mis. Testa B-5
 Head size mm
 Lungh. tot. 74
 Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
I 190				

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1823	62	16 X 54 X 11	2 G15H STD 2,00 	16 2B FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1823000	62	SP160540110Y4I	2 F0620020026015H0I	1	AN2B1612SET
PC1823040	62,4	SP160540110Y4I	2 F0624020026015H0I	1	AN2B1612SET
PC1823080	62,8	SP160540110Y4I	2 F0628020026015H0I	1	AN2B1612SET
PC1823100	63	SP160540110Y4I	2 F0630020026515H0I	1	AN2B1612SET
PC1823120	63,2	SP160540110Y4I	2 F0632020026515H0I	1	AN2B1612SET
PC1823140	63,4	SP160540110Y4I	2 F0634020026515H0I	1	AN2B1612SET
PC1823180	63,8	SP160540110Y4I	2 F0638020026515H0I	1	AN2B1612SET
PC1823200	64	SP160540110Y4I	2 F0640020026515H0I	1	AN2B1612SET


Agriculture

MINSEL

2 TEMPI 2 STROKES




Compressione 35
Compression mm
Mis. Testa B-5
Head size mm
Lungh. tot. 61
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
M100	100			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1425	50	14 X 42 X 9	2 G15H STD 2,50 	14 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1425000	50	SP140420090HI	2 F0500025021015H0I	1 AN1B1410SET
PC1425040	50,4	SP140420090HI	2 F0504025021015H0I	1 AN1B1410SET
PC1425050	50,5	SP140420090HI	2 F0505025021015H0I	1 AN1B1410SET
PC1425100	51	SP140420090HI	2 F0510025021515H0I	1 AN1B1410SET
PC1425150	51,5	SP140420090HI	2 F0515025021515H0I	1 AN1B1410SET
PC1425200	52	SP140420090HI	2 F0520025021515H0I	1 AN1B1410SET



Compressione 39
Compression mm
Mis. Testa B-5
Head size mm
Lungh. tot. 69
Tot. Length mm

Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
M150	150			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1384	59	14 X 50 X 9	2 G15H STD 2,00 	14 1B FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC1384000	59	SP140500090HI	2 F0590020024515H0I	1 AN1B1410SET
PC1384040	59,4	SP140500090HI	2 F0594020024515H0I	1 AN1B1410SET
PC1384080	59,8	SP140500090HI	2 F0598020024515H0I	1 AN1B1410SET
PC1384100	60	SP140500090HI	2 F0600020025015H0I	1 AN1B1410SET
PC1384140	60,4	SP140500090HI	2 F0604020025015H0I	1 AN1B1410SET
PC1384180	60,8	SP140500090HI	2 F0608020025015H0I	1 AN1B1410SET
PC1384200	61	SP140500090HI	2 F0610020025515H0I	1 AN1B1410SET


Agriculture

SACHS

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
ST151	160			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1217	60	16 X 52 X 11	2 G15H STD 2,50 	SEEGER D.16 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1217000	60	SP160520110HI	2 F0600025025015H0I	2	SG16
PC1217050	60,5	SP160520110HI	2 F0605025025015H0I	2	SG16
PC1217100	61	SP160520110HI	2 F0610025025515H0I	2	SG16
PC1217150	61,5	SP160520110HI	2 F0615025025515H0I	2	SG16
PC1217200	62	SP160520110HI	2 F0620025026015H0I	2	SG16

Compressione 27,5
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 62
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
200 cc.	200			


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0576	65	18 X 56 X 13	3 G15H STD 2,50 	SEEGER D.18 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0576000	65	SP180560130Y4I	3 F0650025027015H0I	2	SG18
PC0576050	65,5	SP180560130Y4I	3 F0655025027015H0I	2	SG18
PC0576100	66	SP180560130Y4I	3 F0660025027515H0I	2	SG18
PC0576150	66,5	SP180560130Y4I	3 F0665025027515H0I	2	SG18

Compressione 46
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 81,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
ST201-202	200			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0997	65	18 X 56 X 13	3 G15H STD 2,50 	SEEGER D.18 DIN 472

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0997000	65	SP180560130Y4I	3 F0650025027015H0I	2	SG18
PC0997050	65,5	SP180560130Y4I	3 F0655025027015H0I	2	SG18
PC0997100	66	SP180560130Y4I	3 F0660025027515H0I	2	SG18
PC0997150	66,5	SP180560130Y4I	3 F0665025027515H0I	2	SG18
PC0997200	67	SP180560130Y4I	3 F0670025028015H0I	2	SG18

Compressione 36,5
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 78,5
Tot. Length mm


Agriculture

SACHS

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
ST 204	200			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1396	65	18 X 56 X 13	2 G15H STD 2,00 	18 2B FILO 1.5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1396000	65	SP180560130Y4I	2 F0650020027015H0I	1	AN2B1815SET
PC1396050	65,5	SP180560130Y4I	2 F0655020027015H0I	1	AN2B1815SET
PC1396100	66	SP180560130Y4I	2 F0660020027515H0I	1	AN2B1815SET
PC1396150	66,5	SP180560130Y4I	2 F0665020027515H0I	1	AN2B1815SET

Compressione 31,7
Compression mm
Mis. Testa B-4,3
Head size mm
Lungh. tot. 70,5
Tot. Length mm



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Stamo - ST281-282	280			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0998	71	18 X 63 X 12	3 G15H STD 3,00 	18 2B FILO 1.5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0998000	71	SP180630120HI	3 F0710030029515H0I	1	AN2B1815SET
PC0998050	71,5	SP180630120HI	3 F0715030029515H0I	1	AN2B1815SET
PC0998100	72	SP180630120HI	3 F0720030030015H0I	1	AN2B1815SET
PC0998150	72,5	SP180630120HI	3 F0725030030015H0I	1	AN2B1815SET
PC0998200	73	SP180630120HI	3 F0730030030515H0I	1	AN2B1815SET

Compressione 37
Compression mm
Mis. Testa B-5
Head size mm
Lungh. tot. 79
Tot. Length mm

SOLO

2 TEMPI 2 STROKES



Modello/Model	cc	Dal/ From	Al/ To	Suit. to OEM
Atomizzatore mod. 423	80			

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
0910	48	12 X 40 X 8	2 G15H STD 2,00 	12 2B FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0910000	48	SP120400080HI	2 F0480020020015H0I	1	AN2B1210SET

Compressione 25
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 47
Tot. Length mm


Agriculture

VOLPI & BOTTOLI

2 TEMPI 2 STROKES




Compressione 31
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 59
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Ercolino						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
0949	46	11 X 38.5 X 7	2	G15H STD 2,50	 11 1B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC0949000	46	SP110385070HI	2 F0460025019015H0I		1	AN1B1110SET
PC0949050	46,5	SP110385070HI	2 F0465025019015H0I		1	AN1B1110SET
PC0949100	47	SP110385070HI	2 F0470025019515H0I		1	AN1B1110SET
PC0949150	47,5	SP110385070HI	2 F0475025019515H0I		1	AN1B1110SET



Compressione 31
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 59
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM	
Ercolino Atomizzatore - spinotto/pin 12mm						
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2279	46	12 X 38 X 8	2	G15H STD 2,50	 12 2B FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC2279000	46	SP120380080HI	2 F0460025019015H0I		1	AN2B1210SET

Agriculture

ZANETTI

2 TEMPI 2 STROKES



Compressione 17,5
Compression mm
Mis. Testa B-1,5
Head size mm
Lungh. tot. 42
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Motocoltivatore		50			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
0893	40	9 X 33 X 5	2	G15H STD 1,50	9 2B FILO 0.8
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0893000	40	SP090330050HI	2	F0400015016515H0I	1 AN2B0908SET
PC0893020	40,2	SP090330050HI	2	F0402015016515H0I	1 AN2B0908SET
PC0893040	40,4	SP090330050HI	2	F0404015016515H0I	1 AN2B0908SET
PC0893080	40,8	SP090330050HI	2	F0408015016515H0I	1 AN2B0908SET



Compressione 34
Compression mm
Mis. Testa B-5
Head size mm
Lungh. tot. 76
Tot. Length mm

Modello/Model		cc	Dal/ From	Al/ To	Suit. to OEM
Motocoltivatore D160		150			
MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
0768	60	16 X 52 X 11	3	G15H STD 2,00	SEEGER D.16 DIN 472
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC0768000	60	SP160520110HI	3	F0600020025015H0I	2 SG16
PC0768050	60,5	SP160520110HI	3	F0605020025015H0I	2 SG16
PC0768100	61	SP160520110HI	3	F0610020025515H0I	2 SG16
PC0768140	61,4	SP160520110HI	3	F0614020025515H0I	2 SG16
PC0768180	61,8	SP160520110HI	3	F0618020025515H0I	2 SG16
PC0768200	62	SP160520110HI	3	F0620020026015H0I	2 SG16


Kart IAME

2 TEMPI 2 STROKES

Mini 2012

1. STANDARD


Peso gr 60,7
Weight gr
Compressione 23,1
Compression mm
Mis. Testa B-2,4
Head size mm
Lungh. tot. 49
Tot. Length mm

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
2012	42	12 X 35 X 8 BIC	1 L2KB SF 1,50 	12 SB FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC20124173	41,73	SP120350080KBI	1 S0418015021532KB2660I	1	ANOB1210SET
PC20124175	41,75	SP120350080KBI	1 S0418515021532KB2660I	1	ANOB1210SET
PC20124177	41,77	SP120350080KBI	1 S0418515021532KB2660I	1	ANOB1210SET
PC20124179	41,79	SP120350080KBI	1 S0419015021532KB2660I	1	ANOB1210SET
PC20124181	41,81	SP120350080KBI	1 S0419015021532KB2660I	1	ANOB1210SET
PC20124183	41,83	SP120350080KBI	1 S0419015021532KB2660I	1	ANOB1210SET
PC20124185	41,85	SP120350080KBI	1 S0419515021532KB2660I	1	ANOB1210SET
PC20124187	41,87	SP120350080KBI	1 S0419515021532KB2660I	1	ANOB1210SET
PC20124189	41,89	SP120350080KBI	1 S0420015021532KB2660I	1	ANOB1210SET
PC20124191	41,91	SP120350080KBI	1 S0420015021532KB2660I	1	ANOB1210SET
PC20124193	41,93	SP120350080KBI	1 S0420015021532KB2660I	1	ANOB1210SET
PC20124195	41,95	SP120350080KBI	1 S0420515021532KB2660I	1	ANOB1210SET
PC20124197	41,97	SP120350080KBI	1 S0420515021532KB2660I	1	ANOB1210SET
PC20124199	41,99	SP120350080KBI	1 S0421015021532KB2660I	1	ANOB1210SET
PC20124201	42,01	SP120350080KBI	1 S0421015021532KB2660I	1	ANOB1210SET
PC20124203	42,03	SP120350080KBI	1 S0421515021532KB2660I	1	ANOB1210SET

Kart IAME

2 TEMPI 2 STROKES

Mini 2013

1. STANDARD
O.C.
TESTA CONICA/TAPER HEAD 5°


Peso gr 56,9
Weight gr
Compressione 22,6
Compression mm
Mis. Testa C-1,6-5°
Head size mm
Lungh. tot. 47,7
Tot. Length mm

MP Ref:

Nom. Ø mm

2336
42

 Spinotto dim. mm
Piston pin dim.

12 X 35 X 8 BIC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.

1 L2KB SF 1,50



Anellino/Circlip

12 SB FILO 1.0

 Codice KIT
PISTONE

Ø mm

 Cod. SPINOTTO
PIN code

 Codice Segmenti
Piston rings code

 AN.Qta
CLIPQty

 Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC23364177	41,77	SP120350080KBI	1 S0418515021532KB2660I	1	ANOB1210SET
PC23364179	41,79	SP120350080KBI	1 S0418515021532KB2660I	1	ANOB1210SET
PC23364181	41,81	SP120350080KBI	1 S0419015021532KB2660I	1	ANOB1210SET
PC23364183	41,83	SP120350080KBI	1 S0419015021532KB2660I	1	ANOB1210SET
PC23364185	41,85	SP120350080KBI	1 S0419015021532KB2660I	1	ANOB1210SET
PC23364187	41,87	SP120350080KBI	1 S0419515021532KB2660I	1	ANOB1210SET
PC23364189	41,89	SP120350080KBI	1 S0419515021532KB2660I	1	ANOB1210SET
PC23364191	41,91	SP120350080KBI	1 S0420015021532KB2660I	1	ANOB1210SET
PC23364193	41,93	SP120350080KBI	1 S0420015021532KB2660I	1	ANOB1210SET
PC23364195	41,95	SP120350080KBI	1 S0420015021532KB2660I	1	ANOB1210SET
PC23364197	41,97	SP120350080KBI	1 S0420515021532KB2660I	1	ANOB1210SET
PC23364199	41,99	SP120350080KBI	1 S0420515021532KB2660I	1	ANOB1210SET
PC23364201	42,01	SP120350080KBI	1 S0421015021532KB2660I	1	ANOB1210SET
PC23364203	42,03	SP120350080KBI	1 S0421015021532KB2660I	1	ANOB1210SET

Kart IAME

2 TEMPI 2 STROKES

100

1. STANDARD
O.C.


Peso gr 100,5
Weight gr
Compressione 26
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 58
Tot. Length mm

**NUOVE MISURE! NEW
SIZES ADDED! Ø 50,18 ÷
51,00 mm**

MP Ref: **1712** Nom. Ø mm **50** Spinotto dim. mm Piston pin dim. 14 X 40 X 9.5 Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. 1 LKP SF 1,50 Anellino/Circlip 14 SB FILO 1.0


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC17124990	49,9	SP140400095KI	1 S0500015021031KP1356I	1	ANOB1410SET
PC17124992	49,92	SP140400095KI	1 S0500015021031KP1356I	1	ANOB1410SET
PC17124994	49,94	SP140400095KI	1 S0500515021031KP1356I	1	ANOB1410SET
PC17124996	49,96	SP140400095KI	1 S0501015021031KP1356I	1	ANOB1410SET
PC17124998	49,98	SP140400095KI	1 S0501015021031KP1356I	1	ANOB1410SET
PC17125000	50	SP140400095KI	1 S0501015021031KP1356I	1	ANOB1410SET
PC17125002	50,02	SP140400095KI	1 S0501015021031KP1356I	1	ANOB1410SET
PC17125004	50,04	SP140400095KI	1 S0501515021031KP1356I	1	ANOB1410SET
PC17125006	50,06	SP140400095KI	1 S0501515021031KP1356I	1	ANOB1410SET
PC17125008	50,08	SP140400095KI	1 S0501515021031KP1356I	1	ANOB1410SET
PC17125010	50,1	SP140400095KI	1 S0501515021031KP1356I	1	ANOB1410SET
PC17125012	50,12	SP140400095KI	1 S0502015021031KP1356I	1	ANOB1410SET
PC17125014	50,14	SP140400095KI	1 S0502515021031KP1356I	1	ANOB1410SET
PC17125016	50,16	SP140400095KI	1 S0502515021031KP1356I	1	ANOB1410SET
PC17125018	50,18	SP140400095KI	1 S0503015021031KP1356I	1	ANOB1410SET
PC17125020	50,2	SP140400095KI	1 S0503015021031KP1356I	1	ANOB1410SET
PC17125022	50,22	SP140400095KI	1 S0503015021031KP1356I	1	ANOB1410SET
PC17125024	50,24	SP140400095KI	1 S0503515021031KP1356I	1	ANOB1410SET
PC17125026	50,26	SP140400095KI	1 S0503515021031KP1356I	1	ANOB1410SET
PC17125028	50,28	SP140400095KI	1 S0504015021031KP1356I	1	ANOB1410SET
PC17125030	50,3	SP140400095KI	1 S0504015021031KP1356I	1	ANOB1410SET
PC17125032	50,32	SP140400095KI	1 S0504015021031KP1356I	1	ANOB1410SET
PC17125034	50,34	SP140400095KI	1 S0504015021031KP1356I	1	ANOB1410SET
PC17125036	50,36	SP140400095KI	1 S0505015021031KP1356I	1	ANOB1410SET
PC17125040	50,4	SP140400095KI	1 S0505015021031KP1356I	1	ANOB1410SET
PC17125045	50,45	SP140400095KI	1 S0506015021031KP1356I	1	ANOB1410SET
PC17125050	50,5	SP140400095KI	1 S0506015021031KP1356I	1	ANOB1410SET
PC17125055	50,55	SP140400095KI	1 S0507015021031KP1356I	1	ANOB1410SET
PC17125060	50,6	SP140400095KI	1 S0507015021031KP1356I	1	ANOB1410SET
PC17125070	50,7	SP140400095KI	1 S0508015021031KP1356I	1	ANOB1410SET
PC17125080	50,8	SP140400095KI	1 S0509015021031KP1356I	1	ANOB1410SET
PC17125090	50,9	SP140400095KI	1 S0510015021031KP1356I	1	ANOB1410SET
PC17125100	51	SP140400095KI	1 S0511015021031KP1356I	1	ANOB1410SET

Kart IAME

2 TEMPI 2 STROKES

KF 2009

1. STANDARD


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2053	54	15 X 45 X 10 BIC	1 L2KB SF 1,70 	15 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty
				Cod. SERIE anellino

Peso gr 126,4
Weight gr
Compressione 29,5
Compression mm
Mis. Testa B-3,8
Head size mm
Lungh. tot. 62,3
Tot. Length mm

PC20535381	53,81	SP150450100YB4I	1 S0539017025032KB2295I	1 ANOB1510SET
PC20535383	53,83	SP150450100YB4I	1 S0539517025032KB2295I	1 ANOB1510SET
PC20535385	53,85	SP150450100YB4I	1 S0539517025032KB2295I	1 ANOB1510SET
PC20535387	53,87	SP150450100YB4I	1 S0539517025032KB2295I	1 ANOB1510SET
PC20535389	53,89	SP150450100YB4I	1 S0540017025032KB2295I	1 ANOB1510SET
PC20535391	53,91	SP150450100YB4I	1 S0540017025032KB2295I	1 ANOB1510SET
PC20535393	53,93	SP150450100YB4I	1 S0540517025032KB2295I	1 ANOB1510SET
PC20535395	53,95	SP150450100YB4I	1 S0540517025032KB2295I	1 ANOB1510SET
PC20535397	53,97	SP150450100YB4I	1 S0541017025032KB2295I	1 ANOB1510SET
PC20535399	53,99	SP150450100YB4I	1 S0541017025032KB2295I	1 ANOB1510SET
PC20535401	54,01	SP150450100YB4I	1 S0541017025032KB2295I	1 ANOB1510SET
PC20535403	54,03	SP150450100YB4I	1 S0541517025032KB2295I	1 ANOB1510SET
PC20535405	54,05	SP150450100YB4I	1 S0541517025032KB2295I	1 ANOB1510SET
PC20535407	54,07	SP150450100YB4I	1 S0541517025032KB2295I	1 ANOB1510SET
PC20535409	54,09	SP150450100YB4I	1 S0542017025032KB2295I	1 ANOB1510SET
PC20535411	54,11	SP150450100YB4I	1 S0542017025032KB2295I	1 ANOB1510SET

Kart IAME

2 TEMPI 2 STROKES

KF 2009

TESTA CONICA / TAPER HEAD 6°


Peso gr 128,3
Weight gr
Compressione 30,2
Compression mm
Mis. Testa C-2,4 6°
Head size mm
Lungh. tot. 61,6
Tot. Length mm

MP Ref: **2127** Nom. Ø mm **54** Spinotto dim. mm 15 X 45 X 10 BIC Piston pin dim. Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. 1 L2KB SF 1,70  Anellino/Circlip 15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC21275381	53,81	SP150450100YB4I	1 S0539517025032KB2295I	1	ANOB1510SET
PC21275383	53,83	SP150450100YB4I	1 S0539517025032KB2295I	1	ANOB1510SET
PC21275385	53,85	SP150450100YB4I	1 S0539517025032KB2295I	1	ANOB1510SET
PC21275387	53,87	SP150450100YB4I	1 S0540017025032KB2295I	1	ANOB1510SET
PC21275389	53,89	SP150450100YB4I	1 S0540517025032KB2295I	1	ANOB1510SET
PC21275391	53,91	SP150450100YB4I	1 S0540517025032KB2295I	1	ANOB1510SET
PC21275393	53,93	SP150450100YB4I	1 S0541017025032KB2295I	1	ANOB1510SET
PC21275395	53,95	SP150450100YB4I	1 S0541017025032KB2295I	1	ANOB1510SET
PC21275397	53,97	SP150450100YB4I	1 S0541517025032KB2295I	1	ANOB1510SET
PC21275399	53,99	SP150450100YB4I	1 S0541517025032KB2295I	1	ANOB1510SET
PC21275401	54,01	SP150450100YB4I	1 S0541517025032KB2295I	1	ANOB1510SET
PC21275403	54,03	SP150450100YB4I	1 S0541517025032KB2295I	1	ANOB1510SET
PC21275405	54,05	SP150450100YB4I	1 S0542017025032KB2295I	1	ANOB1510SET
PC21275407	54,07	SP150450100YB4I	1 S0542017025032KB2295I	1	ANOB1510SET
PC21275409	54,09	SP150450100YB4I	1 S0542017025032KB2295I	1	ANOB1510SET
PC21275411	54,11	SP150450100YB4I	1 S0542517025032KB2295I	1	ANOB1510SET

KZ

3. RACING

LIGHT VERSION + RING 0,8 mm


Peso gr 121,6
Weight gr
Compressione 29,5
Compression mm
Mis. Testa TC-1
Head size mm
Lungh. tot. 61,5
Tot. Length mm

MP Ref: **2337** Nom. Ø mm **54** Spinotto dim. mm 15 X 45 X 10 BIC Piston pin dim. Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. 1 G30KB AC 0,80  Anellino/Circlip 15 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC23375393	53,93	SP150450100YB4I	1 N0540008022530KBI	1	ANOB1512SET
PC23375394	53,94	SP150450100YB4I	1 N0540008022530KBI	1	ANOB1512SET
PC23375395	53,95	SP150450100YB4I	1 N0540008022530KBI	1	ANOB1512SET
PC23375396	53,96	SP150450100YB4I	1 N0540008022530KBI	1	ANOB1512SET
PC23375397	53,97	SP150450100YB4I	1 N0540008022530KBI	1	ANOB1512SET
PC23375398	53,98	SP150450100YB4I	1 N0540008022530KBI	1	ANOB1512SET


Kart IAME

2 TEMPI 2 STROKES

KZ 2013 2014


1. STANDARD


Peso gr 134,4
Weight gr
Compressione 29,5
Compression mm
Mis. Testa B-2,7
Head size mm
Lungh. tot. 63,2
Tot. Length mm

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2308	54	15 X 45 X 10 BIC	1 G30KB AC 1,00 	15 SB FILO 1.2
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty
PC23085393	53,93	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1512SET
PC23085394	53,94	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1512SET
PC23085395	53,95	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1512SET
PC23085396	53,96	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1512SET
PC23085397	53,97	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1512SET
PC23085398	53,98	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1512SET

2. SPORT
LIGHT VERSION


Peso gr 123,7
Weight gr
Compressione 29,5
Compression mm
Mis. Testa C-2,7
Head size mm
Lungh. tot. 63,2
Tot. Length mm

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2309	54	15 X 45 X 10 BIC	1 G30KB AC 1,00 	15 SB FILO 1.2
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty
PC23095393	53,93	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1512SET
PC23095394	53,94	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1512SET
PC23095395	53,95	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1512SET
PC23095396	53,96	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1512SET
PC23095397	53,97	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1512SET
PC23095398	53,98	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1512SET

Kart IAME

2 TEMPI 2 STROKES

Leopard X30

1. STANDARD


MP Ref:	Nom. \varnothing mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2284	54	14 X 44 X 9	1	L2KP SF	2,20	14 SB FILO 1.0
Codice KIT PISTONE	\varnothing mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston ring code			AN.Qta CLIPQty
			1	L2KB SF	2,20	

MP Ref:	Nom. \varnothing mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
PC22845400	54	SP140440090KI	1	S0540022023532KP2358I	1	ANOB1410SET
PC22845402	54,02	SP140440090KI	1	S0540022023532KP2358I	1	ANOB1410SET
PC22845404	54,04	SP140440090KI	1	S0540522023532KP2358I	1	ANOB1410SET
PC22845406	54,06	SP140440090KI	1	S0540522023532KP2358I	1	ANOB1410SET
PC22845408	54,08	SP140440090KI	1	S0541022023532KP2358I	1	ANOB1410SET
PC22845410	54,1	SP140440090KI	1	S0541022023532KP2358I	1	ANOB1410SET
PC22845412	54,12	SP140440090KI	1	S0541522023532KP2358I	1	ANOB1410SET
PC22845414	54,14	SP140440090KI	1	S0541522023532KP2358I	1	ANOB1410SET
PC22845416	54,16	SP140440090KI	1	S0541522023532KP2358I	1	ANOB1410SET
PC22845418	54,18	SP140440090KI	1	S0542022023532KP2358I	1	ANOB1410SET
PC22845420	54,2	SP140440090KI	1	S0542022023532KP2358I	1	ANOB1410SET
PC22845422	54,22	SP140440090KI	1	S0542022023532KP2358I	1	ANOB1410SET
PC22845424	54,24	SP140440090KI	1	S0542522023532KB2358I	1	ANOB1410SET
PC22845426	54,26	SP140440090KI	1	S0542522023532KB2358I	1	ANOB1410SET
PC22845428	54,28	SP140440090KI	1	S0543022023532KP2358I	1	ANOB1410SET
PC22845430	54,3	SP140440090KI	1	S0543022023532KP2358I	1	ANOB1410SET
PC22845432	54,32	SP140440090KI	1	S0543022023532KP2358I	1	ANOB1410SET
PC22845434	54,34	SP140440090KI	1	S0543522023532KP2358I	1	ANOB1410SET
PC22845436	54,36	SP140440090KI	1	S0543522023532KP2358I	1	ANOB1410SET
PC22845438	54,38	SP140440090KI	1	S0544022023532KP2358I	1	ANOB1410SET
PC22845440	54,4	SP140440090KI	1	S0544022023532KP2358I	1	ANOB1410SET

Peso gr 130,1
Weight gr
Compressione 30,1
Compression mm
Mis. Testa B-3,7
Head size mm
Lungh. tot. 62,8
Tot. Length mm

\varnothing mm = DIAMETRO
CANNA CILINDRO
 \varnothing mm = DIAMETER OF
CYLINDER SLEEVE


Kart IAME

2 TEMPI 2 STROKES

SUDAM

1. STANDARD


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Det. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2111	54	14 X 45 X 9 BIC	1 L2KP SF 2,20	14 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston ring code	AN.Qta CLIPQty
			1 L2KB SF 2,20	Cod. SERIE anellino



PC21115400	54	SP140450090KBI	1 S0540022023532KP2358I	1 ANOB1410SET
PC21115401	54,01	SP140450090KBI	1 S0540022023532KP2358I	1 ANOB1410SET
PC21115402	54,02	SP140450090KBI	1 S0540522023532KP2358I	1 ANOB1410SET
PC21115403	54,03	SP140450090KBI	1 S0540522023532KP2358I	1 ANOB1410SET
PC21115404	54,04	SP140450090KBI	1 S0540522023532KP2358I	1 ANOB1410SET
PC21115405	54,05	SP140450090KBI	1 S0540522023532KP2358I	1 ANOB1410SET
PC21115406	54,06	SP140450090KBI	1 S0540522023532KP2358I	1 ANOB1410SET
PC21115407	54,07	SP140450090KBI	1 S0541022023532KP2358I	1 ANOB1410SET
PC21115408	54,08	SP140450090KBI	1 S0541022023532KP2358I	1 ANOB1410SET
PC21115409	54,09	SP140450090KBI	1 S0541022023532KP2358I	1 ANOB1410SET
PC21115410	54,1	SP140450090KBI	1 S0541022023532KP2358I	1 ANOB1410SET
PC21115412	54,12	SP140450090KBI	1 S0541522023532KP2358I	1 ANOB1410SET
PC21115414	54,14	SP140450090KBI	1 S0541522023532KP2358I	1 ANOB1410SET
PC21115415	54,15	SP140450090KBI	1 S0541522023532KP2358I	1 ANOB1410SET
PC21115416	54,16	SP140450090KBI	1 S0541522023532KP2358I	1 ANOB1410SET
PC21115418	54,18	SP140450090KBI	1 S0542022023532KP2358I	1 ANOB1410SET
PC21115420	54,2	SP140450090KBI	1 S0542022023532KP2358I	1 ANOB1410SET
PC21115422	54,22	SP140450090KBI	1 S0542022023532KP2358I	1 ANOB1410SET
PC21115425	54,25	SP140450090KBI	1 S0542522023532KB2358I	1 ANOB1410SET

Peso gr 125,8
Weight gr
Compressione 30
Compression mm
Mis. Testa B-3,8
Head size mm
Lungh. tot. 62,8
Tot. Length mm

Ø mm = DIAMETRO
CANNA CILINDRO
Ø mm = DIAMETER OF
CYLINDER SLEEVE

Kart MAXTER

2 TEMPI 2 STROKES

KZ 2013

1. STANDARD


MP Ref: **1997** Nom. Ø mm: **54** Spinotto dim. mm / Piston pin dim.: **15 X 45 X 10 BIC** Dett. segmenti: qta x tipo x mat. / Rings details: qty x type x mat.: **1 G30KB AC 1,00** Anellino/Circlip: **15 SB FILO 1.0**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC19975393	53,93	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC19975394	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC19975395	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC19975396	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

Peso gr **129,6**
Weight gr
Compressione **28,54**
Compression mm
Mis. Testa **C-1,86**
Head size mm
Lungh. tot. **61,4**
Tot. Length mm

2. SPORT
LIGHT VERSION


MP Ref: **2184** Nom. Ø mm: **54** Spinotto dim. mm / Piston pin dim.: **15 X 45 X 10 BIC** Dett. segmenti: qta x tipo x mat. / Rings details: qty x type x mat.: **1 G30KB AC 1,00** Anellino/Circlip: **15 SB FILO 1.0**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC21845393	53,93	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC21845394	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC21845395	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC21845396	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

Peso gr **110**
Weight gr
Compressione **28,54**
Compression mm
Mis. Testa **C-1,86**
Head size mm
Lungh. tot. **61,4**
Tot. Length mm

Kart METEOR PISTON

2 TEMPI 2 STROKES

Mini

3. RACING

 PER TUTTI I KART 60cc - FITS ALL
60 cc Kart engines


Peso gr 56,3
Weight gr
Compressione 23,1
Compression mm
Mis. Testa B-2,4
Head size mm
Lungh. tot. 48,9
Tot. Length mm

**PISTONE SPECIALE
PROGETTATO DA
METEOR PISTON
ADATTABILE A TUTTI I
MOTORI 60cc DI TUTTE
LE MARCHE.
SPECIAL PISTON
DESIGNED BY METEOR
TO FIT 60cc ENGINES
FROM ALL BRANDS**

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.		Anellino/Circlip
2327	42	12 X 35 X 8 BIC	1	L2KB SF 1,50	12 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty Cod. SERIE anellino
PC23274173	41,73	SP120350080KBI	1	S0418015021532KB2660I	1 ANOB1210SET
PC23274175	41,75	SP120350080KBI	1	S0418015021532KB2660I	1 ANOB1210SET
PC23274177	41,77	SP120350080KBI	1	S0418515021532KB2660I	1 ANOB1210SET
PC23274179	41,79	SP120350080KBI	1	S0418515021532KB2660I	1 ANOB1210SET
PC23274181	41,81	SP120350080KBI	1	S0419015021532KB2660I	1 ANOB1210SET
PC23274182	41,82	SP120350080KBI	1	S0419015021532KB2660I	1 ANOB1210SET
PC23274183	41,83	SP120350080KBI	1	S0419015021532KB2660I	1 ANOB1210SET
PC23274184	41,84	SP120350080KBI	1	S0419015021532KB2660I	1 ANOB1210SET
PC23274185	41,85	SP120350080KBI	1	S0419015021532KB2660I	1 ANOB1210SET
PC23274186	41,86	SP120350080KBI	1	S0419515021532KB2660I	1 ANOB1210SET
PC23274187	41,87	SP120350080KBI	1	S0419515021532KB2660I	1 ANOB1210SET
PC23274188	41,88	SP120350080KBI	1	S0419515021532KB2660I	1 ANOB1210SET
PC23274189	41,89	SP120350080KBI	1	S0419515021532KB2660I	1 ANOB1210SET
PC23274190	41,9	SP120350080KBI	1	S0419515021532KB2660I	1 ANOB1210SET
PC23274191	41,91	SP120350080KBI	1	S0420015021532KB2660I	1 ANOB1210SET
PC23274192	41,92	SP120350080KBI	1	S0420015021532KB2660I	1 ANOB1210SET
PC23274193	41,93	SP120350080KBI	1	S0420015021532KB2660I	1 ANOB1210SET
PC23274194	41,94	SP120350080KBI	1	S0420015021532KB2660I	1 ANOB1210SET
PC23274195	41,95	SP120350080KBI	1	S0420015021532KB2660I	1 ANOB1210SET
PC23274196	41,96	SP120350080KBI	1	S0420015021532KB2660I	1 ANOB1210SET
PC23274197	41,97	SP120350080KBI	1	S0420515021532KB2660I	1 ANOB1210SET
PC23274199	41,99	SP120350080KBI	1	S0420515021532KB2660I	1 ANOB1210SET
PC23274201	42,01	SP120350080KBI	1	S0421015021532KB2660I	1 ANOB1210SET
PC23274203	42,03	SP120350080KBI	1	S0421015021532KB2660I	1 ANOB1210SET
PC23274205	42,05	SP120350080KBI	1	S0421015021532KB2660I	1 ANOB1210SET
PC23274208	42,08	SP120350080KBI	1	S0421515021532KB2660I	1 ANOB1210SET
PC23274210	42,1	SP120350080KBI	1	S0421515021532KB2660I	1 ANOB1210SET

Kart
MODENA ENGINES
2 TEMPI 2 STROKES
KK1 - MKZ Cilindri serie R-V
1. STANDARD
O.C.
TESTA CONICA/TAPER HEAD 4°
MP Ref:
Nom. Ø mm
Spinotto dim. mm
Piston pin dim.
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
Anellino/Circlip
NEW 2633
54
15 X 45 X 10 BIC
1 G30KB AC 1,00

15 SB FILO 1.2
Codice KIT
PISTONE
Ø mm
Cod. SPINOTTO
PIN code
Codice Segmenti
Piston rings code
AN.Qta
CLIPQty
Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC26335393	53,93	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET
PC26335394	53,94	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET
PC26335395	53,95	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET
PC26335396	53,96	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET

Peso gr
Weight gr
Compressione 29
Compression mm
Mis. Testa c - 4°
Head size mm
Lungh. tot. 61,8
Tot. Length mm

PAVESI
2 TEMPI 2 STROKES
KZ L152
1. STANDARD
MP Ref:
Nom. Ø mm
Spinotto dim. mm
Piston pin dim.
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
Anellino/Circlip
2373
54
15 X 45 X 10 BIC
1 G30KB AC 1,00

15 SB FILO 1.2
Codice KIT
PISTONE
Ø mm
Cod. SPINOTTO
PIN code
Codice Segmenti
Piston rings code
AN.Qta
CLIPQty
Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC23735393	53,93	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET
PC23735394	53,94	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET
PC23735395	53,95	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET
PC23735396	53,96	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET
PC23735397	53,97	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET
PC23735398	53,98	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET



Peso gr 115
Weight gr
Compressione 27
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 58
Tot. Length mm

Kart ROTAX

2 TEMPI 2 STROKES

MAX

1. STANDARD


Peso gr 126,2
 Weight gr
 Compressione 29,1
 Compression mm
 Mis. Testa B-3,2
 Head size mm
 Lungh. tot. 62,3
 Tot. Length mm

MP Ref: **1939** Nom. Ø mm **54** Spinotto dim. mm 15 X 45 X 10 BIC Dett. segmenti: qta x tipo x mat. 1 G30KB AC 1,00 Anellino/Circlip 15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC19395396	53,96	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1510SET
PC19395397	53,97	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1510SET
PC19395398	53,98	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1510SET
PC19395399	53,99	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1510SET
PC19395400	54	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1510SET

Kart TM

2 TEMPI 2 STROKES

Mini

1. STANDARD


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2486	42	12 X 35 X 8 BIC	1 L2KB SF 1,50	12 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston ring code	AN.Qta CLIPQty
			1 L2KB SF 1,50	Cod. SERIE anellino

MP Ref	Ø mm	SPINOTTO PIN code	Segmenti Piston ring code	AN.Qta CLIPQty	Cod. SERIE anellino
PC24864171	41,71	SP120350080KBI	1 S0418015021532KB2660I	1	ANOB1210SET
PC24864182	41,82	SP120350080KBI	1 S0419015021532KB2660I	1	ANOB1210SET
PC24864183	41,83	SP120350080KBI	1 S0419015021532KB2660I	1	ANOB1210SET
PC24864184	41,84	SP120350080KBI	1 S0419015021532KB2660I	1	ANOB1210SET
PC24864185	41,85	SP120350080KBI	1 S0419015021532KB2660I	1	ANOB1210SET
PC24864186	41,86	SP120350080KBI	1 S0419515021532KB2660I	1	ANOB1210SET
PC24864187	41,87	SP120350080KBI	1 S0419515021532KB2660I	1	ANOB1210SET
PC24864188	41,88	SP120350080KBI	1 S0419515021532KB2660I	1	ANOB1210SET
PC24864189	41,89	SP120350080KBI	1 S0419515021532KB2660I	1	ANOB1210SET
PC24864190	41,9	SP120350080KBI	1 S0419515021532KB2660I	1	ANOB1210SET
PC24864191	41,91	SP120350080KBI	1 S0420015021532KB2660I	1	ANOB1210SET
PC24864192	41,92	SP120350080KBI	1 S0420015021532KB2660I	1	ANOB1210SET
PC24864193	41,93	SP120350080KBI	1 S0420015021532KB2660I	1	ANOB1210SET
PC24864194	41,94	SP120350080KBI	1 S0420015021532KB2660I	1	ANOB1210SET
PC24864195	41,95	SP120350080KBI	1 S0420015021532KB2660I	1	ANOB1210SET
PC24864196	41,96	SP120350080KBI	1 S0420515021532KB2660I	1	ANOB1210SET
PC24864197	41,97	SP120350080KBI	1 S0420515021532KB2660I	1	ANOB1210SET
PC24864199	41,99	SP120350080KBI	1 S0420515021532KB2660I	1	ANOB1210SET
PC24864201	42,01	SP120350080KBI	1 S0421015021532KB2660I	1	ANOB1210SET
PC24864203	42,03	SP120350080KBI	1 S0421015021532KB2660I	1	ANOB1210SET
PC24864205	42,05	SP120350080KBI	1 S0421015021532KB2660I	1	ANOB1210SET
PC24864208	42,08	SP120350080KBI	1 S0421515021532KB2660I	1	ANOB1210SET

Peso gr 56,3
Weight gr
Compressione 22,5
Compression mm
Mis. Testa C-1,5 4,8°
Head size mm
Lungh. tot. 47,8
Tot. Length mm

**ATTENZIONE: MISURE
DIAMETRI (Ø mm)
PRIMA DEL RIPOERTO.
ATTENTION! DIAMETER
DIMENSIONS (Ø mm)
ARE PRIOR TO COATING.**

Kart TM

2 TEMPI 2 STROKES

K 11 - K 11B

1. STANDARD
O.C.


Peso gr 100,5
Weight gr
Compressione 26
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 58
Tot. Length mm

**NUOVE MISURE! NEW
SIZES ADDED! Ø 50,18 ÷
51,00 mm**

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
1712	50	14 X 40 X 9.5	1	LKP SF	1,50	14 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code		AN.Qta CLIPQty	Cod. SERIE anellino
PC17124990	49,9	SP140400095KI	1	S0500015021031KP1356I	1	ANOB1410SET
PC17124992	49,92	SP140400095KI	1	S0500015021031KP1356I	1	ANOB1410SET
PC17124994	49,94	SP140400095KI	1	S0500515021031KP1356I	1	ANOB1410SET
PC17124996	49,96	SP140400095KI	1	S0501015021031KP1356I	1	ANOB1410SET
PC17124998	49,98	SP140400095KI	1	S0501015021031KP1356I	1	ANOB1410SET
PC17125000	50	SP140400095KI	1	S0501015021031KP1356I	1	ANOB1410SET
PC17125002	50,02	SP140400095KI	1	S0501015021031KP1356I	1	ANOB1410SET
PC17125004	50,04	SP140400095KI	1	S0501515021031KP1356I	1	ANOB1410SET
PC17125006	50,06	SP140400095KI	1	S0501515021031KP1356I	1	ANOB1410SET
PC17125008	50,08	SP140400095KI	1	S0501515021031KP1356I	1	ANOB1410SET
PC17125010	50,1	SP140400095KI	1	S0501515021031KP1356I	1	ANOB1410SET
PC17125012	50,12	SP140400095KI	1	S0502015021031KP1356I	1	ANOB1410SET
PC17125014	50,14	SP140400095KI	1	S0502515021031KP1356I	1	ANOB1410SET
PC17125016	50,16	SP140400095KI	1	S0502515021031KP1356I	1	ANOB1410SET
PC17125018	50,18	SP140400095KI	1	S0503015021031KP1356I	1	ANOB1410SET
PC17125020	50,2	SP140400095KI	1	S0503015021031KP1356I	1	ANOB1410SET
PC17125022	50,22	SP140400095KI	1	S0503015021031KP1356I	1	ANOB1410SET
PC17125024	50,24	SP140400095KI	1	S0503515021031KP1356I	1	ANOB1410SET
PC17125026	50,26	SP140400095KI	1	S0503515021031KP1356I	1	ANOB1410SET
PC17125028	50,28	SP140400095KI	1	S0504015021031KP1356I	1	ANOB1410SET
PC17125030	50,3	SP140400095KI	1	S0504015021031KP1356I	1	ANOB1410SET
PC17125032	50,32	SP140400095KI	1	S0504015021031KP1356I	1	ANOB1410SET
PC17125034	50,34	SP140400095KI	1	S0504015021031KP1356I	1	ANOB1410SET
PC17125036	50,36	SP140400095KI	1	S0505015021031KP1356I	1	ANOB1410SET
PC17125040	50,4	SP140400095KI	1	S0505015021031KP1356I	1	ANOB1410SET
PC17125045	50,45	SP140400095KI	1	S0506015021031KP1356I	1	ANOB1410SET
PC17125050	50,5	SP140400095KI	1	S0506015021031KP1356I	1	ANOB1410SET
PC17125055	50,55	SP140400095KI	1	S0507015021031KP1356I	1	ANOB1410SET
PC17125060	50,6	SP140400095KI	1	S0507015021031KP1356I	1	ANOB1410SET
PC17125070	50,7	SP140400095KI	1	S0508015021031KP1356I	1	ANOB1410SET
PC17125080	50,8	SP140400095KI	1	S0509015021031KP1356I	1	ANOB1410SET
PC17125090	50,9	SP140400095KI	1	S0510015021031KP1356I	1	ANOB1410SET
PC17125100	51	SP140400095KI	1	S0511015021031KP1356I	1	ANOB1410SET

Kart TM

2 TEMPI 2 STROKES

KF 2014

1. STANDARD

MP Ref: **2043** Nom. Ø mm: **54** Spinotto dim. mm / Piston pin dim.: **15 X 41 X 10 BIC** Dett. segmenti: qta x tipo x mat. / Rings details: qty x type x mat.: **1 L2KB SF 1,70** Anellino/Circlip: **15 SB FILO 1.0**



Peso gr **127,7**
Weight gr
Compressione **29**
Compression mm
Mis. Testa **B-2,3**
Head size mm
Lungh. tot. **62,3**
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC20435380	53,8	SP150410100KBI	1 S0539517025032KB2295I	1	ANOB1510SET
PC20435382	53,82	SP150410100KBI	1 S0539517025032KB2295I	1	ANOB1510SET
PC20435384	53,84	SP150410100KBI	1 S0540017025032KB2295I	1	ANOB1510SET
PC20435386	53,86	SP150410100KBI	1 S0540017025032KB2295I	1	ANOB1510SET
PC20435388	53,88	SP150410100KBI	1 S0540517025032KB2295I	1	ANOB1510SET
PC20435390	53,9	SP150410100KBI	1 S0540517025032KB2295I	1	ANOB1510SET
PC20435392	53,92	SP150410100KBI	1 S0540517025032KB2295I	1	ANOB1510SET
PC20435394	53,94	SP150410100KBI	1 S0541017025032KB2295I	1	ANOB1510SET
PC20435396	53,96	SP150410100KBI	1 S0541017025032KB2295I	1	ANOB1510SET
PC20435398	53,98	SP150410100KBI	1 S0541517025032KB2295I	1	ANOB1510SET
PC20435400	54	SP150410100KBI	1 S0541517025032KB2295I	1	ANOB1510SET
PC20435402	54,02	SP150410100KBI	1 S0541517025032KB2295I	1	ANOB1510SET
PC20435404	54,04	SP150410100KBI	1 S0541517025032KB2295I	1	ANOB1510SET

2. SPORT
LIGHT VERSION

MP Ref: **2228** Nom. Ø mm: **54** Spinotto dim. mm / Piston pin dim.: **15 X 41 X 10 BIC** Dett. segmenti: qta x tipo x mat. / Rings details: qty x type x mat.: **1 L2KB SF 1,70** Anellino/Circlip: **15 SB FILO 1.0**



Peso gr **114**
Weight gr
Compressione **29**
Compression mm
Mis. Testa **B-2,5**
Head size mm
Lungh. tot. **62,5**
Tot. Length mm

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC22285380	53,8	SP150410100KBI	1 S0539017025032KB2295I	1	ANOB1510SET
PC22285382	53,82	SP150410100KBI	1 S0539517025032KB2295I	1	ANOB1510SET
PC22285384	53,84	SP150410100KBI	1 S0539517025032KB2295I	1	ANOB1510SET
PC22285386	53,86	SP150410100KBI	1 S0539517025032KB2295I	1	ANOB1510SET
PC22285388	53,88	SP150410100KBI	1 S0540017025032KB2295I	1	ANOB1510SET
PC22285389	53,89	SP150410100KBI	1 S0540017025032KB2295I	1	ANOB1510SET
PC22285390	53,9	SP150410100KBI	1 S0540017025032KB2295I	1	ANOB1510SET
PC22285392	53,92	SP150410100KBI	1 S0540017025032KB2295I	1	ANOB1510SET
PC22285394	53,94	SP150410100KBI	1 S0540517025032KB2295I	1	ANOB1510SET
PC22285396	53,96	SP150410100KBI	1 S0540517025032KB2295I	1	ANOB1510SET
PC22285398	53,98	SP150410100KBI	1 S0541017025032KB2295I	1	ANOB1510SET
PC22285400	54	SP150410100KBI	1 S0541017025032KB2295I	1	ANOB1510SET
PC22285402	54,02	SP150410100KBI	1 S0541017025032KB2295I	1	ANOB1510SET
PC22285404	54,04	SP150410100KBI	1 S0541017025032KB2295I	1	ANOB1510SET


Kart TM

2 TEMPI 2 STROKES

KZ K-8 2008

1. STANDARD



Peso gr 131,3
Weight gr
Compressione 29
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 62
Tot. Length mm

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2064	54	15 X 45 X 10 BIC	1 G30KB AC 1,00 	15 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC20645393	53,93	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1510SET
PC20645394	53,94	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1510SET
PC20645395	53,95	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1510SET

KZ K-9 B/C - K10 2009 2012

1. STANDARD
TESTA CONICA / TAPER HEAD 7°



Peso gr 130,9
Weight gr
Compressione 29
Compression mm
Mis. Testa C-3,1 7°
Head size mm
Lungh. tot. 63,1
Tot. Length mm

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1938	54	15 X 45 X 10 BIC	1 G30KB AC 1,00 	15 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC19385393	53,93	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1510SET
PC19385394	53,94	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1510SET
PC19385395	53,95	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1510SET
PC19385396	53,96	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1510SET

KZ 10 2009 2012

2. SPORT
LIGHT VERSION


Peso gr 117
Weight gr
Compressione 29
Compression mm
Mis. Testa C-3,2
Head size mm
Lungh. tot. 63,2
Tot. Length mm

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2182	54	15 X 45 X 10 BIC	1 G30KB AC 1,00 	15 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC21825393	53,93	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1510SET
PC21825394	53,94	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1510SET
PC21825395	53,95	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1510SET
PC21825396	53,96	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1510SET
PC21825397	53,97	SP150450100YB4I	1 N0540010022530KBI	1 ANOB1510SET

Kart TM


2 TEMPI 2 STROKES

KZ 10 B-C

2013 2016


1. STANDARD
TESTA CONICA/TAPER HEAD 4°


Peso gr 129,7
 Weight gr
 Compressione 29
 Compression mm
 Mis. Testa C-1,8 4°
 Head size mm
 Lungh. tot. 61,8
 Tot. Length mm

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2310	54	15 X 45 X 10 BIC	1 G30KB AC 1,00 	15 SB FILO 1.2
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC23105393	53,93	SP150450100YB4I	1 N0540010022530KBI	1 AN0B1512SET
PC23105394	53,94	SP150450100YB4I	1 N0540010022530KBI	1 AN0B1512SET
PC23105395	53,95	SP150450100YB4I	1 N0540010022530KBI	1 AN0B1512SET
PC23105396	53,96	SP150450100YB4I	1 N0540010022530KBI	1 AN0B1512SET

2. SPORT
LIGHT VERSION


Peso gr 117,7
 Weight gr
 Compressione 29
 Compression mm
 Mis. Testa C-1,8 4°
 Head size mm
 Lungh. tot. 61,8
 Tot. Length mm

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2311	54	15 X 45 X 10 BIC	1 G30KB AC 1,00 	15 SB FILO 1.2
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC23115393	53,93	SP150450100YB4I	1 N0540010022530KBI	1 AN0B1512SET
PC23115394	53,94	SP150450100YB4I	1 N0540010022530KBI	1 AN0B1512SET
PC23115395	53,95	SP150450100YB4I	1 N0540010022530KBI	1 AN0B1512SET
PC23115396	53,96	SP150450100YB4I	1 N0540010022530KBI	1 AN0B1512SET
PC23115397	53,97	SP150450100YB4I	1 N0540010022530KBI	1 AN0B1512SET
PC23115398	53,98	SP150450100YB4I	1 N0540010022530KBI	1 AN0B1512SET

Kart TM

2 TEMPI 2 STROKES

KZ 10 B-C 2013 2016

3. RACING

LIGHT VERSION, TESTA
CONICA/TAPER HEAD 4°, RING 0,8
mm



Peso gr 117,7
Weight gr
Compressione 29
Compression mm
Mis. Testa C -1,8 4°
Head size mm
Lungh. tot. 61,8
Tot. Length mm

MP Ref: **2319** Nom. Ø mm **54** Spinotto dim. mm 15 X 45 X 10 BIC Piston pin dim. Dett. segmenti: qta x tipo x mat. 1 G30KB AC 0,80 Rings details: qty x type x mat. Anellino/Circlip 15 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC23195393	53,93	SP150450100YB4I	1 N0540008022530KBI	1	AN0B1512SET
PC23195394	53,94	SP150450100YB4I	1 N0540008022530KBI	1	AN0B1512SET
PC23195395	53,95	SP150450100YB4I	1 N0540008022530KBI	1	AN0B1512SET
PC23195396	53,96	SP150450100YB4I	1 N0540008022530KBI	1	AN0B1512SET

PESO STD / STD WEIGHT, TESTA
CONICA/TAPER HEAD 4°, RING 0,8
mm



Peso gr 129,7
Weight gr
Compressione 29
Compression mm
Mis. Testa C-1,8 4°
Head size mm
Lungh. tot. 61,8
Tot. Length mm

MP Ref: **2535** Nom. Ø mm **54** Spinotto dim. mm 15 X 45 X 10 BIC Piston pin dim. Dett. segmenti: qta x tipo x mat. 1 G30KB AC 0,80 Rings details: qty x type x mat. Anellino/Circlip 15 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC25355393	53,93	SP150450100YB4I	1 N0540008022530KBI	1	AN0B1512SET
PC25355394	53,94	SP150450100YB4I	1 N0540008022530KBI	1	AN0B1512SET
PC25355395	53,95	SP150450100YB4I	1 N0540008022530KBI	1	AN0B1512SET
PC25355396	53,96	SP150450100YB4I	1 N0540008022530KBI	1	AN0B1512SET

Kart TM

2 TEMPI 2 STROKES

KZ 10 B-C 2016 2017

1. STANDARD
O.C.
TESTA CONICA/TAPER HEAD 4°


Peso gr 126
Weight gr
Compressione 29
Compression mm
Mis. Testa C - 4°
Head size mm
Lungh. tot. 61,8
Tot. Length mm

MP Ref:
Nom. Ø mm
EW 2629
54
**Spinotto dim. mm
Piston pin dim.**

15 X 45 X 10 BIC

**Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.**

1 G30KB AC 1,00


Anellino/Circlip

15 SB FILO 1.2

**Codice KIT
PISTONE**
Ø mm
**Cod. SPINOTTO
PIN code**
**Codice Segmenti
Piston rings code**
**AN.Qta
CLIPQty**
**Cod. SERIE
anellino**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC26295393	53,93	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET
PC26295394	53,94	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET
PC26295395	53,95	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET
PC26295396	53,96	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET

2. SPORT
O.C.
LIGHT VERSION


Peso gr
Weight gr
Compressione 29
Compression mm
Mis. Testa C - 4°
Head size mm
Lungh. tot. 61,8
Tot. Length mm

MP Ref:
Nom. Ø mm
EW 2630
54
**Spinotto dim. mm
Piston pin dim.**

15 X 45 X 10 BIC

**Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.**

1 G30KB AC 1,00


Anellino/Circlip

15 SB FILO 1.2

**Codice KIT
PISTONE**
Ø mm
**Cod. SPINOTTO
PIN code**
**Codice Segmenti
Piston rings code**
**AN.Qta
CLIPQty**
**Cod. SERIE
anellino**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC26305393	53,93	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET
PC26305394	53,94	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET
PC26305395	53,95	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET
PC26305396	53,96	SP150450100YB4I	1 N0540010022530KBI	1	AN0B1512SET

3. RACING
O.C.
**LIGHT VERSION, TESTA
CONICA/TAPER HEAD 4°, RING 0.8
MM.**


Peso gr
Weight gr
Compressione 29
Compression mm
Mis. Testa C - 4°
Head size mm
Lungh. tot. 61,8
Tot. Length mm

MP Ref:
Nom. Ø mm
EW 2631
54
**Spinotto dim. mm
Piston pin dim.**

15 X 45 X 10 BIC

**Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.**

1 G30KB AC 0,80


Anellino/Circlip

15 SB FILO 1.2

**Codice KIT
PISTONE**
Ø mm
**Cod. SPINOTTO
PIN code**
**Codice Segmenti
Piston rings code**
**AN.Qta
CLIPQty**
**Cod. SERIE
anellino**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC26315393	53,93	SP150450100YB4I	1 N0540008022530KBI	1	AN0B1512SET
PC26315394	53,94	SP150450100YB4I	1 N0540008022530KBI	1	AN0B1512SET
PC26315395	53,95	SP150450100YB4I	1 N0540008022530KBI	1	AN0B1512SET
PC26315396	53,96	SP150450100YB4I	1 N0540008022530KBI	1	AN0B1512SET

Kart TM

2 TEMPI 2 STROKES

OK - OK JUNIOR 2016

1. STANDARD


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2529	54	15 X 41 X 10 BIC	1 L2KB SF 1,70	15 SB FILO 1.2
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston ring code	AN.Qta CLIPQty

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston ring code	AN.Qta CLIPQty	Cod. SERIE anellino
PC25295383	53,83	SP150410100KBI	1 S0539517025032KB2295I	1	ANOB1512SET
PC25295385	53,85	SP150410100KBI	1 S0539517025032KB2295I	1	ANOB1512SET
PC25295386	53,86	SP150410100KBI	1 S0540017025032KB2295I	1	ANOB1512SET
PC25295388	53,88	SP150410100KBI	1 S0540017025032KB2295I	1	ANOB1512SET
PC25295389	53,89	SP150410100KBI	1 S0540017025032KB2295I	1	ANOB1512SET
PC25295390	53,9	SP150410100KBI	1 S0540517025032KB2295I	1	ANOB1512SET
PC25295392	53,92	SP150410100KBI	1 S0540517025032KB2295I	1	ANOB1512SET
PC25295393	53,93	SP150410100KBI	1 S0540517025032KB2295I	1	ANOB1512SET
PC25295394	53,94	SP150410100KBI	1 S0540517025032KB2295I	1	ANOB1512SET
PC25295395	53,95	SP150410100KBI	1 S0540517025032KB2295I	1	ANOB1512SET
PC25295396	53,96	SP150410100KBI	1 S0541017025032KB2295I	1	ANOB1512SET
PC25295398	53,98	SP150410100KBI	1 S0541017025032KB2295I	1	ANOB1512SET
PC25295399	53,99	SP150410100KBI	1 S0541017025032KB2295I	1	ANOB1512SET
PC25295400	54	SP150410100KBI	1 S0541017025032KB2295I	1	ANOB1512SET

Peso gr 114
Weight gr
Compressione 29
Compression mm
Mis. Testa C. 4°
Head size mm
Lungh. tot. 61,7
Tot. Length mm

**ATTENZIONE: MISURE
DIAMETRI (Ø mm)
PRIMA DEL RIPOORTO.
ATTENTION! DIAMETER
DIMENSIONS (Ø mm)
ARE PRIOR TO COATING.**

Kart VORTEX

2 TEMPI 2 STROKES

MINI

1. STANDARD


Peso gr 63
Weight gr
Compressione 23,1
Compression mm
Mis. Testa C-2,4
Head size mm
Lungh. tot. 49
Tot. Length mm

MP Ref: **2011** Nom. Ø mm **42** Spinotto dim. mm Piston pin dim. **12 X 35 X 8 BIC** Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. **1 L2KB SF 1,50** Anellino/Circlip **12 SB FILO 1.0**

Codice KIT PISTONE Ø mm Cod. SPINOTTO PIN code Codice Segmenti Piston rings code AN.Qta CLIPQty Cod. SERIE anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC20114173	41,73	SP120350080KBI	1 S0418015021532KB2660I	1	ANOB1210SET
PC20114175	41,75	SP120350080KBI	1 S0418015021532KB2660I	1	ANOB1210SET
PC20114177	41,77	SP120350080KBI	1 S0418515021532KB2660I	1	ANOB1210SET
PC20114179	41,79	SP120350080KBI	1 S0418515021532KB2660I	1	ANOB1210SET
PC20114181	41,81	SP120350080KBI	1 S0419015021532KB2660I	1	ANOB1210SET
PC20114183	41,83	SP120350080KBI	1 S0419015021532KB2660I	1	ANOB1210SET
PC20114185	41,85	SP120350080KBI	1 S0419015021532KB2660I	1	ANOB1210SET
PC20114187	41,87	SP120350080KBI	1 S0419515021532KB2660I	1	ANOB1210SET
PC20114189	41,89	SP120350080KBI	1 S0419515021532KB2660I	1	ANOB1210SET
PC20114191	41,91	SP120350080KBI	1 S0420015021532KB2660I	1	ANOB1210SET
PC20114193	41,93	SP120350080KBI	1 S0420015021532KB2660I	1	ANOB1210SET
PC20114195	41,95	SP120350080KBI	1 S0420015021532KB2660I	1	ANOB1210SET
PC20114197	41,97	SP120350080KBI	1 S0420515021532KB2660I	1	ANOB1210SET
PC20114199	41,99	SP120350080KBI	1 S0420515021532KB2660I	1	ANOB1210SET
PC20114201	42,01	SP120350080KBI	1 S0421015021532KB2660I	1	ANOB1210SET
PC20114203	42,03	SP120350080KBI	1 S0421015021532KB2660I	1	ANOB1210SET
PC20114205	42,05	SP120350080KBI	1 S0421015021532KB2660I	1	ANOB1210SET
PC20114208	42,08	SP120350080KBI	1 S0421515021532KB2660I	1	ANOB1210SET
PC20114210	42,1	SP120350080KBI	1 S0421515021532KB2660I	1	ANOB1210SET

Kart VORTEX

2 TEMPI 2 STROKES

RVA

1. STANDARD
O.C.


Peso gr 100,5
Weight gr
Compressione 26
Compression mm
Mis. Testa B-4
Head size mm
Lungh. tot. 58
Tot. Length mm

**NUOVE MISURE! NEW
SIZES ADDED! Ø 50,18 ÷
51,00 mm**

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip	
1712	50	14 X 40 X 9.5	1 LKP SF 1,50	14 SB FILO 1.0	
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC17124990	49,9	SP140400095KI	1 S0500015021031KP1356I	1	ANOB1410SET
PC17124992	49,92	SP140400095KI	1 S0500015021031KP1356I	1	ANOB1410SET
PC17124994	49,94	SP140400095KI	1 S0500515021031KP1356I	1	ANOB1410SET
PC17124996	49,96	SP140400095KI	1 S0501015021031KP1356I	1	ANOB1410SET
PC17124998	49,98	SP140400095KI	1 S0501015021031KP1356I	1	ANOB1410SET
PC17125000	50	SP140400095KI	1 S0501015021031KP1356I	1	ANOB1410SET
PC17125002	50,02	SP140400095KI	1 S0501015021031KP1356I	1	ANOB1410SET
PC17125004	50,04	SP140400095KI	1 S0501515021031KP1356I	1	ANOB1410SET
PC17125006	50,06	SP140400095KI	1 S0501515021031KP1356I	1	ANOB1410SET
PC17125008	50,08	SP140400095KI	1 S0501515021031KP1356I	1	ANOB1410SET
PC17125010	50,1	SP140400095KI	1 S0501515021031KP1356I	1	ANOB1410SET
PC17125012	50,12	SP140400095KI	1 S0502015021031KP1356I	1	ANOB1410SET
PC17125014	50,14	SP140400095KI	1 S0502515021031KP1356I	1	ANOB1410SET
PC17125016	50,16	SP140400095KI	1 S0502515021031KP1356I	1	ANOB1410SET
PC17125018	50,18	SP140400095KI	1 S0503015021031KP1356I	1	ANOB1410SET
PC17125020	50,2	SP140400095KI	1 S0503015021031KP1356I	1	ANOB1410SET
PC17125022	50,22	SP140400095KI	1 S0503015021031KP1356I	1	ANOB1410SET
PC17125024	50,24	SP140400095KI	1 S0503515021031KP1356I	1	ANOB1410SET
PC17125026	50,26	SP140400095KI	1 S0503515021031KP1356I	1	ANOB1410SET
PC17125028	50,28	SP140400095KI	1 S0504015021031KP1356I	1	ANOB1410SET
PC17125030	50,3	SP140400095KI	1 S0504015021031KP1356I	1	ANOB1410SET
PC17125032	50,32	SP140400095KI	1 S0504015021031KP1356I	1	ANOB1410SET
PC17125034	50,34	SP140400095KI	1 S0504015021031KP1356I	1	ANOB1410SET
PC17125036	50,36	SP140400095KI	1 S0505015021031KP1356I	1	ANOB1410SET
PC17125040	50,4	SP140400095KI	1 S0505015021031KP1356I	1	ANOB1410SET
PC17125045	50,45	SP140400095KI	1 S0506015021031KP1356I	1	ANOB1410SET
PC17125050	50,5	SP140400095KI	1 S0506015021031KP1356I	1	ANOB1410SET
PC17125055	50,55	SP140400095KI	1 S0507015021031KP1356I	1	ANOB1410SET
PC17125060	50,6	SP140400095KI	1 S0507015021031KP1356I	1	ANOB1410SET
PC17125070	50,7	SP140400095KI	1 S0508015021031KP1356I	1	ANOB1410SET
PC17125080	50,8	SP140400095KI	1 S0509015021031KP1356I	1	ANOB1410SET
PC17125090	50,9	SP140400095KI	1 S0510015021031KP1356I	1	ANOB1410SET
PC17125100	51	SP140400095KI	1 S0511015021031KP1356I	1	ANOB1410SET

Kart VORTEX

2 TEMPI 2 STROKES

KF 2011

1. STANDARD


MP Ref: **2045** **Nom. Ø mm** **54** **Spinotto dim. mm** **15 X 45 X 10 BIC** **Dett. segmenti: qta x tipo x mat.** **1 L2KP SF 1,50** **Anellino/Circlip** **15 SB FILO 1.0**
Piston pin dim. **Rings details: qty x type x mat.**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC20455380	53,8	SP150450100YB4I	1 S0539015025032KP2283I	1	ANOB1510SET
PC20455382	53,82	SP150450100YB4I	1 S0539015025032KP2283I	1	ANOB1510SET
PC20455384	53,84	SP150450100YB4I	1 S0539515025032KP2283I	1	ANOB1510SET
PC20455386	53,86	SP150450100YB4I	1 S0539515025032KP2283I	1	ANOB1510SET
PC20455388	53,88	SP150450100YB4I	1 S0540015025032KP2283I	1	ANOB1510SET
PC20455390	53,9	SP150450100YB4I	1 S0540015025032KP2283I	1	ANOB1510SET
PC20455392	53,92	SP150450100YB4I	1 S0540515025032KP2283I	1	ANOB1510SET
PC20455394	53,94	SP150450100YB4I	1 S0540515025032KP2283I	1	ANOB1510SET
PC20455396	53,96	SP150450100YB4I	1 S0540515025032KP2283I	1	ANOB1510SET
PC20455398	53,98	SP150450100YB4I	1 S0541015025032KP2283I	1	ANOB1510SET
PC20455400	54	SP150450100YB4I	1 S0541015025032KP2283I	1	ANOB1510SET
PC20455402	54,02	SP150450100YB4I	1 S0541015025032KP2283I	1	ANOB1510SET
PC20455404	54,04	SP150450100YB4I	1 S0541515025032KP2283I	1	ANOB1510SET
PC20455406	54,06	SP150450100YB4I	1 S0541515025032KP2283I	1	ANOB1510SET
PC20455408	54,08	SP150450100YB4I	1 S0542015025032KP2283I	1	ANOB1510SET
PC20455410	54,1	SP150450100YB4I	1 S0542015025032KP2283I	1	ANOB1510SET
PC20455412	54,12	SP150450100YB4I	1 S0542015025032KP2283I	1	ANOB1510SET
PC20455414	54,14	SP150450100YB4I	1 S0542515025032KP2283I	1	ANOB1510SET
PC20455416	54,16	SP150450100YB4I	1 S0542515025032KP2283I	1	ANOB1510SET

Peso gr 128,3
Weight gr
Compressione 29
Compression mm
Mis. Testa C-2,2
Head size mm
Lungh. tot. 62,2
Tot. Length mm

Kart VORTEX

2 TEMPI 2 STROKES

KF RAD 2012

2. SPORT
LIGHT VERSION


Peso gr 121,4
Weight gr
Compressione 29,1
Compression mm
Mis. Testa C-1,9
Head size mm
Lungh. tot. 62
Tot. Length mm

MP Ref: **2221** Nom. Ø mm **54** Spinotto dim. mm 15 X 45 X 10 BIC Piston pin dim. Dett. segmenti: qta x tipo x mat. 1 L2KP SF 1,50 Rings details: qty x type x mat. Anellino/Circlip 15 SB FILO 1.0


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC22215380	53,8	SP150450100YB4I	1 S0539015025032KP2283I	1	ANOB1510SET
PC22215382	53,82	SP150450100YB4I	1 S0539515025032KP2283I	1	ANOB1510SET
PC22215384	53,84	SP150450100YB4I	1 S0539515025032KP2283I	1	ANOB1510SET
PC22215386	53,86	SP150450100YB4I	1 S0539515025032KP2283I	1	ANOB1510SET
PC22215388	53,88	SP150450100YB4I	1 S0540015025032KP2283I	1	ANOB1510SET
PC22215390	53,9	SP150450100YB4I	1 S0540015025032KP2283I	1	ANOB1510SET
PC22215392	53,92	SP150450100YB4I	1 S0540515025032KP2283I	1	ANOB1510SET
PC22215394	53,94	SP150450100YB4I	1 S0540515025032KP2283I	1	ANOB1510SET
PC22215396	53,96	SP150450100YB4I	1 S0540515025032KP2283I	1	ANOB1510SET
PC22215398	53,98	SP150450100YB4I	1 S0541015025032KP2283I	1	ANOB1510SET
PC22215400	54	SP150450100YB4I	1 S0541015025032KP2283I	1	ANOB1510SET
PC22215402	54,02	SP150450100YB4I	1 S0541515025032KP2283I	1	ANOB1510SET
PC22215404	54,04	SP150450100YB4I	1 S0541515025032KP2283I	1	ANOB1510SET
PC22215406	54,06	SP150450100YB4I	1 S0541515025032KP2283I	1	ANOB1510SET
PC22215408	54,08	SP150450100YB4I	1 S0542015025032KP2283I	1	ANOB1510SET
PC22215410	54,1	SP150450100YB4I	1 S0542015025032KP2283I	1	ANOB1510SET
PC22215412	54,12	SP150450100YB4I	1 S0542515025032KP2283I	1	ANOB1510SET
PC22215414	54,14	SP150450100YB4I	1 S0542515025032KP2283I	1	ANOB1510SET

Kart VORTEX

2 TEMPI 2 STROKES

KF RKF

2013 2014
1. STANDARD


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2277	54	15 X 45 X 10 BIC	1 LKP SF 1,50 	15 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston ring code	AN.Qta CLIPQty
			SF 1,50	Cod. SERIE anellino

Peso gr 116,1
Weight gr
Compressione 29,1
Compression mm
Mis. Testa TC-1,2
Head size mm
Lungh. tot. 61,3
Tot. Length mm

PC22775384	53,84	SP150450100YB4I	1 S0539515023531K2571I	1 ANOB1510SET
PC22775386	53,86	SP150450100YB4I	1 S0539515023531K2571I	1 ANOB1510SET
PC22775388	53,88	SP150450100YB4I	1 S0540015023531KP2571I	1 ANOB1510SET
PC22775390	53,9	SP150450100YB4I	1 S0540015023531KP2571I	1 ANOB1510SET
PC22775392	53,92	SP150450100YB4I	1 S0540515023531KP2571I	1 ANOB1510SET
PC22775394	53,94	SP150450100YB4I	1 S0540515023531KP2571I	1 ANOB1510SET
PC22775396	53,96	SP150450100YB4I	1 S0540515023531KP2571I	1 ANOB1510SET
PC22775398	53,98	SP150450100YB4I	1 S0541015023531KP2571I	1 ANOB1510SET
PC22775400	54	SP150450100YB4I	1 S0541015023531KP2571I	1 ANOB1510SET
PC22775402	54,02	SP150450100YB4I	1 S0541515023531KP2571I	1 ANOB1510SET
PC22775404	54,04	SP150450100YB4I	1 S0541515023531KP2571I	1 ANOB1510SET
PC22775406	54,06	SP150450100YB4I	1 S0541515023531KP2571I	1 ANOB1510SET
PC22775408	54,08	SP150450100YB4I	1 S0542015023531KP2571I	1 ANOB1510SET
PC22775410	54,1	SP150450100YB4I	1 S0542015023531KP2571I	1 ANOB1510SET
PC22775412	54,12	SP150450100YB4I	1 S0542515023531KP2571I	1 ANOB1510SET
PC22775414	54,14	SP150450100YB4I	1 S0542515023531KP2571I	1 ANOB1510SET
PC22775416	54,16	SP150450100YB4I	1 S0542515023531KP2571I	1 ANOB1510SET
PC22775418	54,18	SP150450100YB4I	1 S0543015023531KP2571I	1 ANOB1510SET

Kart
VORTEX
2 TEMPI 2 STROKES
KZ RV-RVS
2014
1. STANDARD


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2074	54	15 X 45 X 10 BIC	1	G30KB AC	1,00	15 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code			AN.Qta CLIPQty
						Cod. SERIE anellino
PC20745391	53,91	SP150450100YB4I	1	N0540010022530KBI		1 ANOB1510SET
PC20745392	53,92	SP150450100YB4I	1	N0540010022530KBI		1 ANOB1510SET
PC20745393	53,93	SP150450100YB4I	1	N0540010022530KBI		1 ANOB1510SET
PC20745394	53,94	SP150450100YB4I	1	N0540010022530KBI		1 ANOB1510SET
PC20745395	53,95	SP150450100YB4I	1	N0540010022530KBI		1 ANOB1510SET
PC20745396	53,96	SP150450100YB4I	1	N0540010022530KBI		1 ANOB1510SET
PC20745397	53,97	SP150450100YB4I	1	N0540010022530KBI		1 ANOB1510SET
PC20745398	53,98	SP150450100YB4I	1	N0540010022530KBI		1 ANOB1510SET

Peso gr 127,7
Weight gr
Compressione 29
Compression mm
Mis. Testa C-2,1
Head size mm
Lungh. tot. 62,1
Tot. Length mm

2. SPORT
LIGHT VERSION


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.			Anellino/Circlip
2220	54	15 X 45 X 10 BIC	1	G30KB AC	1,00	15 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code			AN.Qta CLIPQty
						Cod. SERIE anellino
PC22205391	53,91	SP150450100YB4I	1	N0540010022530KBI		1 ANOB1510SET
PC22205392	53,92	SP150450100YB4I	1	N0540010022530KBI		1 ANOB1510SET
PC22205393	53,93	SP150450100YB4I	1	N0540010022530KBI		1 ANOB1510SET
PC22205394	53,94	SP150450100YB4I	1	N0540010022530KBI		1 ANOB1510SET
PC22205395	53,95	SP150450100YB4I	1	N0540010022530KBI		1 ANOB1510SET
PC22205396	53,96	SP150450100YB4I	1	N0540010022530KBI		1 ANOB1510SET
PC22205397	53,97	SP150450100YB4I	1	N0540010022530KBI		1 ANOB1510SET
PC22205398	53,98	SP150450100YB4I	1	N0540010022530KBI		1 ANOB1510SET

Peso gr 118,1
Weight gr
Compressione 29
Compression mm
Mis. Testa C-2,1
Head size mm
Lungh. tot. 62,1
Tot. Length mm

Kart VORTEX

2 TEMPI 2 STROKES

ROK

1. STANDARD


Peso gr 120
Weight gr
Compressione 29,6
Compression mm
Mis. Testa C-4,4
Head size mm
Lungh. tot. 63
Tot. Length mm

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2113	54	14 X 45 X 9 BIC	1 G30KB AC 1,00	14 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC21135395	53,95	SP140450090KBI	1 N0541010022030KBI	1 ANOB1410SET
PC21135397	53,97	SP140450090KBI	1 N0541010022030KBI	1 ANOB1410SET
PC21135399	53,99	SP140450090KBI	1 N0541010022530KBI	1 ANOB1410SET
PC21135401	54,01	SP140450090KBI	1 N0541010022530KBI	1 ANOB1410SET
PC21135403	54,03	SP140450090KBI	1 N0541510022530KBI	1 ANOB1410SET
PC21135405	54,05	SP140450090KBI	1 N0541510022530KBI	1 ANOB1410SET
PC21135407	54,07	SP140450090KBI	1 N0542010022530KBI	1 ANOB1410SET
PC21135409	54,09	SP140450090KBI	1 N0542010022530KBI	1 ANOB1410SET
PC21135411	54,11	SP140450090KBI	1 N0542010022530KBI	1 ANOB1410SET
PC21135413	54,13	SP140450090KBI	1 N0542510022530KBI	1 ANOB1410SET
PC21135415	54,15	SP140450090KBI	1 N0542510022530KBI	1 ANOB1410SET
PC21135417	54,17	SP140450090KBI	1 N0542510022530KBI	1 ANOB1410SET
PC21135419	54,19	SP140450090KBI	1 N0542510022530KBI	1 ANOB1410SET
PC21135421	54,21	SP140450090KBI	1 N0542510022530KBI	1 ANOB1410SET

SUPER ROK

1. STANDARD


Peso gr 120,4
Weight gr
Compressione 29,6
Compression mm
Mis. Testa C-4,4
Head size mm
Lungh. tot. 63
Tot. Length mm

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2112	54	14 X 45 X 9 BIC	1 G30KB AC 1,00	14 SB FILO 1.0
Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty Cod. SERIE anellino
PC21125395	53,95	SP140450090KBI	1 N0541010022030KBI	1 ANOB1410SET
PC21125397	53,97	SP140450090KBI	1 N0541010022030KBI	1 ANOB1410SET
PC21125399	53,99	SP140450090KBI	1 N0541510022530KBI	1 ANOB1410SET
PC21125401	54,01	SP140450090KBI	1 N0541510022530KBI	1 ANOB1410SET
PC21125403	54,03	SP140450090KBI	1 N0541510022530KBI	1 ANOB1410SET
PC21125405	54,05	SP140450090KBI	1 N0542010022530KBI	1 ANOB1410SET
PC21125407	54,07	SP140450090KBI	1 N0542010022530KBI	1 ANOB1410SET
PC21125409	54,09	SP140450090KBI	1 N0542510022530KBI	1 ANOB1410SET
PC21125411	54,11	SP140450090KBI	1 N0542510022530KBI	1 ANOB1410SET
PC21125413	54,13	SP140450090KBI	1 N0542510022530KBI	1 ANOB1410SET
PC21125415	54,15	SP140450090KBI	1 N0542510022530KBI	1 ANOB1410SET
PC21125417	54,17	SP140450090KBI	1 N0542510022530KBI	1 ANOB1410SET
PC21125419	54,19	SP140450090KBI	1 N0542510022530KBI	1 ANOB1410SET
PC21125421	54,21	SP140450090KBI	1 N0542510022530KBI	1 ANOB1410SET

Kart XTR

2 TEMPI 2 STROKES

KF

1. STANDARD


MP Ref: **2067** **Nom. Ø mm** **54** **Spinotto dim. mm** **14 X 45 X 9 BIC** **Dett. segmenti: qta x tipo x mat.** **1 L2KB SF 1,70** **Anellino/Circlip** **14 SB FILO 1.0**
Piston pin dim. **Rings details: qty x type x mat.**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC20675377	53,77	SP140450090KBI	1 S0539017025032KB2295I	1	ANOB1410SET
PC20675379	53,79	SP140450090KBI	1 S0539017025032KB2295I	1	ANOB1410SET
PC20675381	53,81	SP140450090KBI	1 S0539017025032KB2295I	1	ANOB1410SET
PC20675383	53,83	SP140450090KBI	1 S0539517025032KB2295I	1	ANOB1410SET
PC20675385	53,85	SP140450090KBI	1 S0539517025032KB2295I	1	ANOB1410SET
PC20675387	53,87	SP140450090KBI	1 S0540017025032KB2295I	1	ANOB1410SET
PC20675389	53,89	SP140450090KBI	1 S0540017025032KB2295I	1	ANOB1410SET
PC20675391	53,91	SP140450090KBI	1 S0540017025032KB2295I	1	ANOB1410SET
PC20675393	53,93	SP140450090KBI	1 S0540517025032KB2295I	1	ANOB1410SET
PC20675395	53,95	SP140450090KBI	1 S0540517025032KB2295I	1	ANOB1410SET
PC20675397	53,97	SP140450090KBI	1 S0541017025032KB2295I	1	ANOB1410SET
PC20675399	53,99	SP140450090KBI	1 S0541017025032KB2295I	1	ANOB1410SET
PC20675401	54,01	SP140450090KBI	1 S0541017025032KB2295I	1	ANOB1410SET

Peso gr 129,8
Weight gr
Compressione 30
Compression mm
Mis. Testa C-3,8
Head size mm
Lungh. tot. 62,8
Tot. Length mm

Motocross - Off-road - Quad
BETAMOTOR
2 TEMPI 2 STROKES
RR 2T 250
2013 2015
1. STANDARD


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2481	66,4	18 X 56 X 13	2 G30KB AC 1,00 	18 SB FILO 1.5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2481A	66,34	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1815SET
PC2481B	66,35	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1815SET
PC2481C	66,36	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1815SET
PC2481D	66,37	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1815SET

Compressione 38
Compression mm
Mis. Testa B-3,7
Head size mm
Lungh. tot. 79,2
Tot. Length mm

RR 2T 300
2013 2015
1. STANDARD


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2485	72	18 X 56 X 13	2 G30KB AC 1,00 	18 SB FILO 1.5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2485A	71,94	SP180560130Y4I	2 N0720010026530KBI	1	ANOB1815SET
PC2485B	71,95	SP180560130Y4I	2 N0720010026530KBI	1	ANOB1815SET
PC2485C	71,96	SP180560130Y4I	2 N0720010026530KBI	1	ANOB1815SET
PC2485D	71,97	SP180560130Y4I	2 N0720010026530KBI	1	ANOB1815SET

Compressione 38
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 75,5
Tot. Length mm

Motocross - Off-road - Quad
CAGIVA
2 TEMPI 2 STROKES
125cc.
1984 1988
1. STANDARD

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1759	56	16 X 43 X 9 BIC	1 G30KB AC 1,00 	16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1759A	55,95	SP160430090KBI	1 N0560010022530KBI	1	ANOB1612SET
PC1759000	56	SP160430090KBI	1 N0560010022530KBI	1	ANOB1612SET
PC1759050	56,5	SP160430090KBI	1 N0560010022530KBI	1	ANOB1612SET
PC1759100	57	SP160430090KBI	1 N0560010022530KBI	1	ANOB1612SET

**DISPONIBILE FINO AD
ESAURIMENTO STOCK /
AVAILABLE UNTIL
STOCK CLEARANCE.**

Compressione 30
 Compression mm
 Mis. Testa B-3
 Head size mm
 Lungh. tot. 65
 Tot. Length mm

Motocross - Off-road - Quad

COBRA

2 TEMPI 2 STROKES

CX50 JR - CX50 SR

2006 2015
1. STANDARD

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2488	39	12 X 31.5 X 8	2 G30KB AC 1,00 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2488A	39	SP120315080HI	2 N0390010016530KBI	1	AN0B1210SET
PC2488B	39	SP120315080HI	2 N0390010016530KBI	1	AN0B1210SET
PC2488C	39	SP120315080HI	2 N0390010016530KBI	1	AN0B1210SET

Compressione 23,45
Compression mm
Mis. Testa B-1,45
Head size mm
Lungh. tot. 45,9
Tot. Length mm

CX65

2007 2009
1. STANDARD

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2490	44,5	12 X 38 X 8	2 G30KB AC 1,00 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2490A	44,5	SP120380080HI	2 N0445010018530KBI	1	AN0B1210SET
PC2490B	44,5	SP120380080HI	2 N0445010018530KBI	1	AN0B1210SET
PC2490C	44,5	SP120380080HI	2 N0445010018530KBI	1	AN0B1210SET

Compressione 23,45
Compression mm
Mis. Testa B-1,9
Head size mm
Lungh. tot. 46,35
Tot. Length mm

CX65

2010 2011
1. STANDARD

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2489	43	12 X 35 X 8	2 G30KP SF 1,00 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2489A	43	SP120350080HI	2 S0430010018030KPI	1	AN0B1210SET
PC2489B	43	SP120350080HI	2 S0430010018030KPI	1	AN0B1210SET
PC2489C	43	SP120350080HI	2 S0430010018030KPI	1	AN0B1210SET

Compressione 23,45
Compression mm
Mis. Testa B-1,9
Head size mm
Lungh. tot. 49,2
Tot. Length mm

Motocross - Off-road - Quad
COBRA
2 TEMPI 2 STROKES
CX65
2012 2015
1. STANDARD
O.C.

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2490	44,5	12 X 38 X 8	2 G30KB AC 1,00 	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2490A	44,5	SP120380080HI	2 N0445010018530KBI	1	ANOB1210SET
PC2490B	44,5	SP120380080HI	2 N0445010018530KBI	1	ANOB1210SET
PC2490C	44,5	SP120380080HI	2 N0445010018530KBI	1	ANOB1210SET

Compressione 23,45
 Compression mm
 Mis. Testa B-1,9
 Head size mm
 Lungh. tot. 46,35
 Tot. Length mm

Motocross - Off-road - Quad
GAS GAS
2 TEMPI 2 STROKES
EC - MC - MX 125 - HALLEY - SM
2004 2012
1. STANDARD

MP Ref: **2482** **Nom. Ø mm** **54** **Spinotto dim. mm** **15 X 45 X 10 BIC** **Piston pin dim.** **1 G30KB AC 1,00** **Dett. segmenti: qta x tipo x mat.** **1 G30KB AC 1,00** **Anellino/Circlip** **15 SB FILO 1.0**



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2482A	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC2482B	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC2482C	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC2482D	53,98	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC2482E	53,99	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET



Compressione **28**
 Compression mm
 Mis. Testa **p**
 Head size mm
 Lungh. tot. **58**
 Tot. Length mm

EC - MC - MX 125 - HALLEY - SM
2013 2015
1. STANDARD

MP Ref: **2483** **Nom. Ø mm** **54** **Spinotto dim. mm** **15 X 45 X 10 BIC** **Piston pin dim.** **1 G30KB AC 1,00** **Dett. segmenti: qta x tipo x mat.** **1 G30KB AC 1,00** **Anellino/Circlip** **15 SB FILO 1.0**



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2483A	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC2483B	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC2483C	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC2483D	53,98	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC2483E	53,99	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET



Compressione **28,6**
 Compression mm
 Mis. Testa **p**
 Head size mm
 Lungh. tot. **58,5**
 Tot. Length mm

EC 250
2015
1. STANDARD

MP Ref: **2484** **Nom. Ø mm** **66,4** **Spinotto dim. mm** **18 X 56 X 13** **Piston pin dim.** **2 G30KB AC 1,00** **Dett. segmenti: qta x tipo x mat.** **2 G30KB AC 1,00** **Anellino/Circlip** **18 SB FILO 1.2**



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2484A	66,33	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2484B	66,34	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2484C	66,35	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2484D	66,36	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET



Compressione **38,2**
 Compression mm
 Mis. Testa **B-3,8**
 Head size mm
 Lungh. tot. **79,5**
 Tot. Length mm

Motocross - Off-road - Quad
GAS GAS
2 TEMPI 2 STROKES
EC 300
2002 2018
1. STANDARD


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2510	72	18 X 56 X 13	2 G30KB AC 1,00 	18 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2510A	71,93	SP180560130Y4I	2 N0720010026530KBI	1	ANOB1812SET
PC2510B	71,94	SP180560130Y4I	2 N0720010026530KBI	1	ANOB1812SET
PC2510C	71,95	SP180560130Y4I	2 N0720010026530KBI	1	ANOB1812SET
PC2510D	71,96	SP180560130Y4I	2 N0720010026530KBI	1	ANOB1812SET

Compressione 38
 Compression mm
 Mis. Testa B-3,5
 Head size mm
 Lungh. tot. 79,5
 Tot. Length mm

Motocross - Off-road - Quad
HONDA
2 TEMPI 2 STROKES
CR 80
1990 2002
1. STANDARD

MP Ref: **1569** Nom. \varnothing mm **46** Spinotto dim. mm / Piston pin dim. **14 X 40 X 9.5** Dett. segmenti: qta x tipo x mat. / Rings details: qty x type x mat. **1 G30KB AC 1,00** Anellino/Circlip **14 SB FILO 1.0**



Codice KIT PISTONE	\varnothing mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1569A	45,95	SP140400095KI	1 N0460010018530KBI	1	ANOB1410SET
PC1569B	45,96	SP140400095KI	1 N0460010018530KBI	1	ANOB1410SET
PC1569C	45,97	SP140400095KI	1 N0460010018530KBI	1	ANOB1410SET
PC1569D	45,98	SP140400095KI	1 N0460010018530KBI	1	ANOB1410SET

Compressione **24**
 Compression mm
 Mis. Testa **B-2,3**
 Head size mm
 Lungh. tot. **53,3**
 Tot. Length mm

CR 80 USA
1990 2002
1. STANDARD

MP Ref: **1753** Nom. \varnothing mm **47** Spinotto dim. mm / Piston pin dim. **14 X 38 X 9.5** Dett. segmenti: qta x tipo x mat. / Rings details: qty x type x mat. **1 G30KB AC 1,00** Anellino/Circlip **14 SB FILO 1.0**



Codice KIT PISTONE	\varnothing mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1753A	46,94	SP140380095KI	1 N0470010018530KBI	1	ANOB1410SET
PC1753B	46,95	SP140380095KI	1 N0470010018530KBI	1	ANOB1410SET
PC1753C	46,96	SP140380095KI	1 N0470010018530KBI	1	ANOB1410SET
PC1753D	46,97	SP140380095KI	1 N0470010018530KBI	1	ANOB1410SET

Compressione **24**
 Compression mm
 Mis. Testa **B-2,3**
 Head size mm
 Lungh. tot. **53,3**
 Tot. Length mm

CR 85
2003 2007
1. STANDARD

MP Ref: **1814** Nom. \varnothing mm **47,5** Spinotto dim. mm / Piston pin dim. **14 X 40 X 9.5** Dett. segmenti: qta x tipo x mat. / Rings details: qty x type x mat. **1 G30KB AC 1,00** Anellino/Circlip **14 SB FILO 1.0**



Codice KIT PISTONE	\varnothing mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1814A	47,45	SP140370090KBI	1 N0475010018530KBI	1	ANOB1410SET
PC1814B	47,46	SP140370090KBI	1 N0475010018530KBI	1	ANOB1410SET
PC1814C	47,47	SP140370090KBI	1 N0475010018530KBI	1	ANOB1410SET
PC1814D	47,48	SP140370090KBI	1 N0475010018530KBI	1	ANOB1410SET

Compressione **24**
 Compression mm
 Mis. Testa **B-2,3**
 Head size mm
 Lungh. tot. **53,3**
 Tot. Length mm

Motocross - Off-road - Quad
HONDA
2 TEMPI 2 STROKES
CR 125
1992 1999
1. STANDARD
Fermo segm. laterale/ Shifted ring stopper


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1518	54	15 X 45 X 10 BIC	1 G30KB AC 1,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1518A	53,93	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1518B	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1518C	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1518D	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1518E	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

Compressione 28
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 58
Tot. Length mm

CR 125
2000 2003
1. STANDARD
Con finestra/with port


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1853	54	15 X 45 X 10 BIC	1 G30KB AC 1,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1853A	53,93	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1853B	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1853C	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1853D	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1853E	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

Compressione 28
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 58
Tot. Length mm

Motocross - Off-road - Quad
HONDA
2 TEMPI 2 STROKES
CR 125
2005 2007
1. STANDARD
Fermo segm. laterale - con finestra
/ Shifted ring stopper - with port

 Compressione 28
 Compression mm
 Mis. Testa B-2,6
 Head size mm
 Lungh. tot. 60,6
 Tot. Length mm

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1799	54	15 X 45 X 10 BIC	1 G30KB AC 1,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1799A	53,92	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1799B	53,93	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1799C	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1799D	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1799E	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

CRE 125
2005 2007
1. STANDARD
Fermo segm. laterale - con finestra
/ Shifted ring stopper - with port

 Compressione 28
 Compression mm
 Mis. Testa B-2,6
 Head size mm
 Lungh. tot. 60,6
 Tot. Length mm

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1799	54	15 X 45 X 10 BIC	1 G30KB AC 1,00 	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1799A	53,92	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1799B	53,93	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1799C	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1799D	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1799E	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

CR250 R 2T
1989 1994
1. STANDARD

 Compressione 38
 Compression mm
 Mis. Testa B-3,7
 Head size mm
 Lungh. tot. 79,2
 Tot. Length mm

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2380	66,4	18 X 56 X 13	2 G30KB AC 1,00 	18 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2380A	66,34	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2380B	66,35	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2380C	66,36	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2380D	66,37	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET

Motocross - Off-road - Quad
HONDA
2 TEMPI 2 STROKES
CR250 R 2T
1995 1996
1. STANDARD

MP Ref: **2381** **Nom. Ø mm** **66,4** **Spinotto dim. mm** **18 X 56 X 13** **Dett. segmenti: qta x tipo x mat.** **2 G30KB AC 1,00** **Anellino/Circlip** **18 SB FILO 1.2**
Piston pin dim. **Rings details: qty x type x mat.**



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2381A	66,34	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2381B	66,35	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2381C	66,36	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2381D	66,37	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET

Compressione 38
Compression mm
Mis. Testa B-3,7
Head size mm
Lungh. tot. 79,2
Tot. Length mm

CR250 R 2T
1997 2001
1. STANDARD

MP Ref: **2382** **Nom. Ø mm** **66,4** **Spinotto dim. mm** **18 X 56 X 13** **Dett. segmenti: qta x tipo x mat.** **2 G30KB AC 1,00** **Anellino/Circlip** **18 SB FILO 1.2**
Piston pin dim. **Rings details: qty x type x mat.**



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2382A	66,34	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2382B	66,35	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2382C	66,36	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2382D	66,37	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET

Compressione 38
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 75,6
Tot. Length mm

CR250 R 2T
2002 2004
1. STANDARD

MP Ref: **2383** **Nom. Ø mm** **66,4** **Spinotto dim. mm** **18 X 56 X 13** **Dett. segmenti: qta x tipo x mat.** **2 G30KB AC 1,00** **Anellino/Circlip** **18 SB FILO 1.2**
Piston pin dim. **Rings details: qty x type x mat.**



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2383A	66,34	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2383B	66,35	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2383C	66,36	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2383D	66,37	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET

Compressione 38
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 75,5
Tot. Length mm

Motocross - Off-road - Quad
HONDA
2 TEMPI 2 STROKES
CR250 R 2T
2005 2007
1. STANDARD

MP Ref: **2384** **Nom. Ø mm** **66,4** **Spinotto dim. mm** **18 X 56 X 13** **Dett. segmenti: qta x tipo x mat.** **1 G30KB AC 1,00** **Anellino/Circlip** **18 SB FILO 1.2**
Piston pin dim. **Rings details: qty x type x mat.**



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2384A	66,34	SP180560130Y4I	1 N0664010024530KBI	1	ANOB1812SET
PC2384B	66,35	SP180560130Y4I	1 N0664010024530KBI	1	ANOB1812SET
PC2384C	66,36	SP180560130Y4I	1 N0664010024530KBI	1	ANOB1812SET
PC2384D	66,37	SP180560130Y4I	1 N0664010024530KBI	1	ANOB1812SET

Compressione 38,2
Compression mm
Mis. Testa B-3,6
Head size mm
Lungh. tot. 78,8
Tot. Length mm

4 TEMPI 4 STROKES
CRF 250R
2006 2009
1. STANDARD
O.C.
13,1:1

MP Ref: **2086** **Nom. Ø mm** **78** **Spinotto dim. mm** **16 X 41.5 X 9 BIC** **Dett. segmenti: qta x tipo x mat.** **1 RAC AC 1,50** **Anellino/Circlip** **16 SB FILO 1.2**
Piston pin dim. **Rings details: qty x type x mat.** **ws**
1 C1KB AC 0,80



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2086A	77,95	SP160415090KBI	1 WSMOT780002I	1	ANOB1612SET
PC2086B	77,96	SP160415090KBI	1 WSMOT780002I	1	ANOB1612SET
PC2086C	77,97	SP160415090KBI	1 WSMOT780002I	1	ANOB1612SET
PC2086D	77,98	SP160415090KBI	1 WSMOT780002I	1	ANOB1612SET

Compressione 19
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 32
Tot. Length mm

2. SPORT
H.C.
13,5:1

MP Ref: **2063** **Nom. Ø mm** **78** **Spinotto dim. mm** **16 X 41.5 X 9 BIC** **Dett. segmenti: qta x tipo x mat.** **1 RAC AC 1,50** **Anellino/Circlip** **16 SB FILO 1.2**
Piston pin dim. **Rings details: qty x type x mat.** **ws**
1 C1KB AC 0,80



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2063A	77,95	SP160415090KBI	1 WSMOT780002I	1	ANOB1612SET
PC2063B	77,96	SP160415090KBI	1 WSMOT780002I	1	ANOB1612SET
PC2063C	77,97	SP160415090KBI	1 WSMOT780002I	1	ANOB1612SET
PC2063D	77,98	SP160415090KBI	1 WSMOT780002I	1	ANOB1612SET

Compressione 19
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 35,1
Tot. Length mm

Motocross - Off-road - Quad
HONDA
4 TEMPI 4 STROKES
CRF 250R
2010 2013
1. STANDARD
O.C.
13,2:1

MP Ref: **2116** **Nom. Ø mm** **76,8**
Spinotto dim. mm
Piston pin dim.
 16 X 39 X 9 DIS.
 SP097 18NiCrMo5

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS
 1 C6NB AC 0,80
 1 RAC AC 1,50

Anellino/Circlip
 16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2116A	76,76	SP160390090KI	1 NSMOT768001	1	ANOB1612SET
PC2116B	76,77	SP160390090KI	1 NSMOT768001	1	ANOB1612SET
PC2116C	76,78	SP160390090KI	1 NSMOT768001	1	ANOB1612SET
PC2116D	76,79	SP160390090KI	1 NSMOT768001	1	ANOB1612SET

 Compressione 19
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 32,1
 Tot. Length mm

VERSIONE ORIGINALE/ORIGINAL
VERSION

MP Ref: **2162** **Nom. Ø mm** **76,8**
Spinotto dim. mm
Piston pin dim.
 16 X 40 X 9

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS
 1 C6NB AC 0,80
 1 RAC AC 1,50

Anellino/Circlip
 16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2162A	76,76	SP160400090K2I	1 NSMOT768001	1	ANOB1612SET
PC2162B	76,77	SP160400090K2I	1 NSMOT768001	1	ANOB1612SET
PC2162C	76,78	SP160400090K2I	1 NSMOT768001	1	ANOB1612SET
PC2162D	76,79	SP160400090K2I	1 NSMOT768001	1	ANOB1612SET

PREZZO
PROMOZIONALE FINO
AD ESAURIMENTO
STOCK/ PROMO PRICE
UNTIL STOCK
CLEARANCE.

 Compressione 19
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 32,3
 Tot. Length mm

Motocross - Off-road - Quad
HONDA
4 TEMPI 4 STROKES
CRF 250R
2010 2013
2. SPORT
H.C.
13,8:1
**VERSIONE ORIGINALE/ORIGINAL
VERSION**

MP Ref: **2163** **Nom. Ø mm** **76,8**
Spinotto dim. mm
Piston pin dim.
16 X 40 X 9
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS
1 C6NB AC 0,80
1 RAC AC 1,50

Anellino/Circlip
16 SB FILO 1.2
**Codice KIT
PISTONE**
Ø mm
**Cod. SPINOTTO
PIN code**
**Codice Segmenti
Piston rings code**
**AN.Qta
CLIPQty**
**Cod. SERIE
anellino**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2163A	76,76	SP160400090K2I	1 NSMOT768001	1	ANOB1612SET
PC2163B	76,77	SP160400090K2I	1 NSMOT768001	1	ANOB1612SET
PC2163C	76,78	SP160400090K2I	1 NSMOT768001	1	ANOB1612SET
PC2163D	76,79	SP160400090K2I	1 NSMOT768001	1	ANOB1612SET

**PREZZO
PROMOZIONALE FINO
AD ESAURIMENTO
STOCK/ PROMO PRICE
UNTIL STOCK
CLEARANCE.**
Compressione 19
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 33
Tot. Length mm

MP Ref: **2209** **Nom. Ø mm** **76,8**
Spinotto dim. mm
Piston pin dim.
**16 X 39 X 9 DIS.
SP097 18NiCrMo5**
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS
1 C6NB AC 0,80
1 RAC AC 1,50

Anellino/Circlip
16 SB FILO 1.2
**Codice KIT
PISTONE**
Ø mm
**Cod. SPINOTTO
PIN code**
**Codice Segmenti
Piston rings code**
**AN.Qta
CLIPQty**
**Cod. SERIE
anellino**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2209A	76,76	SP160390090KI	1 NSMOT768001	1	ANOB1612SET
PC2209B	76,77	SP160390090KI	1 NSMOT768001	1	ANOB1612SET

Compressione 19
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 33,1
Tot. Length mm

Motocross - Off-road - Quad
HONDA
4 TEMPI 4 STROKES
CRF 250R
2014 2015
1. STANDARD
O.C.
13,5:1
MP Ref: **Nom. Ø mm**
2398 **76,8**
Spinotto dim. mm
Piston pin dim.

16 X 38 X 10 BIC NITR

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	0,80
1	RAC	AC	1,50


Anellino/Circlip

16 SB FILO 1.2



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2398A	76,76	SP160380100ZF2I	1 NSMOT768001	1	ANOB1612SET
PC2398B	76,77	SP160380100ZF2I	1 NSMOT768001	1	ANOB1612SET
PC2398C	76,78	SP160380100ZF2I	1 NSMOT768001	1	ANOB1612SET

 Compressione 19,1
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 32,9
 Tot. Length mm

2. SPORT
H.C.
14,3:1
MP Ref: **Nom. Ø mm**
2399 **76,8**
Spinotto dim. mm
Piston pin dim.

16 X 38 X 10 BIC NITR

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	0,80
1	RAC	AC	1,50


Anellino/Circlip

16 SB FILO 1.2



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2399A	76,76	SP160380100ZF2I	1 NSMOT768001	1	ANOB1612SET
PC2399B	76,77	SP160380100ZF2I	1 NSMOT768001	1	ANOB1612SET
PC2399C	76,78	SP160380100ZF2I	1 NSMOT768001	1	ANOB1612SET

 Compressione 19,1
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 34,8
 Tot. Length mm

3. RACING
H.C.
14,3:1
SPINOTTO/PIN IN DLC
MP Ref: **Nom. Ø mm**
2400 **76,8**
Spinotto dim. mm
Piston pin dim.

 16 X 38 X 10 BIC
 NITR+DLC

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	0,80
1	RAC	AC	1,50


Anellino/Circlip

16 SB FILO 1.2



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2400A	76,76	SP160380100ZG2I	1 NSMOT768001	1	ANOB1612SET
PC2400B	76,77	SP160380100ZG2I	1 NSMOT768001	1	ANOB1612SET
PC2400C	76,78	SP160380100ZG2I	1 NSMOT768001	1	ANOB1612SET

 Compressione 19,1
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 34,8
 Tot. Length mm

Motocross - Off-road - Quad
HONDA
4 TEMPI 4 STROKES
CRF 250R
2016 2017
1. STANDARD
O.C.
13,8:1
MP Ref: **Nom. Ø mm**
2491 **76,8**
Spinotto dim. mm
Piston pin dim.
16 X 38 X 10 BIC NITR
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	0,80
1	RAC	AC	1,50


Anellino/Circlip
16 SB FILO 1.2


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2491A	76,76	SP160380100ZF2I	1 NSMOT768001	1	ANOB1612SET
PC2491B	76,77	SP160380100ZF2I	1 NSMOT768001	1	ANOB1612SET
PC2491C	76,78	SP160380100ZF2I	1 NSMOT768001	1	ANOB1612SET

Compressione 19,1
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 33,4
 Tot. Length mm

2. SPORT
H.C.
14,3:1
MP Ref: **Nom. Ø mm**
2492 **76,8**
Spinotto dim. mm
Piston pin dim.
16 X 38 X 10 BIC NITR
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	0,80
1	RAC	AC	1,50


Anellino/Circlip
16 SB FILO 1.2


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2492A	76,76	SP160380100ZF2I	1 NSMOT768001	1	ANOB1612SET
PC2492B	76,77	SP160380100ZF2I	1 NSMOT768001	1	ANOB1612SET
PC2492C	76,78	SP160380100ZF2I	1 NSMOT768001	1	ANOB1612SET

Compressione 19,1
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 35
 Tot. Length mm

3. RACING
H.C.
14,3:1
SPINOTTO/PIN IN DLC
MP Ref: **Nom. Ø mm**
2493 **76,8**
Spinotto dim. mm
Piston pin dim.
16 X 38 X 10 BIC NITR+DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	0,80
1	RAC	AC	1,50


Anellino/Circlip
16 SB FILO 1.2


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2493A	76,76	SP160380100ZG2I	1 NSMOT768001	1	ANOB1612SET
PC2493B	76,77	SP160380100ZG2I	1 NSMOT768001	1	ANOB1612SET
PC2493C	76,78	SP160380100ZG2I	1 NSMOT768001	1	ANOB1612SET

Compressione 19,1
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 35
 Tot. Length mm

Motocross - Off-road - Quad
HONDA
4 TEMPI 4 STROKES
CRF 250X
2004 2017
1. STANDARD
O.C.
12,9:1

MP Ref: **Nom. Ø mm**
2086 **78**
Spinotto dim. mm
Piston pin dim.
16 X 41.5 X 9 BIC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Anellino/Circlip
16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2086A	77,95	SP160415090KBI	1 WSMOT780002I	1	ANOB1612SET
PC2086B	77,96	SP160415090KBI	1 WSMOT780002I	1	ANOB1612SET
PC2086C	77,97	SP160415090KBI	1 WSMOT780002I	1	ANOB1612SET
PC2086D	77,98	SP160415090KBI	1 WSMOT780002I	1	ANOB1612SET

Compressione 19
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 32
Tot. Length mm
2. SPORT
H.C.
13,4:1

MP Ref: **Nom. Ø mm**
2063 **78**
Spinotto dim. mm
Piston pin dim.
16 X 41.5 X 9 BIC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Anellino/Circlip
16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2063A	77,95	SP160415090KBI	1 WSMOT780002I	1	ANOB1612SET
PC2063B	77,96	SP160415090KBI	1 WSMOT780002I	1	ANOB1612SET
PC2063C	77,97	SP160415090KBI	1 WSMOT780002I	1	ANOB1612SET
PC2063D	77,98	SP160415090KBI	1 WSMOT780002I	1	ANOB1612SET

Compressione 19
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 35,1
Tot. Length mm

Motocross - Off-road - Quad
HONDA
4 TEMPI 4 STROKES
CRF 450R
2004 2008
1. STANDARD
O.C.
12,1:1
MP Ref: **Nom. Ø mm**
2174 **96**
Spinotto dim. mm
Piston pin dim.

19 X 50,5 X 12

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00
1	RAC	AC	2,00


Anellino/Circlip

19 SB FILO 1.2



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2174A	95,95	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2174B	95,96	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2174C	95,97	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2174D	95,98	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2174E	95,99	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET

Compressione 24,2
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 34,1
 Tot. Length mm

2. SPORT
H.C.
12,5:1
MP Ref: **Nom. Ø mm**
2175 **96**
Spinotto dim. mm
Piston pin dim.

19 X 50,5 X 12

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00
1	RAC	AC	2,00


Anellino/Circlip

19 SB FILO 1.2



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2175A	95,95	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2175B	95,96	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2175C	95,97	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2175D	95,98	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2175E	95,99	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET

Compressione 24,2
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 35,2
 Tot. Length mm

Motocross - Off-road - Quad
HONDA
4 TEMPI 4 STROKES
CRF 450R
2009 2012
1. STANDARD
O.C.
12,5:1

MP Ref:
2216
Nom. Ø mm
96
Spinotto dim. mm
Piston pin dim.
19 X 47 X 12 BIC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00
1	RAC	AC	2,00

Anellino/Circlip
19 SB FILO 1.2


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2216A	95,95	SP190470120KBI	1 NSMOT960001	1	ANOB1912SET
PC2216B	95,96	SP190470120KBI	1 NSMOT960001	1	ANOB1912SET
PC2216C	95,97	SP190470120KBI	1 NSMOT960001	1	ANOB1912SET
PC2216D	95,98	SP190470120KBI	1 NSMOT960001	1	ANOB1912SET

Compressione 20,7
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 35,7
Tot. Length mm
2. SPORT
H.C.
12,9:1

MP Ref:
2317
Nom. Ø mm
96
Spinotto dim. mm
Piston pin dim.
19 X 47 X 12 BIC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00
1	RAC	AC	2,00

Anellino/Circlip
19 SB FILO 1.2


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2317A	95,95	SP190470120KBI	1 NSMOT960001	1	ANOB1912SET
PC2317B	95,96	SP190470120KBI	1 NSMOT960001	1	ANOB1912SET
PC2317C	95,97	SP190470120KBI	1 NSMOT960001	1	ANOB1912SET
PC2317D	95,98	SP190470120KBI	1 NSMOT960001	1	ANOB1912SET

Compressione 20,7
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 37
Tot. Length mm
3. RACING
H.C.
12,9:1
SPINOTTO/PIN IN DLC

MP Ref:
2318
Nom. Ø mm
96
Spinotto dim. mm
Piston pin dim.
19 X 47 X 10 Bic+DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00
1	RAC	AC	2,00

Anellino/Circlip
19 SB FILO 1.2


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2318A	95,95	SP190470100XD2I	1 NSMOT960001	1	ANOB1912SET
PC2318B	95,96	SP190470100XD2I	1 NSMOT960001	1	ANOB1912SET
PC2318C	95,97	SP190470100XD2I	1 NSMOT960001	1	ANOB1912SET
PC2318D	95,98	SP190470100XD2I	1 NSMOT960001	1	ANOB1912SET

Compressione 20,7
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 37
Tot. Length mm

Motocross - Off-road - Quad
HONDA
4 TEMPI 4 STROKES
CRF 450R
2013 2016
1. STANDARD
O.C.
12,5:1
MP Ref: **Nom. Ø mm**
2435 **96**
Spinotto dim. mm
Piston pin dim.
19 X 49 X 11 BIC NITR
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	C6NB	AC	1,00
1	RAC	AC	1,50


Anellino/Circlip
19 SB FILO 1.2


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
---------------------------	-------------	-------------------------------	--	-----------------------	----------------------------

PC2435A	95,95	SP190490110ZF2I	1 WSMOT960002I	1	ANOB1912SET
PC2435B	95,96	SP190490110ZF2I	1 WSMOT960002I	1	ANOB1912SET
PC2435C	95,97	SP190490110ZF2I	1 WSMOT960002I	1	ANOB1912SET
PC2435D	95,98	SP190490110ZF2I	1 WSMOT960002I	1	ANOB1912SET

Compressione 20,8
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 35
Tot. Length mm

2. SPORT
H.C.
13,2:1
MP Ref: **Nom. Ø mm**
2436 **96**
Spinotto dim. mm
Piston pin dim.
19 X 49 X 11 BIC NITR
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	C6NB	AC	1,00
1	RAC	AC	1,50


Anellino/Circlip
19 SB FILO 1.2


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
---------------------------	-------------	-------------------------------	--	-----------------------	----------------------------

PC2436A	95,95	SP190490110ZF2I	1 WSMOT960002I	1	ANOB1912SET
PC2436B	95,96	SP190490110ZF2I	1 WSMOT960002I	1	ANOB1912SET
PC2436C	95,97	SP190490110ZF2I	1 WSMOT960002I	1	ANOB1912SET
PC2436D	95,98	SP190490110ZF2I	1 WSMOT960002I	1	ANOB1912SET

Compressione 20,8
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 36,8
Tot. Length mm

3. RACING
H.C.
13,2:1
SPINOTTO/PIN IN DLC
MP Ref: **Nom. Ø mm**
2437 **96**
Spinotto dim. mm
Piston pin dim.
19 X 49 X 11 BIC NITR+DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	C6NB	AC	1,00
1	RAC	AC	1,50


Anellino/Circlip
19 SB FILO 1.2


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
---------------------------	-------------	-------------------------------	--	-----------------------	----------------------------

PC2437A	95,95	SP190490110ZG2I	1 WSMOT960002I	1	ANOB1912SET
PC2437B	95,96	SP190490110ZG2I	1 WSMOT960002I	1	ANOB1912SET
PC2437C	95,97	SP190490110ZG2I	1 WSMOT960002I	1	ANOB1912SET
PC2437D	95,98	SP190490110ZG2I	1 WSMOT960002I	1	ANOB1912SET

Compressione 20,8
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 36,8
Tot. Length mm

Motocross - Off-road - Quad
HONDA
4 TEMPI 4 STROKES
CRF 450R
2017 2018
1. STANDARD
O.C.
13,5:1
SPINOTTO/PIN IN DLC

MP Ref: **Nom. Ø mm**
2599 **96**

 Spinotto dim. mm
Piston pin dim.

 19 X 49 X 11 BIC
NITR+DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	C6NB	AC	1,00	
1	RAC	AC	1,50	

Anellino/Circlip

19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2599A	95,95	SP190490110ZG2I	1 WSMOT960002	1	ANOB1912SET
PC2599B	95,96	SP190490110ZG2I	1 WSMOT960002I	1	ANOB1912SET
PC2599C	96,97	SP190490110ZG2I	1 WSMOT960002	1	ANOB1912SET
PC2599D	96,98	SP190490110ZG2I	1 WSMOT960002	1	ANOB1912SET

 Compressione 20,5
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 38,6
 Tot. Length mm

3. RACING
H.C.
14,1:1
SPINOTTO/PIN IN DLC
MP Ref: **Nom. Ø mm**
2600 **96**

 Spinotto dim. mm
Piston pin dim.

 19 X 49 X 11 BIC
NITR+DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.

Anellino/Circlip

19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2600A	95,95	SP190490110ZG2I	1 WSMOT960002	1	ANOB1912SET
PC2600B	95,96	SP190490110ZG2I	1 WSMOT960002	1	ANOB1912SET
PC2600C	95,97	SP190490110ZG2I	1 WSMOT960002	1	ANOB1912SET
PC2600D	95,98	SP190490110ZG2I	1 WSMOT960002	1	ANOB1912SET

 Compressione 20,5
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 37,7
 Tot. Length mm

Motocross - Off-road - Quad
HONDA
4 TEMPI 4 STROKES
CRF 450RX
2017 2018
1. STANDARD
O.C.
13,5:1
SPINOTTO/PIN IN DLC

MP Ref:

Nom. Ø mm

2599
96

 Spinotto dim. mm
Piston pin dim.

 19 X 49 X 11 BIC
NITR+DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	C6NB	AC	1,00	
1	RAC	AC	1,50	

Anellino/Circlip

19 SB FILO 1.2

 Codice KIT
PISTONE

Ø mm

 Cod. SPINOTTO
PIN code

 Codice Segmenti
Piston rings code

 AN.Qta
CLIPQty

 Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2599A	95,95	SP190490110ZG2I	1 WSMOT960002	1	ANOB1912SET
PC2599B	95,96	SP190490110ZG2I	1 WSMOT960002I	1	ANOB1912SET
PC2599C	96,97	SP190490110ZG2I	1 WSMOT960002	1	ANOB1912SET
PC2599D	96,98	SP190490110ZG2I	1 WSMOT960002	1	ANOB1912SET

 Compressione 20,5
Compression mm

 Mis. Testa
Head size mm

 Lungh. tot. 38,6
Tot. Length mm

3. RACING
H.C.
14,1:1
SPINOTTO/PIN IN DLC
MP Ref:

Nom. Ø mm

2600
96

 Spinotto dim. mm
Piston pin dim.

 19 X 49 X 11 BIC
NITR+DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.

Anellino/Circlip

19 SB FILO 1.2

 Codice KIT
PISTONE

Ø mm

 Cod. SPINOTTO
PIN code

 Codice Segmenti
Piston rings code

 AN.Qta
CLIPQty


 Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2600A	95,95	SP190490110ZG2I	1 WSMOT960002	1	ANOB1912SET
PC2600B	95,96	SP190490110ZG2I	1 WSMOT960002	1	ANOB1912SET
PC2600C	95,97	SP190490110ZG2I	1 WSMOT960002	1	ANOB1912SET
PC2600D	95,98	SP190490110ZG2I	1 WSMOT960002	1	ANOB1912SET

 Compressione 20,5
Compression mm

 Mis. Testa
Head size mm

 Lungh. tot. 37,7
Tot. Length mm

Motocross - Off-road - Quad
HONDA
4 TEMPI 4 STROKES
CRF 450X
2002 2017
1. STANDARD
O.C.
12,1:1

MP Ref:
2174
Nom. Ø mm
96
Spinotto dim. mm
Piston pin dim.
19 X 50,5 X 12
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00
1	RAC	AC	2,00


Anellino/Circlip
19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2174A	95,95	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2174B	95,96	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2174C	95,97	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2174D	95,98	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2174E	95,99	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET

Compressione 24,2
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 34,1
Tot. Length mm
2. SPORT
H.C.
12,5:1

MP Ref:
2175
Nom. Ø mm
96
Spinotto dim. mm
Piston pin dim.
19 X 50,5 X 12
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00
1	RAC	AC	2,00


Anellino/Circlip
19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2175A	95,95	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2175B	95,96	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2175C	95,97	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2175D	95,98	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2175E	95,99	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET

Compressione 24,2
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 35,2
Tot. Length mm

Motocross - Off-road - Quad

HUSABERG

2 TEMPI 2 STROKES

TE 125

2012 2014

1. STANDARD

 VERSIONE 2 SEGMENTI / 2 RINGS
 VERSION


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2472	54	15 X 45 X 10 BIC	2 G33KB AC 1,06	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2472A	53,94	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472B	53,95	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472C	53,96	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472D	53,97	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472E	53,98	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET

 Compressione 29,5
 Compression mm
 Mis. Testa p
 Head size mm
 Lungh. tot. 58,1
 Tot. Length mm

TE 250

2011 2014

1. STANDARD

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2329	66,4	18 X 56 X 13	2 G33KB AC 1,00	18 SB FILO 1.5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2329A	66,34	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329B	66,35	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329C	66,36	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329D	66,37	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET

 Compressione 38,1
 Compression mm
 Mis. Testa B-3,5
 Head size mm
 Lungh. tot. 79,1
 Tot. Length mm

TE 300

2011 2014

1. STANDARD

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2342	72	18 X 59 X 12 BIC foro semilap.	2 G30KB AC 1,00	18 SB FILO 1.5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2342A	71,94	SP180590120KB2I	2 N0720010026530KBI	1	ANOB1815SET
PC2342B	71,95	SP180590120KB2I	2 N0720010026530KBI	1	ANOB1815SET
PC2342C	71,96	SP180590120KB2I	2 N0720010026530KBI	1	ANOB1815SET
PC2342D	71,97	SP180590120KB2I	2 N0720010026530KBI	1	ANOB1815SET

 Compressione 38
 Compression mm
 Mis. Testa p
 Head size mm
 Lungh. tot. 75,5
 Tot. Length mm

Motocross - Off-road - Quad
HUSABERG
4 TEMPI 4 STROKES
FE 250 250
2013 2014
1. STANDARD
O.C.
12,8:1
SPINOTTO/PIN IN DLC

MP Ref:

Nom. Ø mm

2264
78

 Spinotto dim. mm
Piston pin dim.

16 X 38 X 9 DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Anellino/Circlip

 16 1B FILO 1.2
anti

 Codice KIT
PISTONE

Ø mm

 Cod. SPINOTTO
PIN code

 Codice Segmenti
Piston rings code

 AN.Qta
CLIPQty

 Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2264A	77,96	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264B	77,97	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264C	77,98	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264D	77,99	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T

 Compressione 19,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 30,5
Tot. Length mm

3. RACING
H.C.
13,3:1
SPINOTTO/PIN IN DLC

MP Ref:

Nom. Ø mm

2265
78

 Spinotto dim. mm
Piston pin dim.

16 X 38 X 9 DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Anellino/Circlip

 16 1B FILO 1.2
anti

 Codice KIT
PISTONE

Ø mm

 Cod. SPINOTTO
PIN code

 Codice Segmenti
Piston rings code

 AN.Qta
CLIPQty

 Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2265A	77,96	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265B	77,97	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265C	77,98	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265D	77,99	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T

**SEL. D SOLO FINO AD
ESAURIMENTO STOCK**

 Compressione 19,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 30,5
Tot. Length mm

Motocross - Off-road - Quad
HUSABERG
4 TEMPI 4 STROKES
FE 350
2013 2014
1. STANDARD
O.C.
12,3:1
SPINOTTO/PIN IN DLC

MP Ref: **Nom. Ø mm**
2349 **88**
Spinotto dim. mm
Piston pin dim.
18 X 40 X 10 DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS
1 C6NB AC 0,80
1 RAC AC 1,50

Anellino/Circlip
18 1B FILO 1.5
anti
Codice KIT
PISTONE
Ø mm
Cod. SPINOTTO
PIN code
Codice Segmenti
Piston rings code
AN.Qta
CLIPQty
Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2349A	87,96	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2349B	87,97	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2349C	87,98	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T

Compressione 20,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 33,3
Tot. Length mm
3. RACING
H.C.
12,8:1
SPINOTTO/PIN IN DLC

MP Ref: **Nom. Ø mm**
2328 **88**
Spinotto dim. mm
Piston pin dim.
18 X 40 X 10 DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS
1 C6NB AC 0,80
1 RAC AC 1,50

Anellino/Circlip
18 1B FILO 1.5
anti
Codice KIT
PISTONE
Ø mm
Cod. SPINOTTO
PIN code
Codice Segmenti
Piston rings code
AN.Qta
CLIPQty
Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2328A	87,96	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2328B	87,97	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2328C	87,98	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T

Compressione 20,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 33,8
Tot. Length mm

Motocross - Off-road - Quad
HUSQVARNA
2 TEMPI 2 STROKES
TC 50
2017 2018


MP Ref: **2110** Nom. Ø mm **39,5** Spinotto dim. mm Piston pin dim. **12 X 33 X 8** Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. **1 G30KB AC 1,00** Anellino/Circlip **12 SB FILO 1.0**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2110AB	39,46	SP120330080HI	1 N0395010016530KBI	1	ANOB1210SET
PC2110CD	39,47	SP120330080HI	1 N0395010016530KBI	1	ANOB1210SET
PC2110EF	39,48	SP120330080HI	1 N0395010016530KBI	1	ANOB1210SET

Compressione **21,7**
 Compression mm
 Mis. Testa **B-2,3**
 Head size mm
 Lungh. tot. **48**
 Tot. Length mm

TC 65
2017 2018


MP Ref: **2047** Nom. Ø mm **45** Spinotto dim. mm Piston pin dim. **12 X 37 X 8** Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. **1 G30KB AC 1,00** Anellino/Circlip **12 SB FILO 1.0**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2047A	44,96	SP120370080KI	1 N0450010018530KBI	1	ANOB1210SET
PC2047B	44,97	SP120370080KI	1 N0450010018530KBI	1	ANOB1210SET
PC2047C	44,98	SP120370080KI	1 N0450010018530KBI	1	ANOB1210SET
PC2047D	44,99	SP120370080KI	1 N0450010018530KBI	1	ANOB1210SET

Compressione **21,6**
 Compression mm
 Mis. Testa **B-2,4**
 Head size mm
 Lungh. tot. **48**
 Tot. Length mm

TC 85
2014 2018
1. STANDARD


MP Ref: **1852** Nom. Ø mm **47** Spinotto dim. mm Piston pin dim. **14 X 40 X 9.5** Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. **1 G30KB AC 1,00** Anellino/Circlip **14 SB FILO 1.0**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1852A	46,94	SP140400095KI	1 N0470010018530KBI	1	ANOB1410SET
PC1852B	46,95	SP140400095KI	1 N0470010018530KBI	1	ANOB1410SET
PC1852C	46,96	SP140400095KI	1 N0470010018530KBI	1	ANOB1410SET
PC1852D	46,97	SP140400095KI	1 N0470010018530KBI	1	ANOB1410SET
PC1852E	46,98	SP140400095KI	1 N0470010018530KBI	1	ANOB1410SET

Compressione **24,2**
 Compression mm
 Mis. Testa **B-2**
 Head size mm
 Lungh. tot. **53,2**
 Tot. Length mm

Motocross - Off-road - Quad
HUSQVARNA
2 TEMPI 2 STROKES
CR-WR 125
1997 2013
1. STANDARD
Fermo segm. centrale/ Central ring stopper


Compressione 28
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 58
Tot. Length mm

MP Ref: **2312** Nom. Ø mm **54** Spinotto dim. mm 15 X 45 X 10 BIC Piston pin dim. Dett. segmenti: qta x tipo x mat. 1 G30KB AC 1,00 Rings details: qty x type x mat. Anellino/Circlip 15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2312A	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC2312B	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC2312C	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC2312D	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC2312E	53,98	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

TC - TE - TX 125
2014 2018
3. RACING
1 SEGM. SEMITRAPEZOIDALE - 1 HALF KEYSTONE RING


Compressione 29,5
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 58,2
Tot. Length mm

MP Ref: **2367** Nom. Ø mm **54** Spinotto dim. mm 15 X 45 X 10 BIC Piston pin dim. Dett. segmenti: qta x tipo x mat. 1 G33KB AC 1,06 Rings details: qty x type x mat. Anellino/Circlip 15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2367A	53,94	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET
PC2367B	53,95	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET
PC2367C	53,96	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET
PC2367D	53,97	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET
PC2367E	53,98	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET

Motocross - Off-road - Quad
HUSQVARNA
2 TEMPI 2 STROKES
TC 125
2014 2018
1. STANDARD
1 SEGMENTO RETTANGOLARE / 1
RECTANGULAR RING VERSION


Compressione 29,5
 Compression mm
 Mis. Testa p
 Head size mm
 Lungh. tot. 58,2
 Tot. Length mm

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1770	54	15 X 45 X 10 BIC	1 G30KB AC 1,00	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1770A	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770B	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770C	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770D	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770E	56,98	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

VERSIONE 2 SEGMENTI / 2 RINGS
VERSION


Compressione 29,5
 Compression mm
 Mis. Testa p
 Head size mm
 Lungh. tot. 58,1
 Tot. Length mm

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2472	54	15 X 45 X 10 BIC	2 G33KB AC 1,06	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2472A	53,94	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472B	53,95	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472C	53,96	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472D	53,97	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472E	53,98	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET

Motocross - Off-road - Quad
HUSQVARNA
2 TEMPI 2 STROKES
TE 125
2014 2016
1 SEGMENTO RETTANGOLARE / 1
RECTANGULAR RING VERSION


Compressione 29,5
 Compression mm
 Mis. Testa p
 Head size mm
 Lungh. tot. 58,2
 Tot. Length mm

MP Ref: **1770** **Nom. Ø mm** **54** **Spinotto dim. mm** **15 X 45 X 10 BIC** **Det. segmenti: qta x tipo x mat.** **1 G30KB AC 1,00** **Anellino/Circlip** **15 SB FILO 1.0**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1770A	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770B	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770C	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770D	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770E	56,98	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

VERSIONE 2 SEGMENTI / 2 RINGS
VERSION


Compressione 29,5
 Compression mm
 Mis. Testa p
 Head size mm
 Lungh. tot. 58,1
 Tot. Length mm

MP Ref: **2472** **Nom. Ø mm** **54** **Spinotto dim. mm** **15 X 45 X 10 BIC** **Det. segmenti: qta x tipo x mat.** **2 G33KB AC 1,06** **Anellino/Circlip** **15 SB FILO 1.0**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2472A	53,94	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472B	53,95	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472C	53,96	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472D	53,97	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472E	53,98	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET

Motocross - Off-road - Quad
HUSQVARNA
2 TEMPI 2 STROKES
TX 125
2016 2017
**1 SEGMENTO RETTANGOLARE / 1
RECTANGULAR RING VERSION**


Compressione 29,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 58,2
Tot. Length mm

MP Ref: **1770** **Nom. Ø mm** **54** **Spinotto dim. mm** **15 X 45 X 10 BIC** **Det. segmenti: qta x tipo x mat.** **1 G30KB AC 1,00** **Anellino/Circlip** **15 SB FILO 1.0**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1770A	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770B	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770C	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770D	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770E	56,98	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

**VERSIONE 2 SEGMENTI / 2 RINGS
VERSION**


Compressione 29,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 58,1
Tot. Length mm

MP Ref: **2472** **Nom. Ø mm** **54** **Spinotto dim. mm** **15 X 45 X 10 BIC** **Det. segmenti: qta x tipo x mat.** **2 G33KB AC 1,06** **Anellino/Circlip** **15 SB FILO 1.0**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2472A	53,94	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472B	53,95	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472C	53,96	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472D	53,97	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472E	53,98	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET

TC - TE 250
2014 2016
1. STANDARD


Compressione 38,1
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 79,1
Tot. Length mm

MP Ref: **2329** **Nom. Ø mm** **66,4** **Spinotto dim. mm** **18 X 56 X 13** **Det. segmenti: qta x tipo x mat.** **2 G33KB AC 1,00** **Anellino/Circlip** **18 SB FILO 1.5**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2329A	66,34	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329B	66,35	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329C	66,36	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329D	66,37	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET

Motocross - Off-road - Quad
HUSQVARNA
2 TEMPI 2 STROKES
TE 250i
2018
O.C.


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2329	66,4	18 X 56 X 13	2 G33KB AC 1,00 	18 SB FILO 1.5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2329A	66,34	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329B	66,35	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329C	66,36	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329D	66,37	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET

Compressione 38,1
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 79,1
Tot. Length mm

TE 300
2014 2017
1. STANDARD


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2342	72	18 X 59 X 12 BIC foro semilap.	2 G30KB AC 1,00 	18 SB FILO 1.5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2342A	71,94	SP180590120KB2I	2 N0720010026530KBI	1	ANOB1815SET
PC2342B	71,95	SP180590120KB2I	2 N0720010026530KBI	1	ANOB1815SET
PC2342C	71,96	SP180590120KB2I	2 N0720010026530KBI	1	ANOB1815SET
PC2342D	71,97	SP180590120KB2I	2 N0720010026530KBI	1	ANOB1815SET

Compressione 38
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 75,5
Tot. Length mm

Motocross - Off-road - Quad
HUSQVARNA
4 TEMPI 4 STROKES
FC 250
2014 2015
1. STANDARD
O.C.
13,9:1
SPINOTTO/PIN IN DLC

MP Ref: **Nom. Ø mm**
2264 **78**
Spinotto dim. mm
Piston pin dim.

16 X 38 X 9 DLC

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Anellino/Circlip

 16 1B FILO 1.2
 anti

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2264A	77,96	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264B	77,97	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264C	77,98	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264D	77,99	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T

 Compressione 19,5
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 30,5
 Tot. Length mm

3. RACING
H.C.
14,3:1
SPINOTTO/PIN IN DLC

MP Ref: **Nom. Ø mm**
2265 **78**
Spinotto dim. mm
Piston pin dim.

16 X 38 X 9 DLC

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Anellino/Circlip

 16 1B FILO 1.2
 anti

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2265A	77,96	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265B	77,97	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265C	77,98	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265D	77,99	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T

**SEL. D SOLO FINO AD
 ESAURIMENTO STOCK**

 Compressione 19,5
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 30,5
 Tot. Length mm

Motocross - Off-road - Quad
HUSQVARNA
4 TEMPI 4 STROKES
FC 250
2016 2018
1. STANDARD
O.C.
14,4:1

SPINOTTO/PIN IN DLC


 MP Ref: **2494** Nom. Ø mm **78**

 Spinotto dim. mm
Piston pin dim.
16 X 38 X 9 DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS
1 RAC AC 1,50
1 C1KB AC 0,80

 Anellino/Circlip
16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2494A	77,96	SP160380090XE2I	1 WSMOT780002I	1	ANOB1612SET
PC2494B	77,97	SP160380090XE2I	1 WSMOT780002I	1	ANOB1612SET
PC2494C	77,98	SP160380090XE2I	1 WSMOT780002I	1	ANOB1612SET

 Compressione 19,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 32,6
Tot. Length mm

3. RACING
H.C.
14,7:1

SPINOTTO/PIN IN DLC


 MP Ref: **2495** Nom. Ø mm **78**

 Spinotto dim. mm
Piston pin dim.
16 X 38 X 10 BIC
NITR+DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS
1 RAC AC 1,50
1 C1KB AC 0,80

 Anellino/Circlip
16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2495A	77,96	SP160380100ZG2I	1 WSMOT780002I	1	ANOB1612SET
PC2495B	77,97	SP160380100ZG2I	1 WSMOT780002I	1	ANOB1612SET
PC2495C	77,98	SP160380100ZG2I	1 WSMOT780002I	1	ANOB1612SET

 Compressione 19,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 33,6
Tot. Length mm

Motocross - Off-road - Quad
HUSQVARNA
4 TEMPI 4 STROKES
FE 250
2014 2016
1. STANDARD
O.C.
12,8:1
SPINOTTO/PIN IN DLC

MP Ref:

Nom. Ø mm

2264
78

 Spinotto dim. mm
Piston pin dim.

16 X 38 X 9 DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Anellino/Circlip

 16 1B FILO 1.2
anti

 Codice KIT
PISTONE

Ø mm

 Cod. SPINOTTO
PIN code

 Codice Segmenti
Piston rings code

 AN.Qta
CLIPQty

 Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2264A	77,96	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264B	77,97	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264C	77,98	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264D	77,99	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T

 Compressione 19,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 30,5
Tot. Length mm

3. RACING
H.C.
13,2:1
SPINOTTO/PIN IN DLC

MP Ref:

Nom. Ø mm

2265
78

 Spinotto dim. mm
Piston pin dim.

16 X 38 X 9 DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Anellino/Circlip

 16 1B FILO 1.2
anti

 Codice KIT
PISTONE

Ø mm

 Cod. SPINOTTO
PIN code

 Codice Segmenti
Piston rings code

 AN.Qta
CLIPQty

 Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2265A	77,96	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265B	77,97	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265C	77,98	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265D	77,99	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T

**SEL. D SOLO FINO AD
ESAURIMENTO STOCK**

 Compressione 19,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 30,5
Tot. Length mm

Motocross - Off-road - Quad
HUSQVARNA
4 TEMPI 4 STROKES
FE 250
2017 2018
O.C.
12,8:1
SPINOTTO/PIN IN DLC

MP Ref: **2614** **Nom. Ø mm** **78** **Spinotto dim. mm** **16 X 38 X 9 DLC** **Dett. segmenti: qta x tipo x mat.** **Anellino/Circlip**
Rings details: qty x type x mat. **16 SB FILO 1.2**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2614A	77,96	SP160380090XE2I	1 WSMOT780002	1	ANOB1612SET
PC2614B	77,97	SP160380090XE2I	1 WSMOT780002	1	ANOB1612SET
PC2614C	77,98	SP160380090XE2I	1 WSMOT780002	1	ANOB1612SET

Compressione **19,5**
 Compression mm

Mis. Testa
 Head size mm

Lungh. tot. **30,2**
 Tot. Length mm

3. RACING
H.C.
13,5:1
SPINOTTO/PIN IN DLC


MP Ref: **2494** **Nom. Ø mm** **78** **Spinotto dim. mm** **16 X 38 X 9 DLC** **Dett. segmenti: qta x tipo x mat.** **Anellino/Circlip**
Rings details: qty x type x mat. **16 SB FILO 1.2**

ws
 1 RAC AC 1,50
 1 C1KB AC 0,80

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2494A	77,96	SP160380090XE2I	1 WSMOT780002I	1	ANOB1612SET
PC2494B	77,97	SP160380090XE2I	1 WSMOT780002I	1	ANOB1612SET
PC2494C	77,98	SP160380090XE2I	1 WSMOT780002I	1	ANOB1612SET

Compressione **19,5**
 Compression mm

Mis. Testa
 Head size mm

Lungh. tot. **32,6**
 Tot. Length mm

Motocross - Off-road - Quad
HUSQVARNA
4 TEMPI 4 STROKES
**TE 250
2017**
O.C.
12,8:1
SPINOTTO/PIN IN DLC

MP Ref: **2614** **Nom. Ø mm** **78** **Spinotto dim. mm** **16 X 38 X 9 DLC** **Dett. segmenti: qta x tipo x mat.** **Anellino/Circlip**
Rings details: qty x type x mat. **16 SB FILO 1.2**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2614A	77,96	SP160380090XE2I	1 WSMOT780002	1	ANOB1612SET
PC2614B	77,97	SP160380090XE2I	1 WSMOT780002	1	ANOB1612SET
PC2614C	77,98	SP160380090XE2I	1 WSMOT780002	1	ANOB1612SET

Compressione **19,5**
 Compression mm

Mis. Testa
 Head size mm

Lungh. tot. **30,2**
 Tot. Length mm

3. RACING
H.C.
13,5:1
SPINOTTO/PIN IN DLC


MP Ref: **2494** **Nom. Ø mm** **78** **Spinotto dim. mm** **16 X 38 X 9 DLC** **Dett. segmenti: qta x tipo x mat.** **Anellino/Circlip**
Rings details: qty x type x mat. **16 SB FILO 1.2**

ws
 1 RAC AC 1,50
 1 C1KB AC 0,80

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2494A	77,96	SP160380090XE2I	1 WSMOT780002I	1	ANOB1612SET
PC2494B	77,97	SP160380090XE2I	1 WSMOT780002I	1	ANOB1612SET
PC2494C	77,98	SP160380090XE2I	1 WSMOT780002I	1	ANOB1612SET

Compressione **19,5**
 Compression mm

Mis. Testa
 Head size mm

Lungh. tot. **32,6**
 Tot. Length mm

Motocross - Off-road - Quad
HUSQVARNA
4 TEMPI 4 STROKES
FC 350
2014 2015
1. STANDARD
O.C.
13,6:1
SPINOTTO/PIN IN DLC

MP Ref: **Nom. Ø mm**
2328 **88**
Spinotto dim. mm
Piston pin dim.
18 X 40 X 10 DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	0,80	
1	RAC	AC	1,50	

Anellino/Circlip
18 1B FILO 1.5
anti
Codice KIT
PISTONE
Ø mm
Cod. SPINOTTO
PIN code
Codice Segmenti
Piston rings code
AN.Qta
CLIPQty
Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2328A	87,96	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2328B	87,97	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2328C	87,98	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T

Compressione 20,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 33,8
Tot. Length mm
3. RACING
H.C.
14,1:1
SPINOTTO/PIN IN DLC

MP Ref: **Nom. Ø mm**
2348 **88**
Spinotto dim. mm
Piston pin dim.
18 X 40 X 10 DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	0,80	
1	RAC	AC	1,50	

Anellino/Circlip
18 1B FILO 1.5
anti
Codice KIT
PISTONE
Ø mm
Cod. SPINOTTO
PIN code
Codice Segmenti
Piston rings code
AN.Qta
CLIPQty
Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2348A	87,96	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2348B	87,97	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2348C	87,98	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T

Compressione 20,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 34,35
Tot. Length mm

Motocross - Off-road - Quad
HUSQVARNA
4 TEMPI 4 STROKES
FC 350
2016 2018
1. STANDARD
O.C.
14,0:1

 SPINOTTO IN DLC / PISTON PIN IN
 DLC

MP Ref: Nom. Ø mm

2496 **88**

 Spinotto dim. mm
 Piston pin dim.

18 X 40 X 10 DLC

 Dett. segmenti: qta x tipo x mat.
 Rings details: qty x type x mat.

NS

1 C6NB AC 0,80

1 RAC AC 1,50



Anellino/Circlip

18 SB FILO 1.5

 Codice KIT
 PISTONE

Ø mm

 Cod. SPINOTTO
 PIN code

 Codice Segmenti
 Piston rings code

 AN.Qta
 CLIPQty

 Cod. SERIE
 anellino

PC2496A	87,96	SP180400100ZE2I	1 NSMOT880001	1 ANOB1815SET
PC2496B	87,97	SP180400100ZE2I	1 NSMOT880001	1 ANOB1815SET
PC2496C	87,98	SP180400100ZE2I	1 NSMOT880001	1 ANOB1815SET

 Compressione 20,5
 Compression mm

 Mis. Testa
 Head size mm

 Lungh. tot. 33,5
 Tot. Length mm

3. RACING
H.C.
14,8:1

MP Ref: Nom. Ø mm

2497 **88**

 Spinotto dim. mm
 Piston pin dim.

18 X 40 X 10 DLC

 Dett. segmenti: qta x tipo x mat.
 Rings details: qty x type x mat.

NS

1 C6NB AC 0,80

1 RAC AC 1,50



Anellino/Circlip

18 SB FILO 1.5

 Codice KIT
 PISTONE

Ø mm

 Cod. SPINOTTO
 PIN code

 Codice Segmenti
 Piston rings code

 AN.Qta
 CLIPQty

 Cod. SERIE
 anellino

PC2497A	87,96	SP180400100ZE2I	1 NSMOT880001	1 ANOB1815SET
PC2497B	87,97	SP180400100ZE2I	1 NSMOT880001	1 ANOB1815SET
PC2497C	87,98	SP180400100ZE2I	1 NSMOT880001	1 ANOB1815SET

 Compressione 20,5
 Compression mm

 Mis. Testa
 Head size mm

 Lungh. tot. 33,5
 Tot. Length mm

Motocross - Off-road - Quad
HUSQVARNA
4 TEMPI 4 STROKES
FE 350
2014 2016
1. STANDARD
O.C.
12,3:1
SPINOTTO/PIN IN DLC

MP Ref: **Nom. Ø mm**
2349 **88**
Spinotto dim. mm
Piston pin dim.
18 X 40 X 10 DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS
1 C6NB AC 0,80
1 RAC AC 1,50

Anellino/Circlip
18 1B FILO 1.5
anti

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2349A	87,96	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2349B	87,97	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2349C	87,98	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T

Compressione 20,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 33,3
Tot. Length mm
3. RACING
H.C.
12,8:1
SPINOTTO/PIN IN DLC

MP Ref: **Nom. Ø mm**
2328 **88**
Spinotto dim. mm
Piston pin dim.
18 X 40 X 10 DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS
1 C6NB AC 0,80
1 RAC AC 1,50

Anellino/Circlip
18 1B FILO 1.5
anti

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2328A	87,96	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2328B	87,97	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2328C	87,98	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T

Compressione 20,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 33,8
Tot. Length mm

Motocross - Off-road - Quad
HUSQVARNA
4 TEMPI 4 STROKES
FE 350
2017 2018
O.C.
12,3:1
SPINOTTO/PIN IN DLC

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2609	88	18 X 40 X 10 DLC	NS 1 C6NB AC 0,80 1 RAC AC 1,50	18 SB FILO 1.5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2609A	87,96	SP180400100ZE2I	1 NSMOT880001	1	AN0B1815SET
PC2609B	87,97	SP180400100ZE2I	1 NSMOT880001	1	AN0B1815SET
PC2609C	87,98	SP180400100ZE2I	1 NSMOT880001	1	AN0B1815SET

 Compressione 20,5
 Compression mm

 Mis. Testa
 Head size mm

 Lungh. tot. 33,1
 Tot. Length mm

SPINOTTO/PIN IN DLC

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2610	88	18 X 40 X 10 DLC	NS 1 C6NB AC 0,80 1 RAC AC 1,50	18 SB FILO 1.5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2610A	87,96	SP180400100ZE2I	1 NSMOT880001	1	AN0B1815SET
PC2610B	87,97	SP180400100ZE2I	1 NSMOT880001	1	AN0B1815SET
PC2610C	87,98	SP180400100ZE2I	1 NSMOT880001	1	AN0B1815SET

 Compressione 20,5
 Compression mm

 Mis. Testa
 Head size mm

 Lungh. tot.
 Tot. Length mm

Motocross - Off-road - Quad
HUSQVARNA
4 TEMPI 4 STROKES
FC 450
2016 2018
1. STANDARD
O.C.
12,6:1
MP Ref: **Nom. Ø mm**
2498 **95**
Spinotto dim. mm
Piston pin dim.

19 X 47 X 10 Bic+DLC

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS
 1 AC 0,80
 1 RANP AC 2,00

Anellino/Circlip

19 SB FILO 1.5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2498A	94,95	SP190470100XD2I	1 NSMOT950002	1	ANOB1915SET
PC2498B	94,96	SP190470100XD2I	1 NSMOT950002	1	ANOB1915SET
PC2498C	94,97	SP190470100XD2I	1 NSMOT950002	1	ANOB1915SET

Compressione 22,8
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 36,8
Tot. Length mm
3. RACING
H.C.
13,1:1
MP Ref: **Nom. Ø mm**
2499 **95**
Spinotto dim. mm
Piston pin dim.

19 X 47 X 10 Bic+DLC

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS
 1 AC 0,80
 1 RANP AC 2,00

Anellino/Circlip

19 SB FILO 1.5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2499A	94,95	SP190470100XD2I	1 NSMOT950002	1	ANOB1915SET
PC2499B	94,96	SP190470100XD2I	1 NSMOT950002	1	ANOB1915SET
PC2499C	94,97	SP190470100XD2I	1 NSMOT950002	1	ANOB1915SET

Compressione 22,8
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 37,6
Tot. Length mm

Motocross - Off-road - Quad
KAWASAKI
2 TEMPI 2 STROKES
KX 60
1988 2003
1. STANDARD


MP Ref: **1573** Nom. Ø mm **43** Spinotto dim. mm 12 X 36 X 8 Dett. segmenti: qta x tipo x mat. 2 G30KP SF 1,00 Anellino/Circlip 12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1573A	42,95	SP120360080HI	2 S0430010018030KPI	1	ANOB1210SET
PC1573B	42,96	SP120360080HI	2 S0430010018030KPI	1	ANOB1210SET
PC1573C	42,97	SP120360080HI	2 S0430010018030KPI	1	ANOB1210SET
PC1573D	42,98	SP120360080HI	2 S0430010018030KPI	1	ANOB1210SET

Compressione 23,5
 Compression mm
 Mis. Testa B-2
 Head size mm
 Lungh. tot. 50,2
 Tot. Length mm

KX 65
2000 2018
1. STANDARD


MP Ref: **1843** Nom. Ø mm **44,5** Spinotto dim. mm 12 X 37 X 8 Dett. segmenti: qta x tipo x mat. 2 G30KB AC 1,00 Anellino/Circlip 12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1843A	44,45	SP120370080KI	2 N0445010018530KBI	1	ANOB1210SET
PC1843B	44,46	SP120370080KI	2 N0445010018530KBI	1	ANOB1210SET
PC1843C	44,47	SP120370080KI	2 N0445010018530KBI	1	ANOB1210SET
PC1843D	44,48	SP120370080KI	2 N0445010018530KBI	1	ANOB1210SET

Compressione 23,6
 Compression mm
 Mis. Testa B-1,9
 Head size mm
 Lungh. tot. 50,5
 Tot. Length mm


3. RACING
Versione 1 segm/ 1 ring version


MP Ref: **1875** Nom. Ø mm **44,5** Spinotto dim. mm 12 X 37 X 8 Dett. segmenti: qta x tipo x mat. 1 G30KB AC 1,00 Anellino/Circlip 12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1875A	44,45	SP120370080KI	1 N0445010018530KBI	1	ANOB1210SET
PC1875B	44,46	SP120370080KI	1 N0445010018530KBI	1	ANOB1210SET
PC1875C	44,47	SP120370080KI	1 N0445010018530KBI	1	ANOB1210SET
PC1875D	44,48	SP120370080KI	1 N0445010018530KBI	1	ANOB1210SET

Compressione 23,6
 Compression mm
 Mis. Testa B-1,9
 Head size mm
 Lungh. tot. 50,5
 Tot. Length mm

Motocross - Off-road - Quad
KAWASAKI
2 TEMPI 2 STROKES
KX 80
1992 1999
1. STANDARD


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1754	47	14 X 39 X 9.5	2 G30KB AC 1,00 	14 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPqty	Cod. SERIE anellino
PC1754A	46,93	SP140390095KI	2 N0470010018530KBI	1	ANOB1410SET
PC1754B	46,94	SP140390095KI	2 N0470010018530KBI	1	ANOB1410SET
PC1754C	46,95	SP140390095KI	2 N0470010018530KBI	1	ANOB1410SET
PC1754D	46,96	SP140390095KI	2 N0470010018530KBI	1	ANOB1410SET

Compressione 26
 Compression mm
 Mis. Testa B-2
 Head size mm
 Lungh. tot. 54
 Tot. Length mm

Motocross - Off-road - Quad

KAWASAKI

2 TEMPI 2 STROKES

KX 85 2001 2013

1. STANDARD

Versione 2 segm./ 2 rings version


MP Ref: **1656** **Nom. Ø mm** **48,5** **Spinotto dim. mm** **14 X 40 X 9.5** **Dett. segmenti: qta x tipo x mat.** **2 G30KB AC 1,00** **Anellino/Circlip** **14 SB FILO 1.0**
Piston pin dim. **Rings details: qty x type x mat.**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1656A	48,44	SP140400095KI	2 N0485010018530KBI	1	ANOB1410SET
PC1656B	48,45	SP140400095KI	2 N0485010018530KBI	1	ANOB1410SET
PC1656C	48,46	SP140400095KI	2 N0485010018530KBI	1	ANOB1410SET
PC1656D	48,47	SP140400095KI	2 N0485010018530KBI	1	ANOB1410SET

Compressione 26
 Compression mm
 Mis. Testa B-2
 Head size mm
 Lungh. tot. 54
 Tot. Length mm

Versione 1 segm./ 1 ring version


MP Ref: **1862** **Nom. Ø mm** **48,5** **Spinotto dim. mm** **14 X 40 X 9.5** **Dett. segmenti: qta x tipo x mat.** **1 G30KB AC 1,00** **Anellino/Circlip** **14 SB FILO 1.0**
Piston pin dim. **Rings details: qty x type x mat.**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1862A	48,44	SP140400095KI	1 N0485010018530KBI	1	ANOB1410SET
PC1862B	48,45	SP140400095KI	1 N0485010018530KBI	1	ANOB1410SET
PC1862C	48,46	SP140400095KI	1 N0485010018530KBI	1	ANOB1410SET
PC1862D	48,47	SP140400095KI	1 N0485010018530KBI	1	ANOB1410SET

Compressione 26
 Compression mm
 Mis. Testa B-2
 Head size mm
 Lungh. tot. 54
 Tot. Length mm

3. RACING

PISTONE A LUNGA DURATA/LONG
ENDURANCE PISTON


MP Ref: **2431** **Nom. Ø mm** **48,5** **Spinotto dim. mm** **14 X 40 X 9 BIC** **Dett. segmenti: qta x tipo x mat.** **1 G30KB AC 1,00** **Anellino/Circlip** **14 SB FILO 1.0**
Piston pin dim. **Rings details: qty x type x mat.**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2431A	48,44	SP140400090KB2I	1 N0485010018530KBI	1	ANOB1410SET
PC2431B	48,45	SP140400090KB2I	1 N0485010018530KBI	1	ANOB1410SET
PC2431C	48,46	SP140400090KB2I	1 N0485010018530KBI	1	ANOB1410SET
PC2431D	48,47	SP140400090KB2I	1 N0485010018530KBI	1	ANOB1410SET
PC2431E	48,48	SP140400090KB2I	1 N0485010018530KBI	1	ANOB1410SET

Compressione 26
 Compression mm
 Mis. Testa B-2
 Head size mm
 Lungh. tot. 54
 Tot. Length mm

Motocross - Off-road - Quad
KAWASAKI
2 TEMPI 2 STROKES
KX 100
1998 2018
1. STANDARD
1 SEGMENTO/SINGLE RING


MP Ref: **2462** **Nom. Ø mm** **52,5** **Spinotto dim. mm** **14 X 44 X 10 NIT.** **Dett. segmenti: qta x tipo x mat.** **1 G30KB AC 1,00** **Anellino/Circlip** **14 SB FILO 1.0**
Piston pin dim. **Rings details: qty x type x mat.**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2462A	52,44	SP140440100ZNI	1 N0525010020530KBI	1	ANOB1410SET
PC2462B	52,45	SP140440100ZNI	1 N0525010020530KBI	1	ANOB1410SET
PC2462C	52,46	SP140440100ZNI	1 N0525010020530KBI	1	ANOB1410SET

Compressione 26
Compression mm
Mis. Testa B-1,7
Head size mm
Lungh. tot. 53,7
Tot. Length mm

KX - KXE 125
1999 2000
1. STANDARD


MP Ref: **1790** **Nom. Ø mm** **54** **Spinotto dim. mm** **15 X 45 X 10 BIC** **Dett. segmenti: qta x tipo x mat.** **1 G30KB AC 1,00** **Anellino/Circlip** **15 SB FILO 1.0**
Piston pin dim. **Rings details: qty x type x mat.**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1790A	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1790B	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1790C	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1790D	53,98	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

Compressione 29,5
Compression mm
Mis. Testa B-0,8
Head size mm
Lungh. tot. 60,5
Tot. Length mm

KX - KXE 125
2001 2002
1. STANDARD


MP Ref: **1776** **Nom. Ø mm** **54** **Spinotto dim. mm** **15 X 45 X 10 BIC** **Dett. segmenti: qta x tipo x mat.** **1 G30KB AC 1,00** **Anellino/Circlip** **15 SB FILO 1.0**
Piston pin dim. **Rings details: qty x type x mat.**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1776A	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1776B	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1776C	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1776D	53,98	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

Compressione 29,3
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 60,3
Tot. Length mm

Motocross - Off-road - Quad
KAWASAKI
2 TEMPI 2 STROKES
KX - KXE 125
2003 2008
1. STANDARD

MP Ref: **2477** **Nom. Ø mm** **54** **Spinotto dim. mm** **15 X 45 X 10 BIC** **Dett. segmenti: qta x tipo x mat.** **1 G30KB AC 1,00** **Anellino/Circlip** **15 SB FILO 1.0**



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2477A	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC2477B	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC2477C	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC2477D	53,98	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

Compressione **29,3**
 Compression mm
 Mis. Testa **B-2,5**
 Head size mm
 Lungh. tot. **60,3**
 Tot. Length mm

KX - KXE 250 2T
1992 2001
1. STANDARD

MP Ref: **2386** **Nom. Ø mm** **66,4** **Spinotto dim. mm** **18 X 56 X 13** **Dett. segmenti: qta x tipo x mat.** **2 G30KB AC 1,00** **Anellino/Circlip** **18 SB FILO 1.2**



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2386A	66,34	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2386B	66,35	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2386C	66,36	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2386D	66,37	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2386110	67,5	SP180560130Y4I	2 N0675010026030KBI	1	ANOB1812SET
PC2386160	68	SP180560130Y4I	2 N0680010024530KBI	1	ANOB1812SET

Compressione **37,2**
 Compression mm
 Mis. Testa **B-3,4**
 Head size mm
 Lungh. tot. **76,6**
 Tot. Length mm

KX - KXE 250 2T
2002 2004
1. STANDARD

MP Ref: **2387** **Nom. Ø mm** **66,4** **Spinotto dim. mm** **18 X 56 X 13** **Dett. segmenti: qta x tipo x mat.** **2 G30KB AC 1,00** **Anellino/Circlip** **18 SB FILO 1.2**



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2387A	66,34	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2387B	66,35	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2387C	66,36	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2387D	66,37	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET

Compressione **37,2**
 Compression mm
 Mis. Testa **B-3,4**
 Head size mm
 Lungh. tot. **79,6**
 Tot. Length mm

Motocross - Off-road - Quad
KAWASAKI
2 TEMPI 2 STROKES
KX - KXE 250 2T
2005 2008
1. STANDARD


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2388	66,4	18 X 56 X 13	2 G30KB AC 1,00	18 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2388A	66,34	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2388B	66,35	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2388C	66,36	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2388D	66,37	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET

Compressione 37,2
 Compression mm
 Mis. Testa B-3,4
 Head size mm
 Lungh. tot. 77,6
 Tot. Length mm

4 TEMPI 4 STROKES
KX 250F - KXE 250F
1. STANDARD
O.C.
13,2:1


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2164	77	16 X 40 X 9	NS 1 RAC AC 1,50 1 C6NB AC 0,80	16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2164A	76,95	SP160400090K2I	1 NSMOT770002	1	ANOB1612SET
PC2164B	76,96	SP160400090K2I	1 NSMOT770002	1	ANOB1612SET
PC2164C	76,97	SP160400090K2I	1 NSMOT770002	1	ANOB1612SET
PC2164D	76,98	SP160400090K2I	1 NSMOT770002	1	ANOB1612SET

Compressione 19,8
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 31,4
 Tot. Length mm

2. SPORT
H.C.
13,8:1




MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2165	77	16 X 40 X 9	NS 1 RAC AC 1,50 1 C6NB AC 0,80	16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2165A	76,95	SP160400090K2I	1 NSMOT770002	1	ANOB1612SET
PC2165B	76,96	SP160400090K2I	1 NSMOT770002	1	ANOB1612SET
PC2165C	76,97	SP160400090K2I	1 NSMOT770002	1	ANOB1612SET
PC2165D	76,98	SP160400090K2I	1 NSMOT770002	1	ANOB1612SET

Compressione 19,8
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 33,7
 Tot. Length mm

Motocross - Off-road - Quad
KAWASAKI
4 TEMPI 4 STROKES
KX 250F - KXE 250F
2011 2014
1. STANDARD
O.C.
13,5:1

MP Ref:
2207
Nom. Ø mm
77
Spinotto dim. mm
Piston pin dim.
 16 X 38 X 8.5 BIC
 semilap



Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS
 1 RAC AC 1,50 
 1 C1KB AC 0,80 
Anellino/Circlip
 16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2207A	76,95	SP160380085KBI	1 WSMOT770003I	1	ANOB1612SET
PC2207B	76,96	SP160380085KBI	1 WSMOT770003I	1	ANOB1612SET
PC2207C	76,97	SP160380085KBI	1 WSMOT770003I	1	ANOB1612SET
PC2207D	76,98	SP160380085KBI	1 WSMOT770003I	1	ANOB1612SET

 Compressione 18,9
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 32,5
 Tot. Length mm

2. SPORT
H.C.
14,2:1

MP Ref:
2208
Nom. Ø mm
77
Spinotto dim. mm
Piston pin dim.
 16 X 38 X 8.5 BIC
 semilap

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS
 1 RAC AC 1,50 
 1 C1KB AC 0,80 
Anellino/Circlip
 16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2208A	76,95	SP160380085KBI	1 WSMOT770003I	1	ANOB1612SET
PC2208B	76,96	SP160380085KBI	1 WSMOT770003I	1	ANOB1612SET
PC2208C	76,97	SP160380085KBI	1 WSMOT770003I	1	ANOB1612SET
PC2208D	76,98	SP160380085KBI	1 WSMOT770003I	1	ANOB1612SET

 Compressione 18,9
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 33,8
 Tot. Length mm

Motocross - Off-road - Quad
KAWASAKI
4 TEMPI 4 STROKES
KX250F - KXE 250F
2015 2016
1. STANDARD
O.C.
13,8:1
MP Ref: **Nom. Ø mm**
2520 **77**
Spinotto dim. mm
Piston pin dim.

16 X 38 X 10 BIC NITR

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Anellino/Circlip

16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
---------------------------	-------------	-------------------------------	--	-----------------------	----------------------------

PC2520A	76,95	SP160380100ZF2I	1 WSMOT770003I	1	ANOB1612SET
PC2520B	76,96	SP160380100ZF2I	1 WSMOT770003I	1	ANOB1612SET
PC2520C	76,97	SP160380100ZF2I	1 WSMOT770003I	1	ANOB1612SET
PC2520D	76,98	SP160380100ZF2I	1 WSMOT770003I	1	ANOB1612SET

Compressione 19,7
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 32,5
 Tot. Length mm

3. RACING
H.C.
14,3:1
CON SPINOTTO DLC/ WITH DLC
PISTON PIN
MP Ref: **Nom. Ø mm**
2522 **77**
Spinotto dim. mm
Piston pin dim.

 16 X 38 X 10 BIC
 NITR+DLC

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Anellino/Circlip

16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
---------------------------	-------------	-------------------------------	--	-----------------------	----------------------------

PC2522A	76,95	SP160380100ZG2I	1 WSMOT770003I	1	ANOB1612SET
PC2522B	76,96	SP160380100ZG2I	1 WSMOT770003I	1	ANOB1612SET
PC2522C	76,97	SP160380100ZG2I	1 WSMOT770003I	1	ANOB1612SET
PC2522D	76,98	SP160380100ZG2I	1 WSMOT770003I	1	ANOB1612SET

Compressione 19,7
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 33,5
 Tot. Length mm

Motocross - Off-road - Quad
KAWASAKI
4 TEMPI 4 STROKES
KX250F - KXE 250F
2017
1. STANDARD
O.C.
13,7:1

MP Ref: **2612** Nom. Ø mm **77** Spinotto dim. mm Piston pin dim. **16 X 38 X 10 BIC NITR** Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. Anellino/Circlip **16 SB FILO 1.2**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2612A	76,95	SP160380100ZF2I	1 WSMOT770003	1	ANOB1612SET
PC2612B	76,96	SP160380100ZF2I	1 WSMOT770003	1	ANOB1612SET
PC2612C	76,97	SP160380100ZF2I	1 WSMOT770003	1	ANOB1612SET
PC2612D	76,98	SP160380100ZF2I	1 WSMOT770003	1	ANOB1612SET

Compressione 19,7
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 33,6
 Tot. Length mm

3. RACING
H.C.
14,3:1
SPINOTTO/PIN IN DLC

MP Ref: **2613** Nom. Ø mm **77** Spinotto dim. mm Piston pin dim. **16 X 38 X 10 BIC NITR+DLC** Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. Anellino/Circlip **16 SB FILO 1.2**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2613A	76,95	SP160380100ZG2I	1 WSMOT770003	1	ANOB1612SET
PC2613B	76,96	SP160380100ZG2I	1 WSMOT770003	1	ANOB1612SET
PC2613C	76,97	SP160380100ZG2I	1 WSMOT770003	1	ANOB1612SET
PC2613D	76,98	SP160380100ZG2I	1 WSMOT770003	1	ANOB1612SET

Compressione 19,7
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 0
 Tot. Length mm

Motocross - Off-road - Quad
KAWASAKI
4 TEMPI 4 STROKES
KLX 450R
2008 2011
1. STANDARD
O.C.
12:1

MP Ref:
2176
Nom. Ø mm
96
Spinotto dim. mm
Piston pin dim.
19 X 50,5 X 12
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00	
1	RAC	AC	2,00	

Anellino/Circlip
19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2176A	95,96	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2176B	95,97	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2176C	95,98	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2176D	95,99	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET

Compressione 23,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 42,5
Tot. Length mm
2. SPORT
H.C.
13:1

MP Ref:
2177
Nom. Ø mm
96
Spinotto dim. mm
Piston pin dim.
19 X 50,5 X 12
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00	
1	RAC	AC	2,00	

Anellino/Circlip
19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2177A	95,96	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2177B	95,97	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2177C	95,98	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2177D	95,99	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET

Compressione 23,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 43,4
Tot. Length mm

Motocross - Off-road - Quad
KAWASAKI
4 TEMPI 4 STROKES
KX 450F
2006 2008
1. STANDARD
O.C.
12:1

MP Ref:
2176
Nom. Ø mm
96
Spinotto dim. mm
Piston pin dim.
19 X 50,5 X 12
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00	
1	RAC	AC	2,00	

Anellino/Circlip
19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2176A	95,96	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2176B	95,97	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2176C	95,98	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2176D	95,99	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET

Compressione 23,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 42,5
Tot. Length mm
2. SPORT
H.C.
13:1

MP Ref:
2177
Nom. Ø mm
96
Spinotto dim. mm
Piston pin dim.
19 X 50,5 X 12
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00	
1	RAC	AC	2,00	

Anellino/Circlip
19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2177A	95,96	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2177B	95,97	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2177C	95,98	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2177D	95,99	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET

Compressione 23,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 43,4
Tot. Length mm

Motocross - Off-road - Quad
KAWASAKI
4 TEMPI 4 STROKES
KX 450F
2009 2012
1. STANDARD
O.C.
12,7:1
NEW MP Ref: **2619** Nom. Ø mm **96**

 Spinotto dim. mm
Piston pin dim.
19 X 50,5 X 12

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

 Anellino/Circlip
19 SB FILO 1.2

1	C6NB	AC	1,00	
1	RAC	AC	2,00	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2619A	95,96	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2619B	95,97	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2619C	95,97	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2619D	95,99	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET

 Compressione 23,7
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 43
Tot. Length mm

2. SPORT
H.C.
13,2:1
NEW MP Ref: **2620** Nom. Ø mm **96**

 Spinotto dim. mm
Piston pin dim.
19 X 50,5 X 12

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

 Anellino/Circlip
19 SB FILO 1.2

1	C6NB	AC	1,00	
1	RAC	AC	2,00	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2620A	95,96	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2620B	95,97	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2620C	95,98	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2620D	95,99	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET

 Compressione 23,7
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 0
Tot. Length mm

Motocross - Off-road - Quad
KAWASAKI
4 TEMPI 4 STROKES
KX 450F
2013 2014
1. STANDARD
O.C.
12,5:1
NEW 2621

 MP Ref: **96**

Nom. Ø mm

 Spinotto dim. mm
 Piston pin dim.
 19 X 49 X 11 BIC NITR

 Dett. segmenti: qta x tipo x mat.
 Rings details: qty x type x mat.
 NS

1	C6NB	AC	1,00	
1	RAC	AC	2,00	

 Anellino/Circlip
 19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2621A	95,96	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2621B	95,97	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2621C	95,98	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2621D	95,99	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET

 Compressione 23,75
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 36,65
 Tot. Length mm

2. SPORT
H.C.
13,6:1
NEW 2622

 MP Ref: **96**

Nom. Ø mm

 Spinotto dim. mm
 Piston pin dim.
 19 X 49 X 11 BIC NITR

 Dett. segmenti: qta x tipo x mat.
 Rings details: qty x type x mat.
 NS

1	C6NB	AC	1,00	
1	RAC	AC	2,00	

 Anellino/Circlip
 19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2622A	95,96	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2622B	95,97	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2622C	98,98	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2622D	98,99	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET

 Compressione 23,75
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 0
 Tot. Length mm

Motocross - Off-road - Quad
KAWASAKI
4 TEMPI 4 STROKES
**KX 450F
2015**
1. STANDARD
O.C.
12,5:1

MP Ref: Nom. Ø mm

NEW 2623 **96**

 Spinotto dim. mm
Piston pin dim.
19 X 49 X 11 BIC NITR

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00	
1	RAC	AC	2,00	

 Anellino/Circlip
19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2623A	95,96	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2623B	95,97	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2623C	95,98	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2623D	95,99	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET

 Compressione 23,8
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 37,6
 Tot. Length mm

2. SPORT
H.C.
13:1

MP Ref: Nom. Ø mm

NEW 2624 **96**

 Spinotto dim. mm
Piston pin dim.
19 X 49 X 11 BIC NITR

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00	
1	RAC	AC	2,00	

 Anellino/Circlip
19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2624A	95,96	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2624B	95,97	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2624C	95,98	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2624D	95,99	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET

 Compressione 23,8
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 0
 Tot. Length mm

Motocross - Off-road - Quad
KAWASAKI
4 TEMPI 4 STROKES
KX 450F
2016 2018
1. STANDARD
O.C.
12,8:1
NEW 2621

 MP Ref: **96**

Nom. Ø mm

 Spinotto dim. mm
 Piston pin dim.
 19 X 49 X 11 BIC NITR

 Dett. segmenti: qta x tipo x mat.
 Rings details: qty x type x mat.
NS
 1 C6NB AC 1,00
 1 RAC AC 2,00

 Anellino/Circlip
 19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2621A	95,96	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2621B	95,97	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2621C	95,98	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2621D	95,99	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET

 Compressione 23,75
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 36,65
 Tot. Length mm

2. SPORT
H.C.
13,9:1
NEW 2622

 MP Ref: **96**

Nom. Ø mm

 Spinotto dim. mm
 Piston pin dim.
 19 X 49 X 11 BIC NITR

 Dett. segmenti: qta x tipo x mat.
 Rings details: qty x type x mat.
NS
 1 C6NB AC 1,00
 1 RAC AC 2,00

 Anellino/Circlip
 19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2622A	95,96	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2622B	95,97	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2622C	98,98	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET
PC2622D	98,99	SP190490110ZF2I	1 NSMOT960001	1	ANOB1912SET

 Compressione 23,75
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 0
 Tot. Length mm

Motocross - Off-road - Quad
KAWASAKI
4 TEMPI 4 STROKES
KXE 450F
2006 2008
1. STANDARD
O.C.
12:1

MP Ref:
2176
Nom. Ø mm
96
Spinotto dim. mm
Piston pin dim.
19 X 50,5 X 12
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00
1	RAC	AC	2,00


Anellino/Circlip
19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2176A	95,96	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2176B	95,97	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2176C	95,98	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2176D	95,99	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET

Compressione 23,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 42,5
Tot. Length mm
2. SPORT
H.C.
13:1

MP Ref:
2177
Nom. Ø mm
96
Spinotto dim. mm
Piston pin dim.
19 X 50,5 X 12
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00
1	RAC	AC	2,00


Anellino/Circlip
19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2177A	95,96	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2177B	95,97	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2177C	95,98	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET
PC2177D	95,99	SP190505120W3I	1 NSMOT960001	1	ANOB1912SET

Compressione 23,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 43,4
Tot. Length mm

Motocross - Off-road - Quad

KTM

2 TEMPI 2 STROKES

50 SX 2001 2008

1. STANDARD


MP Ref: **2154** Nom. Ø mm: **39,5** Spinotto dim. mm / Piston pin dim.: **12 X 33 X 8** Dett. segmenti: qta x tipo x mat. / Rings details: qty x type x mat.: **1 G30KB AC 1,00** Anellino/Circlip: **12 SB FILO 1.0**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2154AB	39,46	SP120330080HI	1 N0395010016530KBI	1	ANOB1210SET
PC2154CD	39,47	SP120330080HI	1 N0395010016530KBI	1	ANOB1210SET
PC2154EF	39,48	SP120330080HI	1 N0395010016530KBI	1	ANOB1210SET
PC2154GH	39,49	SP120330080HI	1 N0395010016530KBI	1	ANOB1210SET

Compressione **21,6**
Compression mm
Mis. Testa **B-2,4**
Head size mm
Lungh. tot. **48**
Tot. Length mm

50 SX 2009 2018

1. STANDARD


MP Ref: **2110** Nom. Ø mm: **39,5** Spinotto dim. mm / Piston pin dim.: **12 X 33 X 8** Dett. segmenti: qta x tipo x mat. / Rings details: qty x type x mat.: **1 G30KB AC 1,00** Anellino/Circlip: **12 SB FILO 1.0**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2110AB	39,46	SP120330080HI	1 N0395010016530KBI	1	ANOB1210SET
PC2110CD	39,47	SP120330080HI	1 N0395010016530KBI	1	ANOB1210SET
PC2110EF	39,48	SP120330080HI	1 N0395010016530KBI	1	ANOB1210SET

Compressione **21,7**
Compression mm
Mis. Testa **B-2,3**
Head size mm
Lungh. tot. **48**
Tot. Length mm

65 SX 1997 2008

1. STANDARD

2 luci lato aspirazione/ 2 ports at intake side



MP Ref: **1842** Nom. Ø mm: **45** Spinotto dim. mm / Piston pin dim.: **12 X 37 X 8** Dett. segmenti: qta x tipo x mat. / Rings details: qty x type x mat.: **1 G30KB AC 1,00** Anellino/Circlip: **12 SB FILO 1.0**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1842A	44,95	SP120370080KI	1 N0450010018530KBI	1	ANOB1210SET
PC1842B	44,96	SP120370080KI	1 N0450010018530KBI	1	ANOB1210SET
PC1842C	44,97	SP120370080KI	1 N0450010018530KBI	1	ANOB1210SET
PC1842D	44,98	SP120370080KI	1 N0450010018530KBI	1	ANOB1210SET

Compressione **21,5**
Compression mm
Mis. Testa **B-2,5**
Head size mm
Lungh. tot. **48**
Tot. Length mm

Motocross - Off-road - Quad

KTM

2 TEMPI 2 STROKES

65 SX

2009 2018
1. STANDARD


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2047	45	12 X 37 X 8	1 G30KB AC 1,00	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2047A	44,96	SP120370080KI	1 N0450010018530KBI	1	ANOB1210SET
PC2047B	44,97	SP120370080KI	1 N0450010018530KBI	1	ANOB1210SET
PC2047C	44,98	SP120370080KI	1 N0450010018530KBI	1	ANOB1210SET
PC2047D	44,99	SP120370080KI	1 N0450010018530KBI	1	ANOB1210SET

Compressione 21,6
Compression mm
Mis. Testa B-2,4
Head size mm
Lungh. tot. 48
Tot. Length mm

85 SX - 85 EXC

2003 2018
1. STANDARD
O.C.


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1852	47	14 X 40 X 9.5	1 G30KB AC 1,00	14 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1852A	46,94	SP140400095KI	1 N0470010018530KBI	1	ANOB1410SET
PC1852B	46,95	SP140400095KI	1 N0470010018530KBI	1	ANOB1410SET
PC1852C	46,96	SP140400095KI	1 N0470010018530KBI	1	ANOB1410SET
PC1852D	46,97	SP140400095KI	1 N0470010018530KBI	1	ANOB1410SET
PC1852E	46,98	SP140400095KI	1 N0470010018530KBI	1	ANOB1410SET

Compressione 24,2
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 53,2
Tot. Length mm

105 SX

2004 2016
1. STANDARD


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2151	52	14 X 45 X 9 BIC	1 G30KB AC 1,00	14 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2151A	51,95	SP140450090KBI	1 N0520010020530KBI	1	ANOB1410SET
PC2151B	51,96	SP140450090KBI	1 N0520010020530KBI	1	ANOB1410SET
PC2151C	51,97	SP140450090KBI	1 N0520010020530KBI	1	ANOB1410SET
PC2151D	51,98	SP140450090KBI	1 N0520010020530KBI	1	ANOB1410SET

Compressione 24,2
Compression mm
Mis. Testa B-2,1
Head size mm
Lungh. tot. 53,2
Tot. Length mm

Motocross - Off-road - Quad

KTM

2 TEMPI 2 STROKES

125 EXC

2001 2016

1 SEGMENTO RETTANGOLARE / 1 RECTANGULAR RING VERSION



Compressione 29,5
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 58,2
Tot. Length mm

MP Ref: **1770** Nom. Ø mm **54** Spinotto dim. mm 15 X 45 X 10 BIC Piston pin dim. Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. 1 G30KB AC 1,00 Anellino/Circlip 15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1770A	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770B	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770C	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770D	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770E	56,98	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

1 SEGM. SEMITRAPEZOIDALE - 1 HALF KEYSTONE RING



Compressione 29,5
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 58,2
Tot. Length mm

MP Ref: **2367** Nom. Ø mm **54** Spinotto dim. mm 15 X 45 X 10 BIC Piston pin dim. Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. 1 G33KB AC 1,06 Anellino/Circlip 15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2367A	53,94	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET
PC2367B	53,95	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET
PC2367C	53,96	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET
PC2367D	53,97	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET
PC2367E	53,98	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET

VERSIONE 2 SEGMENTI / 2 RINGS VERSION



Compressione 29,5
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 58,1
Tot. Length mm

MP Ref: **2472** Nom. Ø mm **54** Spinotto dim. mm 15 X 45 X 10 BIC Piston pin dim. Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. 2 G33KB AC 1,06 Anellino/Circlip 15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2472A	53,94	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472B	53,95	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472C	53,96	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472D	53,97	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472E	53,98	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET

Motocross - Off-road - Quad

KTM

2 TEMPI 2 STROKES

125 SX

2001 2018

1. STANDARD

1 SEGMENTO RETTANGOLARE / 1
RECTANGULAR RING VERSION


Compressione 29,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 58,2
Tot. Length mm

MP Ref: **1770** Nom. Ø mm **54** Spinotto dim. mm 15 X 45 X 10 BIC Piston pin dim. Dett. segmenti: qta x tipo x mat. 1 G33KB AC 1,00 Rings details: qty x type x mat. Anellino/Circlip 15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1770A	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770B	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770C	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770D	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770E	56,98	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

VERSIONE 2 SEGMENTI / 2 RINGS
VERSION


Compressione 29,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 58,1
Tot. Length mm

MP Ref: **2472** Nom. Ø mm **54** Spinotto dim. mm 15 X 45 X 10 BIC Piston pin dim. Dett. segmenti: qta x tipo x mat. 2 G33KB AC 1,06 Rings details: qty x type x mat. Anellino/Circlip 15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2472A	53,94	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472B	53,95	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472C	53,96	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472D	53,97	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472E	53,98	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET

3. RACING

1 SEGM. SEMITRAPEZOIDALE - 1
HALF KEYSTONE RING


Compressione 29,5
Compression mm
Mis. Testa P
Head size mm
Lungh. tot. 58,2
Tot. Length mm

MP Ref: **2367** Nom. Ø mm **54** Spinotto dim. mm 15 X 45 X 10 BIC Piston pin dim. Dett. segmenti: qta x tipo x mat. 1 G33KB AC 1,06 Rings details: qty x type x mat. Anellino/Circlip 15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2367A	53,94	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET
PC2367B	53,95	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET
PC2367C	53,96	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET
PC2367D	53,97	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET
PC2367E	53,98	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET

Motocross - Off-road - Quad

KTM

2 TEMPI 2 STROKES

125 XC-W

2017 2018
**1 SEGMENTO RETTANGOLARE / 1
RECTANGULAR RING VERSION**


Compressione 29,5
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 58,2
Tot. Length mm

MP Ref: **1770** **Nom. Ø mm** 54 **Spinotto dim. mm** 15 X 45 X 10 BIC **Piston pin dim.** **Dett. segmenti: qta x tipo x mat.** 1 G30KB AC 1,00 **Rings details: qty x type x mat.** **Anellino/Circlip** 15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1770A	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770B	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770C	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770D	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1770E	56,98	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

**1 SEGM. SEMITRAPEZOIDALE - 1
HALF KEYSTONE RING**


Compressione 29,5
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 58,2
Tot. Length mm

MP Ref: **2367** **Nom. Ø mm** 54 **Spinotto dim. mm** 15 X 45 X 10 BIC **Piston pin dim.** **Dett. segmenti: qta x tipo x mat.** 1 G33KB AC 1,06 **Rings details: qty x type x mat.** **Anellino/Circlip** 15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2367A	53,94	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET
PC2367B	53,95	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET
PC2367C	53,96	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET
PC2367D	53,97	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET
PC2367E	53,98	SP150450100YB4I	1 N0540010622033KBI	1	ANOB1510SET

**VERSIONE 2 SEGMENTI / 2 RINGS
VERSION**


Compressione 29,5
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 58,1
Tot. Length mm

MP Ref: **2472** **Nom. Ø mm** 54 **Spinotto dim. mm** 15 X 45 X 10 BIC **Piston pin dim.** **Dett. segmenti: qta x tipo x mat.** 2 G33KB AC 1,06 **Rings details: qty x type x mat.** **Anellino/Circlip** 15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2472A	53,94	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472B	53,95	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472C	53,96	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472D	53,97	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET
PC2472E	53,98	SP150450100YB4I	2 N0540010622033KBI	1	ANOB1510SET

Motocross - Off-road - Quad

KTM

2 TEMPI 2 STROKES

144 SX - 150 SX

2007 2015
1. STANDARD

MP Ref: **2155** Nom. \varnothing mm **56** Spinotto dim. mm Piston pin dim. **15 X 47 X 10** Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. **2 G30KB AC 1,00** Anellino/Circlip **15 SB FILO 1.0**



Codice KIT PISTONE	\varnothing mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2155A	55,95	SP150470100KI	2 N0560010022530KBI	1	ANOB1510SET
PC2155B	55,96	SP150470100KI	2 N0560010022530KBI	1	ANOB1510SET
PC2155C	55,97	SP150470100KI	2 N0560010022530KBI	1	ANOB1510SET

Compressione **29,5**
Compression mm
Mis. Testa **P**
Head size mm
Lungh. tot. **59,5**
Tot. Length mm

250 EXC

2006 2017
1. STANDARD

MP Ref: **2329** Nom. \varnothing mm **66,4** Spinotto dim. mm Piston pin dim. **18 X 56 X 13** Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. **2 G33KB AC 1,00** Anellino/Circlip **18 SB FILO 1.5**



Codice KIT PISTONE	\varnothing mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2329A	66,34	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329B	66,35	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329C	66,36	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329D	66,37	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET

Compressione **38,1**
Compression mm
Mis. Testa **B-3,5**
Head size mm
Lungh. tot. **79,1**
Tot. Length mm

250 EXC TPI

2018
O.C.

MP Ref: **2329** Nom. \varnothing mm **66,4** Spinotto dim. mm Piston pin dim. **18 X 56 X 13** Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. **2 G33KB AC 1,00** Anellino/Circlip **18 SB FILO 1.5**



Codice KIT PISTONE	\varnothing mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2329A	66,34	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329B	66,35	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329C	66,36	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329D	66,37	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET

Compressione **38,1**
Compression mm
Mis. Testa **B-3,5**
Head size mm
Lungh. tot. **79,1**
Tot. Length mm

Motocross - Off-road - Quad

KTM

2 TEMPI 2 STROKES

250 SX 2006 2018

1. STANDARD

MP Ref: **2329** Nom. Ø mm: **66,4** Spinotto dim. mm / Piston pin dim.: 18 X 56 X 13 Dett. segmenti: qta x tipo x mat. / Rings details: qty x type x mat.: 2 G33KB AC 1,00 Anellino/Circlip: 18 SB FILO 1.5



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2329A	66,34	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329B	66,35	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329C	66,36	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329D	66,37	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET

Compressione 38,1
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 79,1
Tot. Length mm

250 XC-W 2006 2018

1. STANDARD

MP Ref: **2329** Nom. Ø mm: **66,4** Spinotto dim. mm / Piston pin dim.: 18 X 56 X 13 Dett. segmenti: qta x tipo x mat. / Rings details: qty x type x mat.: 2 G33KB AC 1,00 Anellino/Circlip: 18 SB FILO 1.5



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2329A	66,34	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329B	66,35	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329C	66,36	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET
PC2329D	66,37	SP180560130Y4I	2 N0664010024033KBI	1	ANOB1815SET

Compressione 38,1
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 79,1
Tot. Length mm

300 EXC 2004 2017

1. STANDARD

MP Ref: **2342** Nom. Ø mm: **72** Spinotto dim. mm / Piston pin dim.: 18 X 59 X 12 BIC foro semilap. Dett. segmenti: qta x tipo x mat. / Rings details: qty x type x mat.: 2 G30KB AC 1,00 Anellino/Circlip: 18 SB FILO 1.5



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2342A	71,94	SP180590120KB2I	2 N0720010026530KBI	1	ANOB1815SET
PC2342B	71,95	SP180590120KB2I	2 N0720010026530KBI	1	ANOB1815SET
PC2342C	71,96	SP180590120KB2I	2 N0720010026530KBI	1	ANOB1815SET
PC2342D	71,97	SP180590120KB2I	2 N0720010026530KBI	1	ANOB1815SET

Compressione 38
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 75,5
Tot. Length mm

Motocross - Off-road - Quad

KTM

2 TEMPI 2 STROKES

300 XC - XC-W 2006 2018

1. STANDARD

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2342	72	18 X 59 X 12 BIC foro semilap.	2 G30KB AC 1,00 	18 SB FILO 1.5



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2342A	71,94	SP180590120KB2I	2 N0720010026530KBI	1	AN0B1815SET
PC2342B	71,95	SP180590120KB2I	2 N0720010026530KBI	1	AN0B1815SET
PC2342C	71,96	SP180590120KB2I	2 N0720010026530KBI	1	AN0B1815SET
PC2342D	71,97	SP180590120KB2I	2 N0720010026530KBI	1	AN0B1815SET

Compressione 38
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 75,5
Tot. Length mm

4 TEMPI 4 STROKES

250 EXC-F 2007 2013

1. STANDARD
O.C.
12,8:1

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2160	76	16 X 40 X 9		16 SB FILO 1.2



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2160A	75,96	SP160400090K2I	1 WSMOT760001I	1	AN0B1612SET
PC2160B	75,97	SP160400090K2I	1 WSMOT760001I	1	AN0B1612SET
PC2160C	75,98	SP160400090K2I	1 WSMOT760001I	1	AN0B1612SET

Compressione 19
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 34,5
Tot. Length mm

2. SPORT
H.C.
13,3:1

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2161	76	16 X 40 X 9		16 SB FILO 1.2



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2161A	75,96	SP160400090K2I	1 WSMOT760001I	1	AN0B1612SET
PC2161B	75,97	SP160400090K2I	1 WSMOT760001I	1	AN0B1612SET
PC2161C	75,98	SP160400090K2I	1 WSMOT760001I	1	AN0B1612SET

Compressione 19
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 35
Tot. Length mm

Motocross - Off-road - Quad

KTM

4 TEMPI 4 STROKES

250 EXC-F

2014 2016
1. STANDARD
O.C.
13,9:1
SPINOTTO/PIN IN DLC

MP Ref:

Nom. Ø mm

2264
78

 Spinotto dim. mm
Piston pin dim.

16 X 38 X 9 DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Anellino/Circlip

 16 1B FILO 1.2
anti

 Codice KIT
PISTONE

Ø mm

 Cod. SPINOTTO
PIN code

 Codice Segmenti
Piston rings code

 AN.Qta
CLIPQty

 Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2264A	77,96	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264B	77,97	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264C	77,98	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264D	77,99	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T

 Compressione 19,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 30,5
Tot. Length mm

3. RACING
H.C.
14,3:1
SPINOTTO/PIN IN DLC

MP Ref:

Nom. Ø mm

2265
78

 Spinotto dim. mm
Piston pin dim.

16 X 38 X 9 DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Anellino/Circlip

 16 1B FILO 1.2
anti

 Codice KIT
PISTONE

Ø mm

 Cod. SPINOTTO
PIN code

 Codice Segmenti
Piston rings code

 AN.Qta
CLIPQty

 Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2265A	77,96	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265B	77,97	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265C	77,98	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265D	77,99	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T

**SEL. D SOLO FINO AD
ESAURIMENTO STOCK**

 Compressione 19,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 30,5
Tot. Length mm

Motocross - Off-road - Quad

KTM

4 TEMPI 4 STROKES

250 EXC-F

2017 2018
1. STANDARD
O.C.
12,8:1
SPINOTTO/PIN IN DLC
MP Ref: Nom. Ø mm

2614 78

 Spinotto dim. mm
Piston pin dim.

16 X 38 X 9 DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.

Anellino/Circlip

16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2614A	77,96	SP160380090XE2I	1 WSMOT780002	1	ANOB1612SET
PC2614B	77,97	SP160380090XE2I	1 WSMOT780002	1	ANOB1612SET
PC2614C	77,98	SP160380090XE2I	1 WSMOT780002	1	ANOB1612SET

 Compressione 19,5
Compression mm

 Mis. Testa
Head size mm

 Lungh. tot. 30,2
Tot. Length mm

3. RACING
H.C.
13,5:1
SPINOTTO/PIN IN DLC
MP Ref: Nom. Ø mm

2494 78

 Spinotto dim. mm
Piston pin dim.

16 X 38 X 9 DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
ws

Anellino/Circlip

16 SB FILO 1.2

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2494A	77,96	SP160380090XE2I	1 WSMOT780002I	1	ANOB1612SET
PC2494B	77,97	SP160380090XE2I	1 WSMOT780002I	1	ANOB1612SET
PC2494C	77,98	SP160380090XE2I	1 WSMOT780002I	1	ANOB1612SET

 Compressione 19,5
Compression mm

 Mis. Testa
Head size mm

 Lungh. tot. 32,6
Tot. Length mm


Motocross - Off-road - Quad

KTM

4 TEMPI 4 STROKES

250 SX-F

2006 2012

1. STANDARD
O.C.
12,8:1

MP Ref: Nom. Ø mm

2160 76

 Spinotto dim. mm
Piston pin dim.

16 X 40 X 9

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.

Anellino/Circlip

16 SB FILO 1.2

 Codice KIT
PISTONE Ø mm

 Cod. SPINOTTO
PIN code

 Codice Segmenti
Piston rings code

 AN.Qta
CLIPQty

 Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2160A	75,96	SP160400090K2I	1 WSMOT760001I	1	ANOB1612SET
PC2160B	75,97	SP160400090K2I	1 WSMOT760001I	1	ANOB1612SET
PC2160C	75,98	SP160400090K2I	1 WSMOT760001I	1	ANOB1612SET

 Compressione 19
Compression mm

 Mis. Testa
Head size mm

 Lungh. tot. 34,5
Tot. Length mm

2. SPORT
H.C.
13,3:1

MP Ref: Nom. Ø mm

2161 76

 Spinotto dim. mm
Piston pin dim.

16 X 40 X 9

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.

Anellino/Circlip

16 SB FILO 1.2

 Codice KIT
PISTONE Ø mm

 Cod. SPINOTTO
PIN code

 Codice Segmenti
Piston rings code

 AN.Qta
CLIPQty

 Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2161A	75,96	SP160400090K2I	1 WSMOT760001I	1	ANOB1612SET
PC2161B	75,97	SP160400090K2I	1 WSMOT760001I	1	ANOB1612SET
PC2161C	75,98	SP160400090K2I	1 WSMOT760001I	1	ANOB1612SET

 Compressione 19
Compression mm

 Mis. Testa
Head size mm

 Lungh. tot. 35
Tot. Length mm

Motocross - Off-road - Quad

KTM

4 TEMPI 4 STROKES

250 SX-F 2013 2015

1. STANDARD
O.C.
13,9:1
SPINOTTO/PIN IN DLC

MP Ref: Nom. \emptyset mm

2264 78

 Spinotto dim. mm
Piston pin dim.

16 X 38 X 9 DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Anellino/Circlip

 16 1B FILO 1.2
anti

Codice KIT PISTONE	\emptyset mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2264A	77,96	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264B	77,97	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264C	77,98	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264D	77,99	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T

 Compressione 19,5
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 30,5
 Tot. Length mm

3. RACING
H.C.
14,3:1
SPINOTTO/PIN IN DLC

MP Ref: Nom. \emptyset mm

2265 78

 Spinotto dim. mm
Piston pin dim.

16 X 38 X 9 DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Anellino/Circlip

 16 1B FILO 1.2
anti

Codice KIT PISTONE	\emptyset mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2265A	77,96	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265B	77,97	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265C	77,98	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265D	77,99	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T

**SEL. D SOLO FINO AD
ESAURIMENTO STOCK**

 Compressione 19,5
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 30,5
 Tot. Length mm

Motocross - Off-road - Quad
KTM
4 TEMPI 4 STROKES
250 SX-F
2016 2018
1. STANDARD
O.C.
14,4:1

SPINOTTO/PIN IN DLC


 MP Ref: **2494** Nom. Ø mm **78**

 Spinotto dim. mm
 Piston pin dim.
 16 X 38 X 9 DLC

 Dett. segmenti: qta x tipo x mat.
 Rings details: qty x type x mat.
WS
 1 RAC AC 1,50
 1 C1KB AC 0,80

 Anellino/Circlip
 16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2494A	77,96	SP160380090XE2I	1 WSMOT780002I	1	ANOB1612SET
PC2494B	77,97	SP160380090XE2I	1 WSMOT780002I	1	ANOB1612SET
PC2494C	77,98	SP160380090XE2I	1 WSMOT780002I	1	ANOB1612SET

 Compressione 19,5
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 32,6
 Tot. Length mm

3. RACING
H.C.
14,7:1

SPINOTTO/PIN IN DLC


 MP Ref: **2495** Nom. Ø mm **78**

 Spinotto dim. mm
 Piston pin dim.
 16 X 38 X 10 BIC
 NITR+DLC

 Dett. segmenti: qta x tipo x mat.
 Rings details: qty x type x mat.
WS
 1 RAC AC 1,50
 1 C1KB AC 0,80

 Anellino/Circlip
 16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2495A	77,96	SP160380100ZG2I	1 WSMOT780002I	1	ANOB1612SET
PC2495B	77,97	SP160380100ZG2I	1 WSMOT780002I	1	ANOB1612SET
PC2495C	77,98	SP160380100ZG2I	1 WSMOT780002I	1	ANOB1612SET

 Compressione 19,5
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 33,6
 Tot. Length mm

Motocross - Off-road - Quad

KTM

4 TEMPI 4 STROKES

250 XC-F

2007 2012
1. STANDARD
O.C.
12,8:1

MP Ref: Nom. Ø mm

2160 76

 Spinotto dim. mm
Piston pin dim.

16 X 40 X 9

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.

Anellino/Circlip

16 SB FILO 1.2

 Codice KIT
PISTONE Ø mm

 Cod. SPINOTTO
PIN code

 Codice Segmenti
Piston rings code

 AN.Qta
CLIPQty

 Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2160A	75,96	SP160400090K2I	1 WSMOT760001I	1	ANOB1612SET
PC2160B	75,97	SP160400090K2I	1 WSMOT760001I	1	ANOB1612SET
PC2160C	75,98	SP160400090K2I	1 WSMOT760001I	1	ANOB1612SET

 Compressione 19
Compression mm

 Mis. Testa
Head size mm

 Lungh. tot. 34,5
Tot. Length mm

2. SPORT
H.C.
13,3:1

MP Ref: Nom. Ø mm

2161 76

 Spinotto dim. mm
Piston pin dim.

16 X 40 X 9

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.

Anellino/Circlip

16 SB FILO 1.2

 Codice KIT
PISTONE Ø mm

 Cod. SPINOTTO
PIN code

 Codice Segmenti
Piston rings code

 AN.Qta
CLIPQty

 Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2161A	75,96	SP160400090K2I	1 WSMOT760001I	1	ANOB1612SET
PC2161B	75,97	SP160400090K2I	1 WSMOT760001I	1	ANOB1612SET
PC2161C	75,98	SP160400090K2I	1 WSMOT760001I	1	ANOB1612SET

 Compressione 19
Compression mm

 Mis. Testa
Head size mm

 Lungh. tot. 35
Tot. Length mm

Motocross - Off-road - Quad

KTM

4 TEMPI 4 STROKES

250 XCF-W

2014 2016
1. STANDARD
O.C.
12,8:1
SPINOTTO/PIN IN DLC

MP Ref: **Nom. Ø mm**
2264 **78**
Spinotto dim. mm
Piston pin dim.
16 X 38 X 9 DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Anellino/Circlip
16 1B FILO 1.2
anti

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2264A	77,96	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264B	77,97	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264C	77,98	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2264D	77,99	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T

Compressione 19,5
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 30,5
 Tot. Length mm

3. RACING
H.C.
13,2:1
SPINOTTO/PIN IN DLC

MP Ref: **Nom. Ø mm**
2265 **78**
Spinotto dim. mm
Piston pin dim.
16 X 38 X 9 DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	RAC	AC	1,50	
1	C1KB	AC	0,80	

Anellino/Circlip
16 1B FILO 1.2
anti

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2265A	77,96	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265B	77,97	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265C	77,98	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T
PC2265D	77,99	SP160380090XE2I	1 WSMOT780002I	1	AN1B1612ARSE T

SEL. D SOLO FINO AD ESAURIMENTO STOCK

Compressione 19,5
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 30,5
 Tot. Length mm

Motocross - Off-road - Quad

KTM

4 TEMPI 4 STROKES

350 EXC-F

2012 2016
1. STANDARD
O.C.
12,3:1
SPINOTTO/PIN IN DLC

MP Ref: **Nom. Ø mm**
2349 **88**
Spinotto dim. mm
Piston pin dim.
18 X 40 X 10 DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS
1 C6NB AC 0,80
1 RAC AC 1,50

Anellino/Circlip
18 1B FILO 1.5
anti
Codice KIT
PISTONE
Ø mm
Cod. SPINOTTO
PIN code
Codice Segmenti
Piston rings code
AN.Qta
CLIPQty
Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2349A	87,96	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2349B	87,97	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2349C	87,98	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T

Compressione 20,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 33,3
Tot. Length mm
3. RACING
H.C.
12,8:1
SPINOTTO/PIN IN DLC

MP Ref: **Nom. Ø mm**
2328 **88**
Spinotto dim. mm
Piston pin dim.
18 X 40 X 10 DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS
1 C6NB AC 0,80
1 RAC AC 1,50

Anellino/Circlip
18 1B FILO 1.5
anti
Codice KIT
PISTONE
Ø mm
Cod. SPINOTTO
PIN code
Codice Segmenti
Piston rings code
AN.Qta
CLIPQty
Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2328A	87,96	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2328B	87,97	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2328C	87,98	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T

Compressione 20,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 33,8
Tot. Length mm

Motocross - Off-road - Quad

KTM

4 TEMPI 4 STROKES

350 EXC-F

2017 2018
1. STANDARD
O.C.
12,3:1
SPINOTTO/PIN IN DLC
MP Ref: **Nom. Ø mm**
2609 **88**
Spinotto dim. mm
Piston pin dim.

18 X 40 X 10 DLC

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1 C6NB AC 0,80

1 RAC AC 1,50


Anellino/Circlip

18 SB FILO 1.5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2609A	87,96	SP180400100ZE2I	1 NSMOT880001	1	ANOB1815SET
PC2609B	87,97	SP180400100ZE2I	1 NSMOT880001	1	ANOB1815SET
PC2609C	87,98	SP180400100ZE2I	1 NSMOT880001	1	ANOB1815SET

 Compressione 20,5
 Compression mm

 Mis. Testa
 Head size mm

 Lungh. tot. 33,1
 Tot. Length mm

3. RACING
H.C.
13,1:1
SPINOTTO/PIN IN DLC
MP Ref: **Nom. Ø mm**
2610 **88**
Spinotto dim. mm
Piston pin dim.

18 X 40 X 10 DLC

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1 C6NB AC 0,80

1 RAC AC 1,50


Anellino/Circlip

18 SB FILO 1.5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2610A	87,96	SP180400100ZE2I	1 NSMOT880001	1	ANOB1815SET
PC2610B	87,97	SP180400100ZE2I	1 NSMOT880001	1	ANOB1815SET
PC2610C	87,98	SP180400100ZE2I	1 NSMOT880001	1	ANOB1815SET

 Compressione 20,5
 Compression mm

 Mis. Testa
 Head size mm

 Lungh. tot.
 Tot. Length mm

Motocross - Off-road - Quad

KTM

4 TEMPI 4 STROKES

350 SX-F 2011 2015

1. STANDARD
O.C.
13,6:1
SPINOTTO/PIN IN DLC

MP Ref: **Nom. Ø mm**
2328 **88**
Spinotto dim. mm
Piston pin dim.

18 X 40 X 10 DLC

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1 C6NB AC 0,80

1 RAC AC 1,50


Anellino/Circlip

 18 1B FILO 1.5
 anti

Codice KIT
PISTONE
Ø mm
Cod. SPINOTTO
PIN code
Codice Segmenti
Piston rings code
AN.Qta
CLIPQty
Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2328A	87,96	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2328B	87,97	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2328C	87,98	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T

 Compressione 20,5
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 33,8
 Tot. Length mm

3. RACING
H.C.
14,1:1
SPINOTTO/PIN IN DLC

MP Ref: **Nom. Ø mm**
2348 **88**
Spinotto dim. mm
Piston pin dim.

18 X 40 X 10 DLC

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1 C6NB AC 0,80

1 RAC AC 1,50


Anellino/Circlip

 18 1B FILO 1.5
 anti

Codice KIT
PISTONE
Ø mm
Cod. SPINOTTO
PIN code
Codice Segmenti
Piston rings code
AN.Qta
CLIPQty
Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2348A	87,96	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2348B	87,97	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T
PC2348C	87,98	SP180400100ZE2I	1 NSMOT880001	1	AN1B1815ARSE T

 Compressione 20,5
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 34,35
 Tot. Length mm

Motocross - Off-road - Quad

KTM

4 TEMPI 4 STROKES

350 SX-F

2016 2018
1. STANDARD
O.C.
14,0:1

 SPINOTTO IN DLC / PISTON PIN IN
 DLC

MP Ref: Nom. Ø mm

2496 **88**

 Spinotto dim. mm
 Piston pin dim.

18 X 40 X 10 DLC

 Dett. segmenti: qta x tipo x mat.
 Rings details: qty x type x mat.

NS

1 C6NB AC 0,80

1 RAC AC 1,50



Anellino/Circlip

18 SB FILO 1.5

 Codice KIT
 PISTONE

Ø mm

 Cod. SPINOTTO
 PIN code

 Codice Segmenti
 Piston rings code

 AN.Qta
 CLIPQty

 Cod. SERIE
 anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2496A	87,96	SP180400100ZE2I	1 NSMOT880001	1	ANOB1815SET
PC2496B	87,97	SP180400100ZE2I	1 NSMOT880001	1	ANOB1815SET
PC2496C	87,98	SP180400100ZE2I	1 NSMOT880001	1	ANOB1815SET

 Compressione 20,5
 Compression mm

 Mis. Testa
 Head size mm

 Lungh. tot. 33,5
 Tot. Length mm

3. RACING
H.C.
14,8:1

MP Ref: Nom. Ø mm

2497 **88**

 Spinotto dim. mm
 Piston pin dim.

18 X 40 X 10 DLC

 Dett. segmenti: qta x tipo x mat.
 Rings details: qty x type x mat.

NS

1 C6NB AC 0,80

1 RAC AC 1,50



Anellino/Circlip

18 SB FILO 1.5

 Codice KIT
 PISTONE

Ø mm

 Cod. SPINOTTO
 PIN code

 Codice Segmenti
 Piston rings code

 AN.Qta
 CLIPQty

 Cod. SERIE
 anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2497A	87,96	SP180400100ZE2I	1 NSMOT880001	1	ANOB1815SET
PC2497B	87,97	SP180400100ZE2I	1 NSMOT880001	1	ANOB1815SET
PC2497C	87,98	SP180400100ZE2I	1 NSMOT880001	1	ANOB1815SET

 Compressione 20,5
 Compression mm

 Mis. Testa
 Head size mm

 Lungh. tot. 33,5
 Tot. Length mm

Motocross - Off-road - Quad

KTM

4 TEMPI 4 STROKES

450 SX-F

2016 2018
1. STANDARD
O.C.
12,6:1

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2498	95	19 X 47 X 10 Bic+DLC	NS 1 AC 0,80 1 RANP AC 2,00	19 SB FILO 1.5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2498A	94,95	SP190470100XD2I	1 NSMOT950002	1	ANOB1915SET
PC2498B	94,96	SP190470100XD2I	1 NSMOT950002	1	ANOB1915SET
PC2498C	94,97	SP190470100XD2I	1 NSMOT950002	1	ANOB1915SET

Compressione 22,8
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 36,8
Tot. Length mm

3. RACING
H.C.
13,1:1

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2499	95	19 X 47 X 10 Bic+DLC	NS 1 AC 0,80 1 RANP AC 2,00	19 SB FILO 1.5

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2499A	94,95	SP190470100XD2I	1 NSMOT950002	1	ANOB1915SET
PC2499B	94,96	SP190470100XD2I	1 NSMOT950002	1	ANOB1915SET
PC2499C	94,97	SP190470100XD2I	1 NSMOT950002	1	ANOB1915SET

Compressione 22,8
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 37,6
Tot. Length mm

SHERCO

2 TEMPI 2 STROKES

SE 300R

2014 2016
1. STANDARD

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2511	72	18 X 56 X 13	2 G30KB AC 1,00	18 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2511A	71,94	SP180560130Y4I	2 N0720010026530KBI	1	ANOB1812SET
PC2511B	71,95	SP180560130Y4I	2 N0720010026530KBI	1	ANOB1812SET
PC2511C	71,96	SP180560130Y4I	2 N0720010026530KBI	1	ANOB1812SET
PC2511D	71,97	SP180560130Y4I	2 N0720010026530KBI	1	ANOB1812SET



Compressione 38
Compression mm
Mis. Testa B-3,5
Head size mm
Lungh. tot. 79,5
Tot. Length mm

Motocross - Off-road - Quad

SUZUKI

2 TEMPI 2 STROKES

RM 65 2003 2006

1. STANDARD


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1843	44,5	12 X 37 X 8	2 G30KB AC 1,00	12 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1843A	44,45	SP120370080KI	2 N0445010018530KBI	1	ANOB1210SET
PC1843B	44,46	SP120370080KI	2 N0445010018530KBI	1	ANOB1210SET
PC1843C	44,47	SP120370080KI	2 N0445010018530KBI	1	ANOB1210SET
PC1843D	44,48	SP120370080KI	2 N0445010018530KBI	1	ANOB1210SET

Compressione 23,6
Compression mm
Mis. Testa B-1,9
Head size mm
Lungh. tot. 50,5
Tot. Length mm

RM 80 1991 2001

1. STANDARD


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1752	46,5	14 X 39 X 9.5	1 G30KB AC 1,00	14 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1752A	46,45	SP140390095KI	1 N0465010018530KBI	1	ANOB1410SET
PC1752B	46,46	SP140390095KI	1 N0465010018530KBI	1	ANOB1410SET
PC1752C	46,47	SP140390095KI	1 N0465010018530KBI	1	ANOB1410SET
PC1752D	46,48	SP140390095KI	1 N0465010018530KBI	1	ANOB1410SET

Compressione 27
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 53
Tot. Length mm

RM 80 USA 1991 2001

1. STANDARD

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1570	47,5	14 X 40 X 9.5	1 G30KB AC 1,00	14 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1570A	47,43	SP140400095KI	1 N0475010018530KBI	1	ANOB1412SET
PC1570B	47,44	SP140400095KI	1 N0475010018530KBI	1	ANOB1412SET
PC1570C	47,45	SP140400095KI	1 N0475010018530KBI	1	ANOB1412SET

Compressione 27
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 53
Tot. Length mm

Motocross - Off-road - Quad

SUZUKI

2 TEMPI 2 STROKES

RM 85

2002 2018

1. STANDARD


MP Ref: **1819** Nom. Ø mm: **48** Spinotto dim. mm / Piston pin dim.: 14 X 40 X 9.5 Dett. segmenti: qta x tipo x mat. / Rings details: qty x type x mat.: 1 G30KB AC 1,00 Anellino/Circlip: 14 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1819A	47,95	SP140400095KI	1 N0480010018530KBI	1	ANOB1410SET
PC1819B	47,96	SP140400095KI	1 N0480010018530KBI	1	ANOB1410SET
PC1819C	47,97	SP140400095KI	1 N0480010018530KBI	1	ANOB1410SET
PC1819D	47,98	SP140400095KI	1 N0480010018530KBI	1	ANOB1410SET

Compressione 27
Compression mm
Mis. Testa B-2
Head size mm
Lungh. tot. 53
Tot. Length mm

RM 125

1990 1999

1. STANDARD

Fermo segm. laterale/ Shifted ring stopper



MP Ref: **1791** Nom. Ø mm: **54** Spinotto dim. mm / Piston pin dim.: 15 X 45 X 10 BIC Dett. segmenti: qta x tipo x mat. / Rings details: qty x type x mat.: 1 G30KB AC 1,00 Anellino/Circlip: 15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1791A	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1791B	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1791C	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1791D	53,98	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

Compressione 29,5
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 59,5
Tot. Length mm

RM 125

2000 2003

1. STANDARD

Fermo segm. centrale/ Central ring stopper



MP Ref: **1578** Nom. Ø mm: **54** Spinotto dim. mm / Piston pin dim.: 15 X 45 X 10 BIC Dett. segmenti: qta x tipo x mat. / Rings details: qty x type x mat.: 1 G30KB AC 1,00 Anellino/Circlip: 15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1578A	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1578B	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1578C	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1578D	53,98	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

Compressione 29,5
Compression mm
Mis. Testa B-2,5
Head size mm
Lungh. tot. 59,5
Tot. Length mm

Motocross - Off-road - Quad
SUZUKI
2 TEMPI 2 STROKES
RM 125
2004 2012
1. STANDARD

MP Ref: **1927** Nom. Ø mm **54** Spinotto dim. mm Piston pin dim. **15 X 45 X 10 BIC** Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. **1 G30KB AC 1,00** Anellino/Circlip **15 SB FILO 1.0**



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1927A	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1927B	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1927C	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1927D	53,98	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

Compressione **29,5**
 Compression mm
 Mis. Testa **p**
 Head size mm
 Lungh. tot. **58**
 Tot. Length mm

RM 250 2T
1998
1. STANDARD

MP Ref: **2391** Nom. Ø mm **66,4** Spinotto dim. mm Piston pin dim. **18 X 56 X 13** Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. **2 G30KB AC 1,00** Anellino/Circlip **18 SB FILO 1.2**



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2391A	66,34	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2391B	66,35	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2391C	66,36	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2391D	66,37	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET

Compressione **38**
 Compression mm
 Mis. Testa **p**
 Head size mm
 Lungh. tot. **75,5**
 Tot. Length mm

MP Ref: **2392** Nom. Ø mm **66,4** Spinotto dim. mm Piston pin dim. **18 X 56 X 13** Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat. **2 G30KB AC 1,00** Anellino/Circlip **18 SB FILO 1.2**



Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2392A	66,34	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2392B	66,35	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2392C	66,36	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2392D	66,37	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET

Compressione **38**
 Compression mm
 Mis. Testa **B-3,7**
 Head size mm
 Lungh. tot. **79,2**
 Tot. Length mm

Motocross - Off-road - Quad
SUZUKI
2 TEMPI 2 STROKES
RM 250 2T
1996 1997
1. STANDARD


MP Ref: **2390** **Nom. Ø mm** **66,4** **Spinotto dim. mm** **18 X 56 X 13** **Dett. segmenti: qta x tipo x mat.** **2 G30KB AC 1,00** **Anellino/Circlip** **18 SB FILO 1.2**
Piston pin dim. **Rings details: qty x type x mat.**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2390A	66,34	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2390B	66,35	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2390C	66,36	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2390D	66,37	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET

Compressione 38,1
Compression mm
Mis. Testa B-3,7
Head size mm
Lungh. tot. 79,3
Tot. Length mm

RM 250 2T
2000 2002
1. STANDARD


MP Ref: **2393** **Nom. Ø mm** **66,4** **Spinotto dim. mm** **18 X 56 X 13** **Dett. segmenti: qta x tipo x mat.** **2 G30KB AC 1,00** **Anellino/Circlip** **18 SB FILO 1.2**
Piston pin dim. **Rings details: qty x type x mat.**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2393A	66,34	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2393B	66,35	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2393C	66,36	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2393D	66,37	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET

Compressione 38
Compression mm
Mis. Testa p
Head size mm
Lungh. tot. 75,5
Tot. Length mm

RM 250 2T
2003 2008
1. STANDARD


MP Ref: **2394** **Nom. Ø mm** **66,4** **Spinotto dim. mm** **18 X 56 X 13** **Dett. segmenti: qta x tipo x mat.** **2 G30KB AC 1,00** **Anellino/Circlip** **18 SB FILO 1.2**
Piston pin dim. **Rings details: qty x type x mat.**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2394A	66,34	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2394B	66,35	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2394C	66,36	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2394D	66,37	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET

Compressione 38,3
Compression mm
Mis. Testa B-3,4
Head size mm
Lungh. tot. 79,2
Tot. Length mm

Motocross - Off-road - Quad
SUZUKI
4 TEMPI 4 STROKES
RMZ 250
2010 2012
1. STANDARD
O.C.
13,4:1

MP Ref:
2166
Nom. Ø mm
77
Spinotto dim. mm
Piston pin dim.
16 X 40 X 9
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	RAC	AC	1,50	
1	C6NB	AC	0,80	

Anellino/Circlip
16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2166A	76,95	SP160400090K2I	1 NSMOT770002	1	ANOB1612SET
PC2166B	76,96	SP160400090K2I	1 NSMOT770002	1	ANOB1612SET
PC2166C	76,97	SP160400090K2I	1 NSMOT770002	1	ANOB1612SET
PC2166D	76,98	SP160400090K2I	1 NSMOT770002	1	ANOB1612SET

Compressione 19,7
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 36,5
Tot. Length mm
2. SPORT
H.C.
13,8:1

MP Ref:
2167
Nom. Ø mm
77
Spinotto dim. mm
Piston pin dim.
16 X 40 X 9
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	RAC	AC	1,50	
1	C6NB	AC	0,80	

Anellino/Circlip
16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2167A	76,95	SP160400090K2I	1 NSMOT770002	1	ANOB1612SET
PC2167B	76,96	SP160400090K2I	1 NSMOT770002	1	ANOB1612SET
PC2167C	76,97	SP160400090K2I	1 NSMOT770002	1	ANOB1612SET
PC2167D	76,98	SP160400090K2I	1 NSMOT770002	1	ANOB1612SET

Compressione 19,7
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 37,8
Tot. Length mm

Motocross - Off-road - Quad
SUZUKI
4 TEMPI 4 STROKES
RMZ 250
2013 2015
1. STANDARD
O.C.
13,5:1

MP Ref:
2249 **77**

Nom. Ø mm

 Spinotto dim. mm
 Piston pin dim.

 16 X 38 X 8.5 BIC
 semilap

 Dett. segmenti: qta x tipo x mat.
 Rings details: qty x type x mat.
NS

1	RAC	AC	1,50	
1	C6NB	AC	0,80	

Anellino/Circlip

16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2249A	76,95	SP160380085KBI	1 NSMOT770002	1	ANOB1612SET
PC2249B	76,96	SP160380085KBI	1 NSMOT770002	1	ANOB1612SET
PC2249C	76,97	SP160380085KBI	1 NSMOT770002	1	ANOB1612SET
PC2249D	76,98	SP160380085KBI	1 NSMOT770002	1	ANOB1612SET

 Compressione 19,6
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 36
 Tot. Length mm

SPINOTTO/PIN IN DLC

MP Ref:
2403 **77**

Nom. Ø mm

 Spinotto dim. mm
 Piston pin dim.

16 X 38 X 9 DLC

 Dett. segmenti: qta x tipo x mat.
 Rings details: qty x type x mat.
NS

1	RAC	AC	1,50	
1	C6NB	AC	0,80	

Anellino/Circlip

16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2403A	76,95	SP160380090XE2I	1 NSMOT770002	1	ANOB1612SET
PC2403B	76,96	SP160380090XE2I	1 NSMOT770002	1	ANOB1612SET
PC2403C	76,97	SP160380090XE2I	1 NSMOT770002	1	ANOB1612SET
PC2403D	76,98	SP160380090XE2I	1 NSMOT770002	1	ANOB1612SET

 Compressione 19,6
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 36
 Tot. Length mm

RMZ 250
2016 2018
1. STANDARD
O.C.
13,75:1
SPINOTTO DLC / DLC PISTON PIN

MP Ref:
2500 **77**

Nom. Ø mm

 Spinotto dim. mm
 Piston pin dim.

16 X 38 X 9 DLC

 Dett. segmenti: qta x tipo x mat.
 Rings details: qty x type x mat.
NS

1	RAC	AC	1,50	
1	C6NB	AC	0,80	

Anellino/Circlip

16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2500A	76,95	SP160380090XE2I	1 NSMOT770002	2	ANOB1612SET
PC2500B	76,96	SP160380090XE2I	1 NSMOT770002	2	ANOB1612SET
PC2500C	76,97	SP160380090XE2I	1 NSMOT770002	2	ANOB1612SET
PC2500D	76,98	SP160380090XE2I	1 NSMOT770002	2	ANOB1612SET

 Compressione 19,6
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 36
 Tot. Length mm

Motocross - Off-road - Quad
SUZUKI
4 TEMPI 4 STROKES
LTR 450 QUADRACER
2006 2011
1. STANDARD
O.C.
11,7:1

MP Ref:
2172
Nom. Ø mm
95,5
Spinotto dim. mm
Piston pin dim.
19 X 45 X 11
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,20
1	RAC	AC	2,00


Anellino/Circlip
19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2172A	95,45	SP190450110W3I	1 NSMOT955001	1	ANOB1912SET
PC2172B	95,46	SP190450110W3I	1 NSMOT955001	1	ANOB1912SET
PC2172C	95,47	SP190450110W3I	1 NSMOT955001	1	ANOB1912SET
PC2172D	95,48	SP190450110W3I	1 NSMOT955001	1	ANOB1912SET

Compressione 24,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 43,8
Tot. Length mm
2. SPORT
H.C.
13,0:1

MP Ref:
2173
Nom. Ø mm
95,5
Spinotto dim. mm
Piston pin dim.
19 X 45 X 11
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,20
1	RAC	AC	2,00


Anellino/Circlip
19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2173A	95,45	SP190450110W3I	1 NSMOT955001	1	ANOB1912SET
PC2173B	95,46	SP190450110W3I	1 NSMOT955001	1	ANOB1912SET
PC2173C	95,47	SP190450110W3I	1 NSMOT955001	1	ANOB1912SET

Compressione 24,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 43,8
Tot. Length mm

Motocross - Off-road - Quad
SUZUKI
4 TEMPI 4 STROKES
RMZ 450
2008 2012
1. STANDARD
O.C.
12,2:1

MP Ref:
2180
Nom. Ø mm
96
Spinotto dim. mm
Piston pin dim.
19 X 47 X 12 BIC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00	
1	RAC	AC	2,00	

Anellino/Circlip
19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2180A	95,96	SP190470120KBI	1 NSMOT960001	1	ANOB1912SET
PC2180B	95,97	SP190470120KBI	1 NSMOT960001	1	ANOB1912SET
PC2180C	95,98	SP190470120KBI	1 NSMOT960001	1	ANOB1912SET

Compressione 23,1
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 40,9
Tot. Length mm
3. RACING
H.C.
13,0:1
SPINOTTO/PIN IN DLC

MP Ref:
2181
Nom. Ø mm
96
Spinotto dim. mm
Piston pin dim.
19 X 47 X 10 Bic+DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00	
1	RAC	AC	2,00	

Anellino/Circlip
19 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2181A	95,96	SP190470100XD2I	1 NSMOT960001	1	ANOB1912SET
PC2181B	95,97	SP190470100XD2I	1 NSMOT960001	1	ANOB1912SET
PC2181C	95,98	SP190470100XD2I	1 NSMOT960001	1	ANOB1912SET

Compressione 23,1
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 41,2
Tot. Length mm

Motocross - Off-road - Quad
SUZUKI
4 TEMPI 4 STROKES
RMZ 450
2013 2017
1. STANDARD
O.C.
12,5:1

MP Ref: Nom. Ø mm

2282 96

 Spinotto dim. mm
Piston pin dim.

19 X 47 X 12 BIC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00	
1	RAC	AC	2,00	

Anellino/Circlip

19 SB FILO 1.2

 Codice KIT
PISTONE

Ø mm

 Cod. SPINOTTO
PIN code

 Codice Segmenti
Piston rings code

 AN.Qta
CLIPQty

 Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2282A	95,96	SP190470120KBI	1 NSMOT960001	1	ANOB1912SET
PC2282B	95,97	SP190470120KBI	1 NSMOT960001	1	ANOB1912SET
PC2282C	95,98	SP190470120KBI	1 NSMOT960001	1	ANOB1912SET
PC2282D	95,99	SP190470120KBI	1 NSMOT960001	1	ANOB1912SET

 Compressione 22,9
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 40,4
Tot. Length mm

3. RACING
H.C.
13,0:1
SPINOTTO/PIN IN DLC

MP Ref: Nom. Ø mm

2283 96

 Spinotto dim. mm
Piston pin dim.

19 X 47 X 10 Bic+DLC

 Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,00	
1	RAC	AC	2,00	

Anellino/Circlip

19 SB FILO 1.2

 Codice KIT
PISTONE

Ø mm

 Cod. SPINOTTO
PIN code

 Codice Segmenti
Piston rings code

 AN.Qta
CLIPQty

 Cod. SERIE
anellino

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2283A	95,96	SP190470100XD2I	1 NSMOT960001	1	ANOB1912SET
PC2283B	95,97	SP190470100XD2I	1 NSMOT960001	1	ANOB1912SET
PC2283C	95,98	SP190470100XD2I	1 NSMOT960001	1	ANOB1912SET
PC2283D	95,99	SP190470100XD2I	1 NSMOT960001	1	ANOB1912SET

 Compressione 22,9
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 40,9
Tot. Length mm

Motocross - Off-road - Quad

YAMAHA

2 TEMPI 2 STROKES

YZ 80

1993 2001
1. STANDARD


MP Ref: **1568** Nom. Ø mm **46** Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat. 1 G30KB AC 1,00 14 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1568A	45,95	SP140380095KI	1 N0460010018530KBI	1	ANOB1410SET
PC1568B	45,96	SP140380095KI	1 N0460010018530KBI	1	ANOB1410SET
PC1568C	45,97	SP140380095KI	1 N0460010018530KBI	1	ANOB1410SET
PC1568D	45,98	SP140380095KI	1 N0460010018530KBI	1	ANOB1410SET

Compressione 26
Compression mm
Mis. Testa B-3,2
Head size mm
Lungh. tot. 55,2
Tot. Length mm

YZ 85

2002 2018
1. STANDARD


MP Ref: **1812** Nom. Ø mm **47,5** Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat. 1 G30KB AC 1,00 14 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1812A	47,44	SP140400095KI	1 N0475010018530KBI	1	ANOB1410SET
PC1812B	47,45	SP140400095KI	1 N0475010018530KBI	1	ANOB1410SET
PC1812C	47,46	SP140400095KI	1 N0475010018530KBI	1	ANOB1410SET
PC1812D	47,47	SP140400095KI	1 N0475010018530KBI	1	ANOB1410SET
PC1812E	47,48	SP140400095KI	1 N0475010018530KBI	1	ANOB1410SET

Compressione 26
Compression mm
Mis. Testa B-2,2
Head size mm
Lungh. tot. 54,2
Tot. Length mm

YZ - WR 125

1998 2001
1. STANDARD
Fermo segm. laterale/ Shifted ring stopper


MP Ref: **1779** Nom. Ø mm **54** Spinotto dim. mm Dett. segmenti: qta x tipo x mat. Anellino/Circlip
Piston pin dim. Rings details: qty x type x mat. 1 G30KB AC 1,00 15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1779A	53,93	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1779B	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1779C	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1779D	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1779E	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

Compressione 28
Compression mm
Mis. Testa B-2,2
Head size mm
Lungh. tot. 60,2
Tot. Length mm

Motocross - Off-road - Quad
YAMAHA
2 TEMPI 2 STROKES
YZ - WR 125
2002 2004
1. STANDARD
Fermo segm. centrale/ Central ring stopper


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1798	54	15 X 45 X 10 BIC	1 G30KB AC 1,00	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1798A	53,93	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1798B	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1798C	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1798D	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1798E	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

Compressione 28
 Compression mm
 Mis. Testa B-2,2
 Head size mm
 Lungh. tot. 60,2
 Tot. Length mm

YZ - WR 125
2005 2018
1. STANDARD
Fermo segm. centrale - testa piatta/ Shifted ring stopper - flat piston head


MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
1821	54	15 X 45 X 10 BIC	1 G30KB AC 1,00	15 SB FILO 1.0

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC1821A	53,94	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1821B	53,95	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1821C	53,96	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET
PC1821D	53,97	SP150450100YB4I	1 N0540010022530KBI	1	ANOB1510SET

Compressione 28,5
 Compression mm
 Mis. Testa P
 Head size mm
 Lungh. tot. 58,5
 Tot. Length mm

YZ 250 2T
1999 2018
1. STANDARD

MP Ref:	Nom. Ø mm	Spinotto dim. mm Piston pin dim.	Dett. segmenti: qta x tipo x mat. Rings details: qty x type x mat.	Anellino/Circlip
2395	66,4	18 X 56 X 13	2 G30KB AC 1,00	18 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2395A	66,34	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2395B	66,35	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2395C	66,36	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET
PC2395D	66,37	SP180560130Y4I	2 N0664010024530KBI	1	ANOB1812SET

Compressione 38
 Compression mm
 Mis. Testa B-3,4
 Head size mm
 Lungh. tot. 79
 Tot. Length mm

Motocross - Off-road - Quad
YAMAHA
4 TEMPI 4 STROKES
WR 250F
2015 2017
1. STANDARD
O.C.
13,5:1

MP Ref:
2350
Nom. Ø mm
77
Spinotto dim. mm
Piston pin dim.
16 X 38 X 10 BIC NITR
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	RAC	AC	1,50	
1	C6NB	AC	0,80	

Anellino/Circlip
16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2350A	76,95	SP160380100ZF2I	1 NSMOT770002	1	ANOB1612SET
PC2350B	76,96	SP160380100ZF2I	1 NSMOT770002	1	ANOB1612SET
PC2350C	76,97	SP160380100ZF2I	1 NSMOT770002	1	ANOB1612SET
PC2350D	76,98	SP160380100ZF2I	1 NSMOT770002	1	ANOB1612SET

Compressione 20,3
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 38,7
Tot. Length mm
2. SPORT
H.C.
14,2

MP Ref:
2351
Nom. Ø mm
77
Spinotto dim. mm
Piston pin dim.
16 X 38 X 10 BIC NITR
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	RAC	AC	1,50	
1	C6NB	AC	0,80	

Anellino/Circlip
16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2351A	76,95	SP160380100ZF2I	1 NSMOT770002	1	ANOB1612SET
PC2351B	76,96	SP160380100ZF2I	1 NSMOT770002	1	ANOB1612SET
PC2351C	76,97	SP160380100ZF2I	1 NSMOT770002	1	ANOB1612SET
PC2351D	76,98	SP160380100ZF2I	1 NSMOT770002	1	ANOB1612SET

Compressione 20,3
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 37,5
Tot. Length mm

Motocross - Off-road - Quad
YAMAHA
4 TEMPI 4 STROKES
YZ 250F
2008 2013
1. STANDARD
O.C.
13,5:1
3 SEGM./3 RINGS

MP Ref:
Nom. Ø mm
2071
77
**Spinotto dim. mm
Piston pin dim.**
16 X 43 X 9 BIC
**Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS**

1	C6NB	AC	0,80	
1	C2LP		0,80	
1	RAC	AC	1,50	

Anellino/Circlip
16 SB FILO 1.2
**Codice KIT
PISTONE**
Ø mm
**Cod. SPINOTTO
PIN code**
**Codice Segmenti
Piston rings code**
**AN.Qta
CLIPQty**
**Cod. SERIE
anellino**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2071A	76,95	SP160430090KBI	1 NSMOT770001	1	ANOB1612SET
PC2071B	76,96	SP160430090KBI	1 NSMOT770001	1	ANOB1612SET
PC2071C	76,97	SP160430090KBI	1 NSMOT770001	1	ANOB1612SET
PC2071D	76,98	SP160430090KBI	1 NSMOT770001	1	ANOB1612SET

**Compressione 22,2
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 40
Tot. Length mm**
2. SPORT
H.C.
13,9:1
2 SEGM./2 RINGS

MP Ref:
Nom. Ø mm
2070
77
**Spinotto dim. mm
Piston pin dim.**
16 X 43 X 9 BIC
**Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS**

1	RAC	AC	1,50	
1	C6NB	AC	0,80	

Anellino/Circlip
16 SB FILO 1.2
**Codice KIT
PISTONE**
Ø mm
**Cod. SPINOTTO
PIN code**
**Codice Segmenti
Piston rings code**
**AN.Qta
CLIPQty**
**Cod. SERIE
anellino**

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2070A	76,95	SP160430090KBI	1 NSMOT770002	1	ANOB1612SET
PC2070B	76,96	SP160430090KBI	1 NSMOT770002	1	ANOB1612SET
PC2070C	76,97	SP160430090KBI	1 NSMOT770002	1	ANOB1612SET
PC2070D	76,98	SP160430090KBI	1 NSMOT770002	1	ANOB1612SET

**Compressione 22,2
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 41,2
Tot. Length mm**

Motocross - Off-road - Quad
YAMAHA
4 TEMPI 4 STROKES
YZ 250F
2014 2015
1. STANDARD
O.C.
13,5:1

MP Ref:
2350
Nom. Ø mm
77
Spinotto dim. mm
Piston pin dim.
16 X 38 X 10 BIC NITR
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	RAC	AC	1,50	
1	C6NB	AC	0,80	

Anellino/Circlip
16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2350A	76,95	SP160380100ZF2I	1 NSMOT770002	1	ANOB1612SET
PC2350B	76,96	SP160380100ZF2I	1 NSMOT770002	1	ANOB1612SET
PC2350C	76,97	SP160380100ZF2I	1 NSMOT770002	1	ANOB1612SET
PC2350D	76,98	SP160380100ZF2I	1 NSMOT770002	1	ANOB1612SET

Compressione 20,3
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 38,7
Tot. Length mm
2. SPORT
H.C.
14,2

MP Ref:
2351
Nom. Ø mm
77
Spinotto dim. mm
Piston pin dim.
16 X 38 X 10 BIC NITR
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	RAC	AC	1,50	
1	C6NB	AC	0,80	

Anellino/Circlip
16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2351A	76,95	SP160380100ZF2I	1 NSMOT770002	1	ANOB1612SET
PC2351B	76,96	SP160380100ZF2I	1 NSMOT770002	1	ANOB1612SET
PC2351C	76,97	SP160380100ZF2I	1 NSMOT770002	1	ANOB1612SET
PC2351D	76,98	SP160380100ZF2I	1 NSMOT770002	1	ANOB1612SET

Compressione 20,3
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 37,5
Tot. Length mm
3. RACING
H.C.
14,2:1
SPINOTTO/PIN IN DLC

MP Ref:
2352
Nom. Ø mm
77
Spinotto dim. mm
Piston pin dim.
16 X 38 X 10 BIC NITR+DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	RAC	AC	1,50	
1	C6NB	AC	0,80	

Anellino/Circlip
16 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2352A	76,95	SP160380100ZG2I	1 NSMOT770002	1	ANOB1612SET
PC2352B	76,96	SP160380100ZG2I	1 NSMOT770002	1	ANOB1612SET
PC2352C	76,97	SP160380100ZG2I	1 NSMOT770002	1	ANOB1612SET
PC2352D	76,98	SP160380100ZG2I	1 NSMOT770002	1	ANOB1612SET

Compressione 20,3
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 37,5
Tot. Length mm

Motocross - Off-road - Quad
YAMAHA
4 TEMPI 4 STROKES
YZ 250F
2016 2018
1. STANDARD
O.C.
13,5:1
SPINOTTO/PIN IN DLC
MP Ref: **Nom. Ø mm**
2501 **77**
Spinotto dim. mm
Piston pin dim.
16 X 38 X 10 BIC
NITR+DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS
1 RAC AC 1,50
1 C6NB AC 0,80

Anellino/Circlip
16 SB FILO 1.2
Codice KIT
PISTONE
Ø mm
Cod. SPINOTTO
PIN code
Codice Segmenti
Piston rings code
AN.Qta
CLIPQty
Cod. SERIE
anellino

PC2501A	76,95	SP160380100ZG2I	1 NSMOT770002	1 ANOB1612SET
PC2501B	76,96	SP160380100ZG2I	1 NSMOT770002	1 ANOB1612SET
PC2501C	76,97	SP160380100ZG2I	1 NSMOT770002	1 ANOB1612SET
PC2501D	76,98	SP160380100ZG2I	1 NSMOT770002	1 ANOB1612SET

Compressione 20,3
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 33,1
Tot. Length mm
3. RACING
H.C.
14,2:1
SPINOTTO/PIN IN DLC
MP Ref: **Nom. Ø mm**
2503 **77**
Spinotto dim. mm
Piston pin dim.
16 X 38 X 10 BIC
NITR+DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS
1 RAC AC 1,50
1 C6NB AC 0,80

Anellino/Circlip
16 SB FILO 1.2
Codice KIT
PISTONE
Ø mm
Cod. SPINOTTO
PIN code
Codice Segmenti
Piston rings code
AN.Qta
CLIPQty
Cod. SERIE
anellino

PC2503A	76,95	SP160380100ZG2I	1 NSMOT770002	1 ANOB1612SET
PC2503B	76,96	SP160380100ZG2I	1 NSMOT770002	1 ANOB1612SET
PC2503C	76,97	SP160380100ZG2I	1 NSMOT770002	1 ANOB1612SET
PC2503D	76,98	SP160380100ZG2I	1 NSMOT770002	1 ANOB1612SET

Compressione 20,3
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 35,1
Tot. Length mm


Motocross - Off-road - Quad
YAMAHA
4 TEMPI 4 STROKES
YZ 250X
2016 2018
1. STANDARD
O.C.
13,5:1
SPINOTTO/PIN IN DLC
MP Ref: **Nom. Ø mm**
2501 **77**
Spinotto dim. mm
Piston pin dim.
16 X 38 X 10 BIC
NITR+DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS
1 RAC AC 1,50
1 C6NB AC 0,80

Anellino/Circlip
16 SB FILO 1.2
Codice KIT
PISTONE
Ø mm
Cod. SPINOTTO
PIN code
Codice Segmenti
Piston rings code
AN.Qta
CLIPQty
Cod. SERIE
anellino

PC2501A	76,95	SP160380100ZG2I	1 NSMOT770002	1 ANOB1612SET
PC2501B	76,96	SP160380100ZG2I	1 NSMOT770002	1 ANOB1612SET
PC2501C	76,97	SP160380100ZG2I	1 NSMOT770002	1 ANOB1612SET
PC2501D	76,98	SP160380100ZG2I	1 NSMOT770002	1 ANOB1612SET

Compressione 20,3
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 33,1
Tot. Length mm
3. RACING
H.C.
14,2:1
SPINOTTO/PIN IN DLC
MP Ref: **Nom. Ø mm**
2503 **77**
Spinotto dim. mm
Piston pin dim.
16 X 38 X 10 BIC
NITR+DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS
1 RAC AC 1,50
1 C6NB AC 0,80

Anellino/Circlip
16 SB FILO 1.2
Codice KIT
PISTONE
Ø mm
Cod. SPINOTTO
PIN code
Codice Segmenti
Piston rings code
AN.Qta
CLIPQty
Cod. SERIE
anellino

PC2503A	76,95	SP160380100ZG2I	1 NSMOT770002	1 ANOB1612SET
PC2503B	76,96	SP160380100ZG2I	1 NSMOT770002	1 ANOB1612SET
PC2503C	76,97	SP160380100ZG2I	1 NSMOT770002	1 ANOB1612SET
PC2503D	76,98	SP160380100ZG2I	1 NSMOT770002	1 ANOB1612SET

Compressione 20,3
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 35,1
Tot. Length mm


Motocross - Off-road - Quad

YAMAHA

4 TEMPI 4 STROKES

WR 450F

2003 2015

1. STANDARD
O.C.
12,5:1

MP Ref:
2170
Nom. Ø mm
95
Spinotto dim. mm
Piston pin dim.
 18 X 50.5 X 10

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,20	
1	C2LP		1,00	
1	RAC	AC	2,00	

Anellino/Circlip
 18 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2170A	94,93	SP180505100KI	1 NSMOT950001	1	AN0B1812SET
PC2170B	94,94	SP180505100KI	1 NSMOT950001	1	AN0B1812SET
PC2170C	94,95	SP180505100KI	1 NSMOT950001	1	AN0B1812SET
PC2170D	94,96	SP180505100KI	1 NSMOT950001	1	AN0B1812SET

Compressione 23,5
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 40,1
 Tot. Length mm

2. SPORT
H.C.
13:1

MP Ref:
2171
Nom. Ø mm
95
Spinotto dim. mm
Piston pin dim.
 18 X 50.5 X 10

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,20	
1	C2LP		1,00	
1	RAC	AC	2,00	

Anellino/Circlip
 18 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2171A	94,93	SP180505100KI	1 NSMOT950001	1	AN0B1812SET
PC2171B	94,94	SP180505100KI	1 NSMOT950001	1	AN0B1812SET
PC2171C	94,95	SP180505100KI	1 NSMOT950001	1	AN0B1812SET
PC2171D	94,96	SP180505100KI	1 NSMOT950001	1	AN0B1812SET

Compressione 23,4
 Compression mm
 Mis. Testa
 Head size mm
 Lungh. tot. 39,7
 Tot. Length mm

Motocross - Off-road - Quad
YAMAHA
4 TEMPI 4 STROKES
WR 450F
2016 2018
1. STANDARD
O.C.
12,5:1

MP Ref:
2353
Nom. Ø mm
97
Spinotto dim. mm
Piston pin dim.
18 X 49 X 10 BIC NITR
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	C6NB	AC	1,00
1	RAC	AC	1,50


Anellino/Circlip
18 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2353A	96,93	SP180490100ZF2I	1 WSMOT970002I	1	ANOB1812SET
PC2353B	96,94	SP180490100ZF2I	1 WSMOT970002I	1	ANOB1812SET
PC2353C	96,95	SP180490100ZF2I	1 WSMOT970002I	1	ANOB1812SET
PC2353D	96,96	SP180490100ZF2I	1 WSMOT970002I	1	ANOB1812SET

Compressione 24,2
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 39
Tot. Length mm
2. SPORT
H.C.
13,6:1

MP Ref:
2355
Nom. Ø mm
97
Spinotto dim. mm
Piston pin dim.
18 X 49 X 10 BIC NITR
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	C6NB	AC	1,00
1	RAC	AC	1,50


Anellino/Circlip
18 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2355A	96,93	SP180490100ZF2I	1 WSMOT970002I	1	ANOB1812SET
PC2355B	96,94	SP180490100ZF2I	1 WSMOT970002I	1	ANOB1812SET
PC2355C	96,95	SP180490100ZF2I	1 WSMOT970002I	1	ANOB1812SET
PC2355D	96,96	SP180490100ZF2I	1 WSMOT970002I	1	ANOB1812SET

Compressione 24,2
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 42
Tot. Length mm
3. RACING
H.C.
13,6:1
SPINOTTO/PIN IN DLC

MP Ref:
2356
Nom. Ø mm
97
Spinotto dim. mm
Piston pin dim.
18 X 49 X 10 BIC NITR+DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	C6NB	AC	1,00
1	RAC	AC	1,50


Anellino/Circlip
18 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2356A	96,93	SP180490100ZG2I	1 WSMOT970002I	1	ANOB1812SET
PC2356B	96,94	SP180490100ZG2I	1 WSMOT970002I	1	ANOB1812SET
PC2356C	96,95	SP180490100ZG2I	1 WSMOT970002I	1	ANOB1812SET
PC2356D	96,96	SP180490100ZG2I	1 WSMOT970002I	1	ANOB1812SET

Compressione 24,2
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 42
Tot. Length mm

Motocross - Off-road - Quad
YAMAHA
4 TEMPI 4 STROKES
YZ 450F
2003 2009
1. STANDARD
O.C.
12,5:1

MP Ref:
2170
Nom. Ø mm
95
Spinotto dim. mm
Piston pin dim.
 18 X 50.5 X 10

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,20	
1	C2LP		1,00	
1	RAC	AC	2,00	

Anellino/Circlip
 18 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2170A	94,93	SP180505100KI	1 NSMOT950001	1	AN0B1812SET
PC2170B	94,94	SP180505100KI	1 NSMOT950001	1	AN0B1812SET
PC2170C	94,95	SP180505100KI	1 NSMOT950001	1	AN0B1812SET
PC2170D	94,96	SP180505100KI	1 NSMOT950001	1	AN0B1812SET

Compressione 23,5
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 40,1
Tot. Length mm
2. SPORT
H.C.
13:1

MP Ref:
2171
Nom. Ø mm
95
Spinotto dim. mm
Piston pin dim.
 18 X 50.5 X 10

Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
NS

1	C6NB	AC	1,20	
1	C2LP		1,00	
1	RAC	AC	2,00	

Anellino/Circlip
 18 SB FILO 1.2

Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2171A	94,93	SP180505100KI	1 NSMOT950001	1	AN0B1812SET
PC2171B	94,94	SP180505100KI	1 NSMOT950001	1	AN0B1812SET
PC2171C	94,95	SP180505100KI	1 NSMOT950001	1	AN0B1812SET
PC2171D	94,96	SP180505100KI	1 NSMOT950001	1	AN0B1812SET

Compressione 23,4
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 39,7
Tot. Length mm

Motocross - Off-road - Quad
YAMAHA
4 TEMPI 4 STROKES
YZ 450F
2014 2017
1. STANDARD
O.C.
12,5:1

MP Ref:
2353
Nom. Ø mm
97
Spinotto dim. mm
Piston pin dim.
18 X 49 X 10 BIC NITR
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	C6NB	AC	1,00
1	RAC	AC	1,50

Anellino/Circlip
18 SB FILO 1.2


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2353A	96,93	SP180490100ZF2I	1 WSMOT970002I	1	ANOB1812SET
PC2353B	96,94	SP180490100ZF2I	1 WSMOT970002I	1	ANOB1812SET
PC2353C	96,95	SP180490100ZF2I	1 WSMOT970002I	1	ANOB1812SET
PC2353D	96,96	SP180490100ZF2I	1 WSMOT970002I	1	ANOB1812SET

Compressione 24,2
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 39
Tot. Length mm
2. SPORT
H.C.
13,6:1

MP Ref:
2355
Nom. Ø mm
97
Spinotto dim. mm
Piston pin dim.
18 X 49 X 10 BIC NITR
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	C6NB	AC	1,00
1	RAC	AC	1,50

Anellino/Circlip
18 SB FILO 1.2


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2355A	96,93	SP180490100ZF2I	1 WSMOT970002I	1	ANOB1812SET
PC2355B	96,94	SP180490100ZF2I	1 WSMOT970002I	1	ANOB1812SET
PC2355C	96,95	SP180490100ZF2I	1 WSMOT970002I	1	ANOB1812SET
PC2355D	96,96	SP180490100ZF2I	1 WSMOT970002I	1	ANOB1812SET

Compressione 24,2
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 42
Tot. Length mm
3. RACING
H.C.
13,6:1
SPINOTTO/PIN IN DLC

MP Ref:
2356
Nom. Ø mm
97
Spinotto dim. mm
Piston pin dim.
18 X 49 X 10 BIC NITR+DLC
Dett. segmenti: qta x tipo x mat.
Rings details: qty x type x mat.
WS

1	C6NB	AC	1,00
1	RAC	AC	1,50

Anellino/Circlip
18 SB FILO 1.2


Codice KIT PISTONE	Ø mm	Cod. SPINOTTO PIN code	Codice Segmenti Piston rings code	AN.Qta CLIPQty	Cod. SERIE anellino
PC2356A	96,93	SP180490100ZG2I	1 WSMOT970002I	1	ANOB1812SET
PC2356B	96,94	SP180490100ZG2I	1 WSMOT970002I	1	ANOB1812SET
PC2356C	96,95	SP180490100ZG2I	1 WSMOT970002I	1	ANOB1812SET
PC2356D	96,96	SP180490100ZG2I	1 WSMOT970002I	1	ANOB1812SET

Compressione 24,2
Compression mm
Mis. Testa
Head size mm
Lungh. tot. 42
Tot. Length mm