



CONNECTING RODS / BIELLE

Rif Ref	Bielle adattabili ai seguenti tipi Connetting rods fitting to the following types	Misure/Measures			
		A	B	C	D
026	Acme La480 Fe	140	30,6 • 36,6 • 24	30,6 • 69	br 20
020	Alpina Motosega	58	12 • 17 • 10	12 • 29,5	HK1010
605	Aprilia Rotax 125 cc (gabbia argentata) Ø 20	110	20 • 26 • 15	20 • 49	15 • 19 • 20
606	Aprilia Rotax 125 cc (gabbia argentata) Ø 22	110	22 • 28 • 16	22 • 49	15 • 19 • 20
607	Aprilia Hiro 125 cc (Gabbia Argentata)	110	22 • 28 • 16	22 • 56	15 • 19 • 20
618	Aprilia 50 Amico - Scarabeo - SR	80	16 • 22 • 12	16 • 37	10 • 14 • 13
910	Acquascooter	68	14 • 20 • 10	14 • 37	10 • 14 • 10
025	Atala 48 cc Zumm - Califfone	82	16 • 21 • 10	16 • 35	12 • 15 • 15
041	Benelli 50 cc 5V	86	18 • 24 • 15	18 • 40	13 • 18 • 15
042/2	Benelli 50 cc	86	21,2 • 27,2 • 12,7	21,2 • 33	12 • 15 • 15
618	Benelli 50 cc - Scooter	80	16 • 22 • 12	16 • 37	10 • 14 • 13
045	Benelli 125 cc - Bicilindrica	86	18 • 24 • 15		13 • 18 • 15
046	Benelli 250 cc - Bicilindrica	95	18 • 24 • 15		13 • 18 • 15
180	Beta 50 cc - 2 Gabbie 4V	85	16 • 22 • 12	16 • 32	12 • 15 • 15
181	Beta 50 cc - Trial 5V	85	20 • 26 • 12	20 • 36	14 • 18 • 13
182	Beta 125 cc - V.T. Enduro	100	18 • 24 • 15	18 • 38	14 • 18 • 16
600	Cagiva 50 cc City	80	18 • 24 • 12	18 • 39	10 • 14 • 13
601	Cagiva 125 cc	100	18 • 24 • 15	18 • 40	15 • 19 • 20
602	Cagiva 125 cc Freccia - C9 - Cruiser (gabbia argentata)	105	22 • 28 • 16	22 • 51	16 • 20 • 23

CONNECTING RODS / BIELLE

Rif Ref	Bielle adattabili ai seguenti tipi Connetting rods fitting to the following types	Misure/Measures			
		A	B	C	D
603	Cagiva 125 cc Ala Rossa Mito (gabbia argentata)	110	22 • 28 • 16	22 • 51	16 • 20 • 23
604	Cagiva 50 cc Prima	80	18 • 24 • 13	18 • 39	12 • 17 • 13
900	CM 100 Agricolo	100	20 • 26 • 12	20 • 35	15 • 18 • 14
190	CPI scooter 50cc cinese	80	16 • 22 • 12	16 • 37	12 • 17 • 13
153	Demm 50 cc U.T. 1971	82	16 • 22 • 12	16 • 29,5	br. 12
100/16	Derbi Senda	90	16 • 22 • 12	16 • 44	12 • 15 • 15
100/18	Derbi Senda	90	18 • 24 • 12	18 • 41	12 • 15 • 15
705	Dolmar Motosega	82	16 • 22 • 12	16 • 37	12 • 16 • 13
706	Dolmar 6000 Motosega	64	14,4 • 20,4 • 10	14,4 • 31	12 • 16 • 13
710	Dolmar Motosega	72	16 • 22 • 12	16 • 37	12 • 16 • 13
175	Ducati 48 cc 2T. - 3 Vel. Piuma	85	r. 4 • 6	15,4 • 32	br. 12
730	Efco Decespugliatore	62	14 • 18 • 10	14 • 26,5	12 • 15 • 13
192	FB. Minarelli 48 cc 2T. P4 RV4	85	16 • 22 • 12	16 • 30	12 • 15 • 15
192/GA	FB. Minarelli 48 P4 - RV4 (gabbia argentata)	85	16 • 22 • 12	16 • 30	12 • 15 • 15
194	FB. Minarelli 48 cc 2T. P6	85	16 • 22 • 12	16 • 35	12 • 15 • 15
194/GA	FB. Minarelli 48 cc 2T P6 (gabbia argentata)	85	16 • 22 • 12	16 • 35	12 • 15 • 15
195	FB. Minarelli 48 cc 2T P6 Speciale Corsa	85	16 • 22 • 11	16 • 35	12 • 15 • 15
195/GA	FB. Minarelli 48 cc 2T P6 Speciale Corsa (gabbia argentata)	85	16 • 22 • 11	16 • 35	12 • 15 • 15
197	FB. Minarelli I 90 Motozappa	100	20 • 26 • 12	20 • 35	13 • 18 • 15

CONNECTING RODS / BIELLE

Rif Ref	Bielle adattabili ai seguenti tipi Connetting rods fitting to the following types	Misure/Measures			
		A	B	C	D
198	FB. Minarelli AM 345	85	16 • 22 • 12	16 • 40	12 • 15 • 15
199	FB Minarelli AM6	85	18 • 24 • 12	18 • 40	12 • 15 • 15
200	F. Morini T 4	85	16 • 22 • 12	16 • 32	12 • 15 • 15
200/GA	F. Morini T 4 (gabbia argentata)	85	16 • 22 • 12	16 • 32	12 • 15 • 15
208	F. Morini 50 cc 3M./SS Turbo 4 MP	85	20 • 26 • 12	20 • 32	12 • 15 • 15
213	F. Morini 48 cc 2T - F4 - F5 Gioietta Giromatic	77	16 • 22 • 12	16 • 30	12 • 15 • 15
214	F. Morini 48 cc 2T - 3M (Con Bronzina)	77	16 • 22 • 12	16 • 30	12 br.
215	F. Morini G30	85	16 • 22 • 12	16 • 36	12 • 15 • 15
224	Garelli 50 cc 2T /MM2/M3/ Mod. Gulp/Automat	90	18 • 24 • 12	18 • 34	12 • 16 • 14
226	Garelli Team 50 cc	84	16 • 22 • 12	16 • 35	12 • 16 • 14
227	Garelli Flex 50 cc 2T - Matic - Gulp	84	16 • 22 • 12	16 • 34	12 • 16 • 14
228	Garelli 50 cc 2T 4M Junior Sport. Standard Lusso	90	20 • 26 • 12	20 • 35	12 • 16 • 14
230	Garelli 50 cc Ciclone - Tiger	90	16 • 22 • 12	16 • 34	12 • 16 • 14
231	Garelli Sael - Nuovo Tiger	84	16 • 22 • 12	16 • 38	12 • 16 • 14
865	Garelli 150 4T	94	30 • 37 • 14	30 • 43,5	15
232	Gilera 50 cc 2T - Trial	87	20 • 26 • 12	20 • 40	12 • 17 • 13
234	Gilera 98 cc 4T Giubileo SS/SS Special	103	18 bronz.	28,6 • 54	12 br.
237	Gilera 124 cc 4T 4/5 Vel Lusso Regol Casa/Regol Complet/6G.F.S.	103	22 bronz.	28,7 • 61	15 br.
240	Gilera 125 cc TG1	97	20 • 26 • 12	20 • 40	16 • 20 • 20

CONNECTING RODS / BIELLE

Rif Ref	Bielle adattabili ai seguenti tipi Connetting rods fitting to the following types	Misure/Measures			
		A	B	C	D
241	Gilera 125 cc RX - RV - KK - KZ (gabbia argentata)	110	20 • 26 • 17	20 • 58	16 • 20 • 20
242	Gilera 50 cc Bullit	91	16 • 22 • 12	16 • 41	12 • 15 • 15
243	Gilera 180 Runner 105	105	22 • 28 • 16	22 • 46	16 • 20 • 20
553	Gilera 50 cc Scooter Typhoon - Storm - Runner - Stalker	80	16 • 22 • 12	16 • 39,5	12 • 17 • 13
271	Guzzi 2T. Trotter/Trotter Super	74	r. 2,5 • 7,8	13,8 • 26	10 br.
720	Hiro 125 cc	110	18 • 24 • 15	18 • 49	15 • 19 • 20
721	Hiro 125 cc Raff. Acqua	110	20 • 26 • 17	20 • 56	15 • 19 • 20
850	Honda 50 cc Vision Scooter	75	16 • 22 • 12	16 • 33	10 • 14 • 13
851	Honda 50 cc	80	16 • 22 • 12	16 • 40	10 • 14 • 13
852	Honda 125 cc	100	18 • 24 • 13	18 • 47	14 • 18 • 17
853	Honda Gp - Dio	80	18 • 24 • 12	18 • 34	12 • 17 • 13
854	Honda 50 cc 780 H01	80	16 • 22 • 12	16 • 40	12 • 17 • 15
855	Honda SFX 50 cc	80	18 • 24 • 12	18 • 39,5	12 • 17 • 13
856	Honda 50 cc MTX	80	16 • 22 • 12	16 • 41	12 • 17 • 15
857	Honda 150 cc SH 4 tempi	96	28 • 36 • 14	28 • 43	14
858	Honda 250 cc 4 tempi	103	32 • 44 • 18	32 • 49	17
859	Honda 125 - 150 cc Panthom	110	22 • 28 • 14	22 • 48	16 • 20 • 20
750	Husqvarna P. 61 Motosega	62	16 • 22 • 12	16 • 34	12 • 15 • 15
751	Husqvarna 2101 Motosega	72	18 • 24 • 12	18 • 34	13 • 17 • 17,5

CONNECTING RODS / BIELLE

Rif Ref	Bielle adattabili ai seguenti tipi Connetting rods fitting to the following types	Misure/Measures			
		A	B	C	D
752	Husqvarna 281/288 Motosega	70	16 • 22 • 12	16 • 34	13 • 17 • 17,5
753	Husqvarna 365	65	16 • 22 • 12	16 • 32	12 • 15 • 13
862	Kimco 50 cc 4 tempi	80	23,1 • 28,1 • 14	23,1 • 36	13
863	Kimco 125 cc 4 tempi	93,5	28 • 33 • 14	28 • 39	15
864	Kimco 150 cc 4 tempi	94	30 • 37 • 14	30 • 39	15
865	Kimco 150 4T	94	30 • 37 • 14	30 • 43,5	15
866	Kimco 250 cc 4 tempi	103	32 • 44 • 18	32 • 49	17
334	Lambretta J 50 cc Scooter/Lui	85	18 • 24 • 12	S18 • 35	12 • 16 • 13
344	Lambretta 125 / 150 cc Li 2% Special	107	22,9 • 28,9 • 13,7	S22,9 • 40	16 • 20 • 20
346	Lambretta 175 FLI	116	22,9 • 28,9 • 13,7	S22,9 • 40,5	16 • 20 • 20
350	Lambro 200 cc 600 V. E DI.	107	22,9 • 28,9 • 13,7	22,9 • 40	16 • 20 • 20
400	LML 125/150	96	28 • 36 • 14	28 • 47	14
618	Malaguti 50 - F10 - F12 Phantom	80	16 • 22 • 12	16 • 37	10 • 14 • 13
215	Malaguti 50 RST - Fifty - Mistral	85	16 • 22 • 12	16 • 36	12 • 15 • 15
618	MBK - Booster - Spirit - Flipper	80	16 • 22 • 12	16 • 37	10 • 14 • 13
436	Moto Morini 48 cc Corsarino	81	20 • 26 • 12	S20 • 38	12 br.
485	Motom 51 cc 4T/LF/Motozappa	80	r. 3 • 8,8	20,2 • 26,5	11 br.
800	Peugeot 50 cc Metropolis	80	16 • 22 • 12	16 • 40	10 • 14 • 13
801	Peugeot 50 cc ST - Rapido	75	16 • 22 • 12	16 • 34	10 • 14 • 13

CONNECTING RODS / BIELLE

Rif Ref	Bielle adattabili ai seguenti tipi Connetting rods fitting to the following types	Misure/Measures			
		A	B	C	D
802	Peugeot 50 cc SV - Geo	80	16 • 22 • 12	16 • 42	12 • 15 • 15
803	Peugeot 50 cc Buxi - Speedake	80	16 • 22 • 12	16 • 41	12 • 15 • 15
550	Piaggio Vespa 50 cc 2T. Mod. 50LV5 A1/Pk (2 gabbie) Ape 50	87	20 • 26 • 12	20 • 35	12 • 17 • 13
550/15	Piaggio Vespa 50 - Ape	87	20 • 26 • 12	20 • 35	12 • 17 • 15
551	Piaggio Vespa 125 cc Primavera - ET3	97	20 • 26 • 12	20 • 35	15 • 19 • 20
552/2	Piaggio Vespa Ciao 49 cc Bravo - Boxer 2T. Mod 2 gabbie	87	16 • 21 • 10	16 • 33	12 • 15 • 15
552/10	Piaggio Vespa Si 49 cc	87	16 • 21 • 10	16 • 33	10 • 13 • 14,5
553	Piaggio 50 cc Sfera - Zip - Quartz Liberty - Free - NGR	80	16 • 22 • 12	16 • 39	12 • 17 • 13
554	Piaggio Sfera 80 cc	90	18 • 24 • 13	18 • 40	12 • 17 • 13
555	Piaggio 50 cc 4 tempi	89	24 • 30 • 15	24 • 41	13
556	Piaggio Vespa P200E	110	22 • 29 • 16	22 • 39	16 • 20 • 20
559	Piaggio Vespa 125 1951/52	110	rulli 6 • 8	21,1 • 30	br. 15
560	Piaggio Vespa 125 1953	110	rulli 6 • 8	21,1 • 34	br. 15
561	Piaggio Vespa 125 1954	110	rulli 5 • 10	25,8 • 34 sc.	br. 15
562	Piaggio Vespa 125 1955/56/57	110	rulli 4 • 10	21,8 • 34 sc.	br. 15
563	Piaggio Vespa 125 Super Sprint 1961	105	22 • 29 • 16	22 • 39 • 18,7 sc.	15 • 19 • 20
564	Piaggio Vespa 150 GS 1956	105	4 • 10	28,1 • 34 sc.	15
565	Piaggio Vespa 150 GS 1961	105	22 • 29 • 15,6	22 • 34 sc.	15 • 19 • 20
570	Piaggio Vespa 150 cc 52T 1960/61/62 2%	105	rulli 4 • 10	21,8 • 34 sc.	br. 15

CONNECTING RODS / BIELLE

Rif Ref	Bielle adattabili ai seguenti tipi Connetting rods fitting to the following types	Misure/Measures			
		A	B	C	D
571	Piaggio Vespa 150 cc 2T G.L. 1963 2%	105	22 • 29 • 16	22 • 39 • 18,6 sc.	15 • 19 • 20
572	Piaggio Vespa 125/150 cc PX	105	22 • 29 • 16	22 • 39	15 • 19 • 20
573	Piaggio Exagon - T5 (gabbia argentata)	105	20 • 26 • 15	20 • 47	16 • 20 • 20
574	Piaggio 125 4T	89	30 • 38 • 16	30 • 44,5	∅ 14
575	Piaggio Vespa ET4 Leader 4T	92	30 • 17,9 br	30 • 51,2	15
576	Piaggio 200 cc 4 tempi	92	30 • 17,9 br	30 • 51,2	15
577	Piaggio 300 cc 4 tempi	97,5	30 • 17,9 br	30 • 51	16
578	Piaggio 500 cc 4 tempi	114	35 • 21,9 br	35 • 61,2	22
579	Piaggio 250 cc 4 tempi	99	30 • 17,9 br	30 • 51	15
580	Piaggio Vespa 180 rally	110	22 • 29 • 15,6	22 • 39 sc	16 • 20 • 20
581	Piaggio Ape 550 2T MP	110	22 • 29 • 16	22 • 48	16 • 20 • 20
582	Piaggio Vespa 180 ss	110	22 • 29 • 16	22 • 45 sc	16 • 20 • 20
583	Piaggio 350 cc 4 tempi	109	35 br.	35 • 56	17
585	Piaggio Ape 200 cc 2T - Car 600	110	22 • 29 • 16	22 • 48	18 • 23 • 20
586	Piaggio Ape 200 cc 2T Car 600 - TM Lubrificazione separata	110	22 • 29 • 16	22 • 47,5 L.S	18 • 23 • 20
243	Piaggio Runner 180 (Gabbia Argentata)	105	22 • 28 • 16	22 • 46	16 • 20 • 20
700	Puch 48 cc	90	14 • 18 • 10	14 • 34	12 • 15 • 13
546	Sachs 50 cc 2T - 6V	85	16 • 21 • 10	16 • 40	14 • 18 • 14
548/GA	Sachs 125 cc 2T (Gabbia Argentata)	110	20 • 26 • 12	20 • 55	15 • 19 • 20

CONNECTING RODS / BIELLE

Rif Ref	Bielle adattabili ai seguenti tipi Conneting rods fitting to the following types	Misure/Measures			
		A	B	C	D
610	Solo 48 cc	82	16 • 21 • 10	16 • 31	HK 12 10
950	Stihl 051 Motosega	78	18 • 24 • 12	18 • 33	13 • 17 • 17,5
952	Stihl 070 Motosega	73	19 • 25 • 15	19 • 37,3	15 • 19 • 20
953	Stihl 08 Motosega	58	14,4 • 20,4 • 10	14,4 • 33	12 • 16 • 13
954	Stihl 025 - 250	56	12 • 17 • 10	12 • 28	13
801	Suzuki Address	75	16 • 22 • 12	16 • 34	10 • 14 • 13
860	Suzuki Katana - Aprilia D -Tech	80	18 • 24 • 12	18 • 38,5	12 • 17 • 13
930	Tomos Ø 10	90	16 • 21 • 10	16 • 34	10 • 14 • 13
931	Tomos Ø 12	90	16 • 21 • 10	16 • 34	12 • 15 • 15
618	Yamaha 50 cc	80	16 • 22 • 12	16 • 34	10 • 14 • 13
619	Yamaha 125 cc 4T	98.5	29 • 37 • 16	29 • 47	15
620	Yamaha 250 cc 4T	107	32 • 40 • 20	32 • 59	17
621	Yamaha 150 cc 4T	99	31 • 38 • 17	31 • 48	15
622	Yamaha 125 X - Max	100,5	28 • 35 • 16	28 • 47	14